





Product environmental attributes - THE ECO DECLARATION

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Consumer Integrated PC				
Commercial name *	HP TouchSmart IQ810 series				
Model number *	IQ810 to IQ819				
Issue date *	17-Oct-08				
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality (Quality Control		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see http://www.itforetagen.se).		

Model number *	IQ810 to IQ819	Logo	75 °
Issue date *	17-Oct-08		

Product 6	environmental attributes - Legal requirements	Requireme	ent m	et
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes N	No n	.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals</i> 20.12.2002		<u> </u>	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)	s- 🛛 [
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			X
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC		<u> </u>	
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)			
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EUR&TTE Directive (1999/5/EC)	ا 🖂 [
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and a amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	s [
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packagin or packaging components does not exceed 0,01% by weight (94/62/EC).	g 🛛 [<u> </u>	_
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)			
P5.3*	The product packaging material is free from CFC/HCFC.	⊠ [J
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes [

Model number *	IQ810 to IQ819	Logo	75 °
Issue date *	17-Oct-08		

Product e	environmental att	tributes - Market requ	irements - Environmental conscious design	Requiren	nent	met
Item			ation regarding each item may be found under P14.	Yes	No	n.a.
P7		embly, recycling				_
P7.1*		o be treated separately			<u>Ц</u>	ᆜ
P7.2*		in covers/housing have	=	<u> </u>	\boxtimes	<u>Ш</u>
P7.3*	Plastic parts >10	00g consist of one mate	erial or of easily separable materials.		Ш	
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily	/ separable. (This requi	irement does not apply to safety/regulatory labels).			
	Product lifetime					
P7.7*	Upgrading can b	e done e.g. with proces	ssor, memory, cards or drives	<u> </u>	<u>Ц</u>	<u>Ш</u>
P7.8*		e done using common				<u>Ш</u>
P7.9.	Spare parts are	available after end of p	roduction for: 3 years			Ш
P7.10		ble after end of produc	•			
D7.44*		bstance requirements	S			
P7.11*	Material type: AE	ousing material type:	Material type: ABS Material type: ABS			
P7.12*			ower cables are halogen free (including PVC)		\boxtimes	$\overline{}$
P7.13*			gnal cables are halogen free (including PVC)		\boxtimes	旹
P7.14		g plastic parts >25g are			$\stackrel{\square}{\vdash}$	ዙ
P7.15			·		₩	∺
P7.16		` .	onents) >25g are halogen free ants in cover / housing plastic parts >25g according ISO 1043-4:			₩
1 7.10	Crieffical specifi	cations of hame retards	ants in cover / nousing plastic parts >239 according 100 1045-4.			Ш
P7.17	Chemical specifi 1043-4: FR(16)	cations of flame retarda	ants in printed circuit boards (without components) >25g according I	SO 🔀		
P7.18		ed material in plastic pa				
P7.19		ig are free from flame r R60/61 (67/548/EEC)	etardant substances/preparations above 0.1% classified as R45/46,			
P7.20	•	e free from mercury ed specify: Number of la	amps: 1 and max. mercury content per lamp: 2.26 mg			
P8	Batteries					
P8.1*	Product does no	t contain batteries defir	ned as hazardous according to 91/157/EEC			<u>Ш</u>
P8.2*		l	Battery chemical composition: Li Ion,Alkaline			Ш
P8.3			following voluntary program/s:			
P9	Energy consum					
9.1	Power level at	<u>the following power leve</u>	els or energy consumptions have been measured:	Reference	,	n.a.
Mode	* Volts	Time (s) to <mode></mode>	Mode description	Standard	'	II.a.
On-max	W		*	*		
On- normal	* W	to	*	*		
On-idle	W	to	*	*		
Save 1	* W	to	*	*		
Save 2	W	to	*	*		
Off 1	* W	to	*	*		
Off 2	W	to	*	*		
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* kWh/y	Typical Energy Consun	nption per year	*		
P9.2*	Information abou	ut the energy save func	tion is provided with the product.	\boxtimes		
P9.3		ets the energy requirem® MOU (Ver. 4.0, Tier	nents of the following voluntary program/s: 1)			

Model number *	IQ810 to IQ819	Logo	75 °
Issue date *	17-Oct-08		

Product e	environmental attributes - Market requirements (continued) Requirement met					
Item	•	fill in. Additional information regarding each	n item may be four	nd under P14.	Yes No	n.a.
P10	Emissions	D 1 1 10 100 100				
P10.1	Mode Mode	Declared according to ISO 9296 Mode description	Declared A-weighted sound power level L _{WAd} (B)]
				or Deskside operato	or attended)
	Idle	* Fans on, HDD spinning (if applicable)	* 3.6	25		
	Operation	* Fans on, HDD spinning	* 3.6	24.9		
	Other mode					
	Measured accord	ding to: ISO 7779 ECMA-74 Other (only if not covered	d by ECMA-74 with	n L _{pAm} measurement distance	m)	
P10.2	The product mee	ets the acoustic noise requirements of the fo	ollowing voluntary	orogram/s:] 🗆
	Chemical emiss	sions from printing products				
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:			
	The test covers:	Dust Ozone Styrene	Benzene	TVOC		
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:					
	Electromagnetic	c emissions				
P10.5	Computer display program/s:	y meets the requirement for low frequency e	electromagnetic fie	elds of the following voluntary		
P11	Consumable materials for printing products					
P11.1*	A Material Safety P4.3).	/ Data Sheet (MSDS) is available for the ink	x/toner preparation	, even if not legally required (see		
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.		
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.			
P12	Ergonomics for	computing products				
P12.1*		stem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays		1 🗆
P12.2*	The product keyl	board meets the requirements of ISO 9995	and EN 29241-4.			1 🗆
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.			1 🔲
P13	Packaging and	documentation				
P13.1*	Product packagin	ng material type(s): Polyethylene low densit ng material type(s): Corrugated ng material type(s): Molded Pulp	y foam weight (kg) weight (kg) weight (kg):	: 3.2]
P13.2*	Product plastic p	ackaging is halogen free (including PVC)				
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper			
P13.4*	User and produc	t documentation contain recycled paper				1 🗆

Model number *	IQ810 to IQ819	Logo	7 53 °
Issue date *	17-Oct-08		

P9	Energy con	sumption					
9.1	For the prod	luct the following power	er levels or energy cons	sumptions have been mea	sured:		
Power Consumption Mode Description		Power Consumption AC Input Voltage at 100 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 115 VAC +/- 5 VAC, 60 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 230 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Default Time Settings to Enter Energy Saving Mode	Reference Standard (test method)	
On-Idle (STAR® Id	ENERGY dle (S0))	36.60	36.85	37.82	Not Applicable	ENERGY STAR® Program Requirements for Computers: Ver. 4.0	
ENERGY "Sleep" (enabled)	(S3) (WOL	3.37	3.42	3.38	30 minutes (system unit)	ENERGY STAR® Program Requirements for Computers: Ver. 4.0	
ENERGY STAR [®] "Standby" (Off) (S5) (WOL disabled)		1.50 1.50	1.50	1.53	Not Applicable	ENERGY STAR® Program Requirements for Computers: Ver. 4.0	
ENERGY No-Load					Not Applicable	ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac- Ac Power Supplies	
P14	Additional	information					
4//						is published. Changes to	
sections	external s	standards referenced i	n the IT Eco-Declaration	on may invalidate some inf	ormation contained in t	his declaration over time.	
P9	marked w STAR® sp efficiency 2. For mo market se 3. Energy model me extra hard	with the ENERGY STA pecifications for computed data listed is for a type ore information about headments and product of Efficiency information eeting ENERGY STARD disks or graphic carc	R® Logo are compliant uters. If a model family ically configured mode HP's ENERGY STAR® categories for more information published on the ECN specifications if offer its etc, these can change.	does not offer ENERGY St. qualified products, go to hormation. MA 370 The Eco Declaration	Environmental Protection STAR® compliant configure. http://www.hp.com/represents a typically for the potional componental listed above.	n Agency (EPA) ENERGY gurations, then energy com/ and select the applicable y configured product base ts or modules are added, like	
P10	1. Acoust		ring parts are added, lik			onfigured product base mode these can change acoustic	

NOTE: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the [Enter] key.