

Product environmental attributes - IT Eco Declaration 2005

Brand		Hewlett-Packard	Logo			
Manufacturer		Hewlett-Packard				
Manufacturer's	Name:		(27)			
representative	e-mail:	itecodeclaration.ww@hp.com				
Contact person	Name:	Hans Wendschlag , HP Sweden				
	e-mail:		invent			
Postal address			invent			
Postal code /City/ Country						
Telephone	+					
(incl. country code)						
Mobile phone	+					
(incl. country code)						
Fax (incl. country code)	+					
Internet site		http://www.hp.se/environment				
Additional information		Latest version of this document can be found at: http://www.hp.se/itecodeclarations.				
		The company environmental profile, which is issued for the company and isn't				
		product related, can also be found at the same website. Check Item 14 for				
		explanatory information regarding specific iter	n responses.			

This declaration covers the below listed Information Technology product categories* with specified product identity (ID) such as type/model number.						
Computer system unit CPU Mobile/portable computer Server						
Display/ monitor	Keyboard	Digital Projector Camera				
Printer Copier Fax	Multifunction product Scanner	Other IT product, specify:				
Black/white Colour Pages pe	minute:					
Product identity HP Pavilion to	Product identity HP Pavilion t3221de, t3230de, t3231de, t3232de, t3237de, t3238de, t3240de, t3241de, t3250de					
Issue date 2005-08-24						
Guideline document June 2004						
(Version of Guideline document used for completion of this declaration (month, year))						

This IT Eco Declaration consists of three documents:

- Company environmental profile: Divided into two sections, legal and market requirements
- Product environmental attributes: Divided into two sections, legal and market requirements
- Guideline document with extensive clarifications, comments and references.

The latest version of all these documents can be downloaded from: www.itecodeclaration.org

Notes

Voluntary vs compulsory requirements: Items marked V are voluntary to answer, all other items must be answered.

The latest version of the Guideline document must be used. Specify in table above according to which version of the guideline document this declaration has been completed.

This version of the IT Eco Declaration is adjusted to the document "Product-related Environmental Attributes", issued by the European Association for Standardizing Information and Communication Systems (ECMA), TR/70, version 1999.

This version of the IT Eco Declaration meets the basic principles of ISO14021:1999, Environmental labels and declarations – Self-declared environmental claims (Type II environmental labelling).

When references are given to standards like ISO, IEC and EN, the latest version should always be referred to.

For telecommunication products, use eco declaration for telecommunication products.

This IT Eco Declaration version can be used from October 1st 2003 and shall be used for products announced after December 1st 2003.

The IT Eco Declaration is a system for declaration of environmental aspects of IT and telecom products, developed by the Nordic IT organisations, IT-Företagen in Sweden, ITB in Denmark, IKT-Norge in Norway and TTK ry in Finland.

This IT Eco Declaration may only be used after having signed a contract with at least one of these organisations.









Page 1 (5)

Product identity	HP Pavilion t3221de, t3230de, t3231de, t3232de, t3237de, t3238de, t3240d	e, t3241d	le, t3250de
Issue date	2005-08-24	Logo	(2)
			(P)

Produ	ct environmental attributes - <u>Legal requirements</u>	Requ	iiremen	t met
Item	Additional information regarding each item may be found under P14.	Yes	No	n.a
P1	Environmental conscious design			
P1.1	Product parts are free from, i.e. less than 0.1% by weight (b.w.), CFCs & HCFCs, asbestos, PCB & PCT (3093/94/EEC, 76/769/EEC, 6th amendment, 99/77/EEC, 82/828/EEC)	V		
P1.2	Components are free from, i.e. less than 0.1% b.w., mercury (Hg), except for small amounts of mercury which are allowed in light sources. (SE SFS 1998:944)	~		
P1.3	Cadmium (Cd) content of colorants, stabilizers, and surface treatments does not exceed, 0.01% b.w., as specified in 76/769/EEC, 10th amendment, 1991/338/EEC.	V		
P1.4	Paints are free from lead (Pb), i.e. less than 0.1% b.w., (76/769/EEC, 8th amendment, 89/677/EEC)	~		
P1.5	Paints, coatings, plastics, rubbers and seals are free from flame retardants and/or plasticizers containing Short Chain Chlorinated Paraffines (SCCPs) with more than 0,1% by weight, 10-13 carbon atoms, minimum 48% chlorine by weight, CAS number 63449-39-8 (NO MVD regulation 1544, 2000.12.13 and FI 416/2003).	V		
P1.6	If the product is intended for direct and prolonged skin contact, the surfaces do not release nickel (Ni) above levels specified in (76/769/EEC, 8th amendment, 94/27/EEC)			~
P2	Batteries		•	
P2.1	If hazardous batteries are used in the product, they are labelled. (93/86/EEC).			<
P2.2	If batteries are used in the product they are free (<0.0005% by weight) from mercury (Hg) (98/101/EC)	~		
P3	Electrical safety, EMC and connection to the telephone network	•		
P3.1	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	~		
P3.2	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC)	~		
P3.3	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	V		
P3.4	The product is CE-marked (93/68/EEC)	~		
P4	Consumable materials	•		
P4.1	If a photo conductor (drum, belt etc.) is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (76/769/EEC and 91/338/EEC)			~
P4.2	If an ink is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (91/338/EEC)			V
P4.3	If toner/ink (or corresponding) are used in the product, they are classified and if required labelled in accordance with EU directives			~
P5	Packaging materials			
P5.1	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0.01% by weight (100 ppm). (94/62/EC).	V		
P5.2	The product packaging material is free from CFC/HCFC.	~		
This pr	oduct meets above listed legal requirements	V		

Version August 2005 Page 2 (5)

Product Identity	HP Pavilion t3221de, t3230de, t3231de, t3232de, t3237de, t3238de, t3240d	de, t3241d	e, t3250de
Issue date	2005-08-24	Logo	

Product	environmental attributes - Market requirements	Requi	iremen	t met		
Item V	= Voluntary to answer. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Environmental conscious design					
D0 4	Disassembly, recycling Ohior to all the set of different and a statistic has been provided.		_			
P6.1	Gluing/welding of different material has been avoided.	~	<u> </u>			
P6.2	Plastic materials in covers/housing are free from surface coating.		~			
P6.3	Mechanical plastic parts >100g, consist of one material or of easily separable materials.	~				
P6.4	Plastic parts >25g, have material codes according to ISO 11469.	~				
P6.5 V	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	V				
P6.6	If labels are required they should be separable. (This requirement does not apply to safety labels).	~				
	Product lifetime					
P6.7	Upgrading of the product can be done with commonly available tools	▽				
P6.8	Processor, memory and cards of various types can be changed/upgraded.	~				
P6.9	Hard disk, CD/DVD drives and / or floppy drive can be changed/upgraded.	<u>~</u>				
P6.10 V	Spare parts are available after end of production for:	rs		V		
	Material requirements					
P6.11	Plastic parts >25g are free from PBB/PBDE, i.e less than 0.1% b.w.	~				
P6.12 V	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/52/53 and R60/61 (67/548/EEC)	~				
P6.13	Chemical specification of flame retardants in plastic parts >25g according to ISO 1043-4 declared belo					
	Product cover/ housing: ABS FR(17)	~				
	Printed circuit boards: TBBP-AFR(16)	~				
V	Other plastic parts:					
P6.14	Product cover/housing material type, specified according to ISO 1043-1 Material type HIPS Material type ABS Material type Polyce	carbonate//	Acrylic	-		
P6.15			toryno			
P6.16 V	Electrical cable insulation material specification Light sources are free from mercury, i.e less than 0.1% b.w.	Other		V		
0.10	If mercury is used specify: Number of lamps & max. mercury per lamp mg			•		
P6.17 V	Mechanical plastic parts > 25g are free from lead (Pb), i.e. less than 0.1% b.w.	▽				
P6.18 V	Product parts are free from beryllium (Be) and beryllium oxide (BeO), i.e. less than 0.1% b.w.	<u>~</u>				
P7	Batteries					
P7.1	Product is free from batteries defined as hazardous (91/157/EEC)	<u>~</u>				
P7.2 V	Batteries are used that meet the European eco-label (EU Flower) criteria (2001/687/EC & 2001/686/E0	C) 🔽				
P8	Energy consumption					
P8.1	Note: For Monitors, PCs and Handheld PCs, energy consumption	on data	are			
	reported on Page 5 under Item P14, Additional Information.					
	n.a.	n.a.				
V	Maximum power W					
	Sleep mode W Deep sleep mode W					
	If the product is in Stand by mode, it reverts to:					
v	Low power mode in min Sleep mode in 30 min					
	Deep sleep mode in min V Off mode in min					
P8.2	2-sided printing/copying (duplex) from 1-sided originals is an integrated product function.					
P8.3	Information about the energy save function is given in the user documentation. (Not applicable when no instruction is needed to operate the energy save function, i.e. the energy save function cannot be adjusted or inhibited by the user.)					
P8.4	The product meets the requirements of ENERGY STAR®.					
P8.5 V				П		
P8.6 V	Display meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC &	<u> </u>		<u></u>		
v	2001/687/EC). Desktop or portable computer meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC & 2001/687/EC)	~				

Version August 2005 Page 3 (5)

Product Identity	HP Pavilion t3221de, t3230de, t3231de, t3232de, t3237de, t3238de, t3240d	e, t3241d	e, t3250de
Issue date	2005-08-24	Logo	(P)

Product environmental attributes - <u>Market requirements</u> (continued)			Requirement met	
Item V	Item V = Voluntary to answer. Additional information regarding each item may be found under P14.			
P9	Noise characteristics (Measured and declared according to ISO 7779 and ISO 9296)			
P9.1	Declared A-Weighted Sound Power Level, LWAd (1B = 10 dB)			
	Operating mode: L _{WAd} : 4.5 B Idling mode: L _{WAd} : 3.7 B			
P9.2 V	The product meets the acoustic noise requirement of: TCO			
	Blue Angel			
	European eco-label (EU Flower)			
	Nordic Swan			
P9.3 V	Declared A-Weighted Sound Pressure Level, LpAm			
	(measured at the operator position if applicable; otherwise measured at the 1m bystander positions).			
	Operating mode: L _{pAm} : 38.2 dB Idling mode: L _{pAm} : 30.0 dB			
	Test position: L_{pAm} : \checkmark Operator position \Box Bystander positions			
P10	Test position for PC tower L _{pAm} : ✓ Table top Floor standing Emissions			
P10.1				V
	Chemical emission test performed according to RAL-UZ , other standard , specify:			·
	The test covers: Dust Ozone Styrene TVOC Benzene			
P10.2 V	The product meets the requirement for chemical emission in: TCO			.
				V
	Blue Angel	H	H	V
D.10.0	Nordic Swan			~
P10.3	Display/monitor/portable computer meets the requirement for low frequency electromagnetic fields in: MPR-II			V
	TCO	H	\vdash	
				V
D44	prEN50279- A , -B , -C			~
P11 P11.1	Consumable materials The photo conductor is free from selenium.			V
P11.2	If the photo conductor contains selenium there is a system for waste recovery.			V
P11.3 V	Safety Data Sheet/Material Safety Data Sheet (SDS/MSDS) is available for toner/ink (99/45/EC &	-	-	<u>V</u>
	2001/58/EC)			
P11.4 V	Paper containing recycled fibres and meeting requirements of ENV12281 can be used in the product.			V
P12	Ergonomics The approximate the approximate of FN 00044 0. 7, 0 for OPT displays	_	_	_
P12.1	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO 13406-2 for flat panel displays.			~
P12.2	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.	~		
P12.3	The computer input device meets the requirements of ISO 9241-9.	~		
P13	Packaging and documentation			
P13.1	Product packaging: material type(s): Corrugated Carton weight (kg): 1.500			
	LDPE Foam Endcaps 0.150 LDPE Bag 0.005			
	251 L 54g			
P13.2 V	Plastic packaging material is marked according to DIN 6120, ISO 11469 or ISO 1043, 1-4.	~		
P13.3 V	Product plastic packaging is free from chlorine	~		
P13.4 V	User and product documentation are free from chlorine bleached paper	~		
P14	Additional information			
	"The IT Eco Declaration covers the product base model only. If optional items with moving parts a hard disks or graphic cards with fans etc, these can change energy and acoustics values for whic responsibility."			

Version August 2005 Page 4 (5)

Product Identity	HP Pavilion t3221de, t3230de, t3231de, t3232de, t3237de, t3238de, t3240d	e, t3241de	, t3250de
Issue date	2005-08-24	Logo	
			db.

P14	Additional information						
	1. "The IT Eco Declaration covers a are added, like extra hard disks or g which HP can take no responsibility 2. For PCs, HP will not declare "Max not been established. 3. For Commercial Desktop and Mol reported with the network interface.	raphic cards with fans etc." imum Power Consumption pile PCs, power consumpti controller (NIC) WOL disal	, these can change energy n" as a standard for measo ion in the Off / Apparent O bled.	and acoustics values for urement and declaration has			
P8.1	Supplemental Energy Efficiency Dat						
	Power Consumption Parameters	AC Input Voltage at 100 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	AC Input Voltage at 115 VAC +/- 5 VAC, 60 Hz +/- 3 Hz	AC Input Voltage at 230 VAC +/- 5 VAC, 50 Hz +/- 3 Hz			
	Power Consumption for Displays:						
	Enter power consumption in On / Active Power Operation Mode						
	Enter power consumption in First Low Power / Sleep Mode						
	Enter power consumption in Second Low Power / Deep Sleep Mode [If applicable]						
	Enter power consumption in Off or Apparent Off Mode						
	Power Consumption for Desktop and	Power Consumption for Desktop and Mobile PCs:					
	Enter power consumption in Maximum Power Mode	NA	NA	NA			
	Enter power consumption in On / Operation Mode	NA	64.45W	64.16W			
	Enter the power consumption in the ENERGY STAR Low Energy (Sleep) Mode	NA .	4.21W	4.21W			
	Enter power consumption in Off or Apparent Off Mode	NA	1.28W	1.34W			
	Power Consumption for Handheld P	Power Consumption for Handheld PCs:					
	Enter power consumption in On / Operation Mode						
	Enter power consumption in Off or Apparent Off Mode						

Version August 2005 Page 5 (5)