





## Product environmental attributes - THE ECO DECLARATION

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html">http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html</a>	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Business Desktop PC					
Commercial name *	HP Compaq t5730 and t5735 Thin Client					
Model number *	t5730, t5735					
Issue date *	January 2008					
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality (	Quality Control		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see <a href="http://www.itforetagen.se">http://www.itforetagen.se</a> ).		

Model number *	t5730, t5735	Logo	
Issue date *	January 2008		WP.

Product 6	luct environmental attributes - Legal requirements			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals</i> 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)	3-		
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	$\boxtimes$		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EUR&TTE Directive (1999/5/EC)	U 🔀		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and a amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	IS		
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	ng 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043. (97/129/EEC)			
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	t5730, t5735	Logo	
Issue date *	January 2008		THE PARTY OF THE P

Product e	environmental at	tributes - Market requ	irements - Environmental conscious design	Requirer	nent	met	
Item			ation regarding each item may be found under P14.	Yes	No	n.a.	
P7		embly, recycling					
P7.1*	Parts that have t	o be treated separately	are easily separable	$\boxtimes$		Ш	
P7.2*	Plastic materials	in covers/housing hav	e no surface coating.	$\boxtimes$			
P7.3*	Plastic parts >10	00g consist of one mate	erial or of easily separable materials.	$\boxtimes$			
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	$\boxtimes$			
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	$\boxtimes$			
P7.6*		<u> </u>	irement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime					_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives						
P7.8*	Upgrading can be done using commonly available tools						
P7.9.		available after end of p				ᆜ	
P7.10		ble after end of produc				<u>Ц</u>	
D7 11*		bstance requirements	S				
P7.11*	Material type: P0	ousing material type: C+ABS	Material type: Material type:				
P7.12*			ower cables are halogen free (including PVC)		$\boxtimes$	П	
P7.13*		<u>.</u>	gnal cables are halogen free (including PVC)		$\overline{\mathbb{X}}$	Ħ	
P7.14		g plastic parts >25g are	<u> </u>			Ħ	
P7.15			onents) >25g are halogen free		Ħ		
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:		Ħ		
P7.17	Chemical specifi 1043-4:	cations of flame retard	ants in printed circuit boards (without components) >25g according l	so 🗌			
P7.18		ed material in plastic pa					
P7.19		ig are free from flame r R60/61 <i>(67/548/EEC)</i>	retardant substances/preparations above 0.1% classified as R45/46,				
P7.20	Light sources are	e free from mercury				$\boxtimes$	
Do	•	d specify: Number of la	amps: and max. mercury content per lamp: mg				
<b>P8</b> P8.1*	Batteries	t annials battavias defi	and as because according to 04/457/550		$\overline{}$	$\overline{}$	
P8.2*	Product does no		ned as hazardous according to 91/157/EEC			井	
P8.3	Dattavias masst ti		Battery chemical composition: Lithium			井	
P9			following voluntary program/s:			Ш	
9.1	Energy consum	•	els or energy consumptions have been measured:				
	Power level at			Reference	/	n.a.	
Mode	* Volts	Time (s) to <mode></mode>	Mode description	Standard	<u> </u>		
On-max	W		*	*			
On- normal	* W	to	*	*			
On-idle	W	to	*	*			
Save 1	* W	to	*	*			
Save 2	W	to	*	*			
Off 1	* W	to	*	*			
Off 2	W	to	*	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* kWh/v	I Typical Energy Consun		*			
P9.2*			tion is provided with the product.		$\neg$		
					<u> </u>		
P9.3	The product mee Others specify:	ets the energy requiren	nents of the following voluntary program/s:				

Model number *	t5730, t5735	Logo	
Issue date *	January 2008		<b>YP</b>

Product 6	t environmental attributes - Market requirements (continued) Requirement met					
Item	* = mandatory to fill in. Additional information regarding each item may be found under P14.			Yes No n.a.		
P10	Emissions					
D.10.1		- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared A-weighted	Declared A-weight sound pressure level L		
			sound power		inder positions	
			level L <sub>WAd</sub> (B)		· 🔲	
					product is not	
				or Deskside oper	rator attended)	
	Idle	* Fans on, HDD spinning (if applicable)				
	Operation	* Fans on, HDD spinning				
	Other mode					
	Measured accord	ding to: 🔀 ISO 7779 🔀 ECMA-74				
		Other (only if not covered	d by ECMA-74 with	n L <sub>pAm</sub> measurement distance	m)	
P10.2	The product mee	ets the acoustic noise requirements of the fo	ollowing voluntary	program/s:		
	Chemical emiss	sions from printing products				
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:			
	The test covers:	Dust Ozone Styrene	Benzene	e TVOC		
P10.4	The product mee	ets the chemical emission requirements of the	ne following volunt	ary program/s:		
	Electromagneti	c emissions				
P10.5	Computer displa program/s:	y meets the requirement for low frequency e	electromagnetic fie	elds of the following voluntary		
P11	Consumable ma	aterials for printing products				
P11.1*	A Material Safety P4.3).	y Data Sheet (MSDS) is available for the ink	toner preparation	n, even if not legally required (so	ee 🔲 🖂	
P11.2*	Paper containing	g recycled fibres that meets the requirement	s of EN12281 can	be used.		
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.			
P12	Ergonomics for	computing products				
P12.1*		rstem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays		
P12.2*	The product keyl	board meets the requirements of ISO 9995	and EN 29241-4.			
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.			
P13	Packaging and	documentation				
P13.1*	Product packagii	ng material type(s): Corrugated / paper ng material type(s): EPE Foam ng material type(s): LDPE Bag	weight (kg): 0 weight (kg): 0 weight (kg): 0	0.068		
P13.2*	Product plastic p	packaging is halogen free (including PVC)				
P13.3*	User and product documentation do not contain chlorine bleached paper					
P13.4*	User and product documentation contain recycled paper					

Model number *	t5730, t5735	Logo	
Issue date *	September 27, 2007		WP .

P9	Energy co	nsumption				
9.1	For the pro-	duct the following powe	r levels or energy cons	sumptions have been mea	sured:	
Power Consun Mode D	mption Description	Power Consumption AC Input Voltage at 100 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 115 VAC +/- 5 VAC, 60 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 230 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Default Time Settings to Enter Energy Saving Mode	Reference Standard (test method)
	(ENERGY Idle (S0))	17.7 W	18.1 W	18.8 W	Not Applicable	ENERGY STAR® Program Requirements for Computers: Ver. 4.0
ENERG "Sleep"	SY STAR <sup>®</sup> " (S3)	n/a	n/a	n/a	30 minutes (system unit)	ENERGY STAR® Program Requirements for Computers: Ver. 4.0
	SY STAR <sup>®</sup> by" (Off)	1.3 W	1.9 W	2.2 W	Not Applicable	ENERGY STAR® Program Requirements for Computers: Ver. 4.0
P14		information				
P9	ENERGY S for compute 2. For more market seg 3. Energy E meeting EN these can of 4. Power of disabled.	STAR® Logo are compliers. e information about HP ments and product cate efficiency information posterior stange the energy efficionsumption in the Off /	ant with the applicable s ENERGY STAR® qua egories for more inform ublished on the ECMA ations only. If optional iency data listed above Apparent Off mode is r	U.S. Environmental Protections alified products, go to hp.coation. 370 The Eco Declaration components or modules alignments.	ction Agency (EPA) ENcom: http://www.hp.com represents a typically care added, like extra ha	
P10	disabled.  Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically configured product base model only. If optional items with moving parts are added, like extra hard disks or graphic cards with fans etc, these can change acoustic noise values for which HP can take no responsibility.					

NOTE: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the [Enter] key.