



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	HP	Logo
Company name *	HP	
Contact information *	HP Sustainability and Compliance Center	ו וויי
e-mail address	sustainability@hp.com	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemer	conforms to the statements given in this declaration.				
Type of product *	Type of product * Desktop				
Commercial name *	HP ZHAN 99 Pro G1 MT				
Model number *	ZHAN 99 Pro G1				
Issue date *	9/21/2018				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	ZHAN 99 Pro G1	Logo	
Issue date *	9/21/2018		

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	Ш	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
F1.4	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	· 🔀		
1 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	\boxtimes		
	(see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html		_	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		\boxtimes	
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		Ш	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	\boxtimes		
	http://www8.hp.com/uk/en/certifications/technical/regulations-certificates.html sustainability@hp.com			
P3.2*	The product complies with the Eco design requirements for energy-related products,			\square
-	(see legal reference).	ш	ш	
	Required information is; given in item P15 or added to this document,			\boxtimes
	available at (add URL):			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	d 🔀		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀		
D = 0.0	used (see legal reference).		_	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	ı 🖂		\Box
	(see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
1 0.1	information for recognitional facilities to available (see regar reference).			

Model number *	ZHAN 99 Pro G1	Logo	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equirer	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		П	
P7.2*	Plastic materials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	Ħ	$\overline{\Box}$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	$\overline{\Box}$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7 10	Material type: >ABS(REC35)< Material type: Material type: Insulation materials of external electrical cables are PVC free.			
P7.12 P7.13	Insulation materials of external electrical cables are PVC free.			
P7.13	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		<u>H</u>	\vdash
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	Ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
5	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	\boxtimes		Ш
P7.16	as defined in IEC 61249-2-21. (See 1NOTE B2) Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		_	
P7.16	Marking:	Ш	Ш	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: ISO 1043-4 (FR(40) for DOPO), FR(40)	\boxtimes		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:		Ш	
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	\blacksquare	Ħ	
	assigned the following Risk phrases; and Hazard statements:		ш	
	The source(s) for these classifications is/are found at (add URL(s)):			
D= 00t	http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	Ш	Ш	Ш
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 6%.			
	b) The weight of recycled material is g.			
	-,g. 9. 100, 5.00			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *

9/21/2018

Model number *	ZHAN 99 Pro G1	Logo	1
Issue date *	9/21/2018		
B			D

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and substance requirements (continued)								
P7.21*			d in the product (See N	IOTE B7):					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or								
	b) The weight of the biobased plastic material is g.								
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries	opoony. Humbor of lar	inpo. ana maxiii	ram moreary content po	mg				
P8.1*	Battery chemical of	composition:							
P9	Energy consump	tion (See NOTE B8)							
P9.1	For the product th	e following power level	ls or energy consumpti	ons are reported:					
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *				
charger plu	power supply / ugged in the wall disconnected from	W	W	W	EPS Energy Report Data				
PTEC * Typical En	ergy Consumption	W	W	W	ENERGY STAR® Program Requirements for Computers: Ver. 6.1				
ETEC * Annual En	ergy Consumption	91.93 kWh/year	92.81 kWh/year	94.65 kWh/year	ENERGY STAR® Program Requirements for Computers: Ver. 6.1				
External P	ower Supply Efficie	ncy Level (Internationa	l Efficiency Marking Pr	rotocol) * : V	ENERGY STAR® Program Requirements for Computers: Ver. 6.1				
Display res	solution * : m	negapixels			ENERGY STAR® Program Requirements for Computers: Ver. 6.1	\boxtimes			
Default tim	e to enter energy sa	ave mode: minu	ites		ENERGY STAR® Program Requirements for Computers: Ver. 6.1	\boxtimes			
P9.2*	Information about	the energy save functi	on is provided with the	product.					
P9.3	Energy efficiency	class (monitors only):							
P10	Emissions								
P10.1		 Declared according to Mode description 	o ISO 9296 (See NOTE		it A-weighted sound power level,				
	Idle *	Fans on, HDD spinn	ing (if applicable)	* 3.5					
	Operation *	Fans on, HDD spinn		* 3.5					
	Other mode	•							
	Measured accordi	ng to: 🔀 ISO 7779 🔀	ECMA-74	•					
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

woder nun	umber * ZHAN 99 Pro G1			.ogo								
Issue date								U P				
Product 6	environn	nental attributes	- Market requirer	nents (con	tinued)			Re	quire	ment	met	
Item			•	,	•				Yes	No	n.a.	
	Electron	nagnetic emissions										
P10.4	Compute program	er display meets the (s):	requirement for low	frequency el	ectromagnetic field	ls of the follow	ving volur	ntary				
P12		nics for computing										
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							\boxtimes				
P12.2*		sical input device me		s of ISO 999	5 and ISO 9241-4	10.						
P13.1*		<mark>ng and documentat</mark> packaging material t		perhoard		weight (kg):	1 13					
1 10.1	Product Product	packaging material ty packaging material ty	ype(s): PLASTIC/Po ype(s): PLASTIC/Po	olyethylene olyethylene		weight (kg)	0.184					
P13.2*	Product	plastic primary packa	aging is free from P\	√C.					\boxtimes			
P13.3*		luct primary corruga er recovered fiber co		kaging, spec	ify the contained	percentage o	f minimui	m post-				
P13.4*		media for user and point \square , Paper \square , Ot		on (tick box):								
P13.5	Ùser and	only complete this ite d product documenta lease specify:										
	Element	hlorine-free al chlorine-free ed chlorine-free										
		34 333							ш			
P14	Volunta	ry programs										
P14.1	The prod	luct meets the requir	ements of the follow	ving voluntar	y program(s):							
P14.1	ENERG	duct meets the requir Y STAR® el: <i>EPEAT</i>	ements of the follow Criteria version: 6. Criteria version: <i>IE</i> Criteria version:	1	y program(s): Date: 2/9/2018 Date: 2/9/2018 Date:	Product car Product car Product car	tegory: C					
P15	ENERGY Eco-labe Eco-labe	duct meets the requir Y STAR® sl: EPEAT sl: nal information (See	Criteria version: 6. Criteria version: IE Criteria version:	1 EEE 1680.1	Date: 2/9/2018 Date: 2/9/2018 Date:	Product cat	tegory: C tegory:					
P15 P9	ENERGY Eco-labe Eco-labe Addition	duct meets the requirer STAR® bl: EPEAT bl: al information (Sections of consumption of consumpti	Criteria version: 6. Criteria version: IE Criteria version: NOTE B10) Imputer products; of	1 EEE 1680.1	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested prod	Product cat Product cat	tegory: Category: category:	ommercia	l Desi	ktops		
P15	ENERG' Eco-labe Eco-labe Addition Energy 1. Produ Change declarate	duct meets the requirer STAR® sl: EPEAT sl: nal information (Seconsumption of conjuct environmental in the store external standation over	Criteria version: 6. Criteria version: IE Criteria version: PNOTE B10) Imputer products; of a contain ards referenced in	1 EEE 1680.1 description of the din this dithe IT Eco-L	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested proceclaration is valid Declaration may in	Product car Product car fuct configure as of the da evalidate son	tegory: Category: cation:	ommercia claration	is pub	ktops		
P15 P9 All	ENERGY Eco-labe Eco-labe Eco-labe Addition Energy 1. Produ Change declarat 1. Europ	duct meets the required of STAR® statements of	Criteria version: 6. Criteria version: IE Criteria version: PNOTE B10) Imputer products; of a contain ards referenced in	description of the IT Eco-L	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested proceclaration is valid Declaration may in	Product cat Product cat Product configurations of the da avalidate son	tegory: Category: Category: cation: te the de inform	ommercia claration nation con	is pub	ktops dished	is	
P15 P9 All Sections	ENERGY Eco-labe Eco-labe Eco-labe Addition Energy 1. Produ Change declarat 1. Europ	duct meets the requirer STAR® sl: EPEAT sl: nal information (Seconsumption of conjuct environmental in the store external standation over	Criteria version: 6. Criteria version: IE Criteria version: PNOTE B10) Imputer products; of a contain ards referenced in	description of the IT Eco-L	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested proceclaration is valid Declaration may in	Product cat Product cat Product configurations of the da avalidate son	ation: te the de inform	ommercia claration	is pub	ktops dished	is	
P15 P9 All Sections	ENERGY Eco-labe Eco-labe Eco-labe Addition Energy 1. Produ Change declarat 1. Europ Mode /	duct meets the required of STAR® statements of	Criteria version: 6. Criteria version: IE Criteria version: PNOTE B10) Imputer products; of a contain ards referenced in	description of the IT Eco-L 275/2008- El Power Con	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested proceclaration is valid Declaration may in	Product cat Product cat Product can fluct configurations of the day avalidate son	ation: te the de inform aput De (if	claration nation con	is publication of to Mo	ktops dished	is	
P15 P9 All Sections	ENERGY Eco-labe Eco-labe Eco-labe Additior Energy 1. Produ Change declarat 1. Europ Mode / Off Mode Standb	duct meets the required of the	Criteria version: 6. Criteria version: IE Criteria version: E NOTE B10) Imputer products; onformation containards referenced in Ession Regulation 1.	description of the IT Eco-L 275/2008- El Power Con	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested proceclaration is valid Declaration may in mergy Efficiency I sumption in Watts	Product cat Product cat Product can fluct configurations of the day avalidate son	ation: te the dene inform aput De (if No	claration nation con	is publication of to Mo	ktops dished	is	
P15 P9 All Sections	ENERGY Eco-labe Eco-labe Eco-labe Energy 1. Produ Change declarat 1. Europ Mode / Off Mod Standb Networ all wire	duct meets the required of STAR® of the second of the seco	Criteria version: 6. Criteria version: IE Criteria version: IE Criteria version: E NOTE B10) Imputer products; conformation containands referenced in Ession Regulation 1. E) Long Idle Mode if connected and all	description of the IT Eco-L 275/2008- E Power Con Voltage	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested proceclaration is valid Declaration may in mergy Efficiency I sumption in Watts	Product cat Product cat Product can fluct configurations of the day avalidate son	ation: te the dene inform aput De (if No	claration pation con	is publication of to Mo	ktops dished	is	
P15 P9 All Sections	ENERGY Eco-labe Eco-labe Eco-labe Eco-labe Energy 1. Produ Change declarat 1. Europ Mode / Off Mo Standb Networ all wire wireles applica	duct meets the required of STAR® als: EPEAT	Criteria version: 6. Criteria version: IE Criteria version: IE Criteria version: E NOTE B10) Imputer products; conformation containands referenced in Ession Regulation 1. Expension Regulation Regulation 1. Expension Regulation Regulation 1. Expension Regulation Regulation Regulation 1. Expension Regulation Regulation Regulation Regulation R	description of the IT Eco-L 275/2008- E Power Con Voltage Not Applica	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested production is valid Declaration may in mergy Efficiency I sumption in Watts	Product cat Product cat fuct configur. I as of the da avalidate son at 230 VAC Ir	ation: te the dene inform aput De (if No	claration pation con	is publication of to Mo	ktops dished	is	
P15 P9 All Sections	ENERGY Eco-labe Eco-labe Eco-labe Eco-labe Energy 1. Produ Change declarat 1. Europ Mode / Off Mo Standb Networ all wire wireles applica	duct meets the required of STAR® states of the states of t	Criteria version: 6. Criteria version: IE Criteria version: IE Criteria version: E NOTE B10) Imputer products; conformation containands referenced in Ession Regulation 1. Expension Regulation Regulation 1. Expension Regulation Regulation 1. Expension Regulation Regulation Regulation 1. Expension Regulation Regulation Regulation Regulation R	description of the IT Eco-L 275/2008- E Power Con Voltage Not Applica	Date: 2/9/2018 Date: 2/9/2018 Date: of the tested production is valid Declaration may in mergy Efficiency I sumption in Watts	Product cat Product cat fuct configur. I as of the da avalidate son at 230 VAC Ir	ation: te the dene inform aput De (if No	claration pation con	is publication of to Mo	ktops dished	is	
P15 P9 All Sections	ENERGY Eco-labe Eco-labe Eco-labe Eco-labe Eco-labe Eco-labe Energy 1. Produ Change declarat 1. Europ Mode / Off Mod Standb Networ all wire wireles applica Networ applica 2. Europe Where a	duct meets the required of STAR® als: EPEAT	Criteria version: 6. Criteria version: IE Criteria version: IE Criteria version: IE Criteria version: E NOTE B10) Imputer products; conformation container ards referenced in In Ession Regulation 1. Example 1.	1 description of the IT Eco-L 275/2008- E Power Con Voltage Not Applica //2008- Wireletes network	Date: 2/9/2018 Date: 2/9/2018 Date: 2/9/2018 Date: of the tested proceedaration is valid peclaration may in the sumption in Watts able ess Network Instructions the instruction of the tested proceedaration is valid peclaration in Watts able	Product cat Produc	ation: te the dene inform put De (if No	claration constant Time applicable of Applicab	is publications to Mc	hilished in th	is	

P10 Sound Pressure Level
Noise emission – Declared according to ISO 9296 (See NOTE B9)

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

P10.1	Mode	Mode description	Statistical upper limit A-weighted sound pressure level, $L_{W\!A,c}$ (DB)			
	Idle	* Fans on, HDD spinning (if applicable)	* 25			
	Operation	* Fans on, HDD spinning	* 26			
	Other mode					
	Measured acco	Measured according to: 🛛 ISO 7779 🔀 ECMA-74				
		Other (only if not covered by	ECMA-74)			

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1



Ecma/TC38-TG3/2015/024

Company environmental profile - THE ECO DECLARATION

Brand	HP	Logo	
Company name *	HP		
Contact information *	HP Sustainability and Compliance Center (SCC) sustainability@hp.com	np)	
Internet site *	www.hp.com/hpinfo/globalcitizenship/environment/index.html		
Issue date *	2014-06-01		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C7.

Company	npany environmental profile - Legal requirements		Requirement met			
Item		Yes	No	n.a.		
C1	Product recycling					
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life produ	cts				
	in countries where the company puts them on the market and where required (see legal reference)					
C2	Battery recycling					
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries					
	countries where the company puts products on the market (see legal reference) or pays eco tax / fee who	ere				
	required.					
C3	Packaging recycling					
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging mate	rial 🔀				
	in countries where the company puts products on the market and where required (see legal reference)					
Company	r environmental profile - Market requirements	Requirer	nont r	not		
	environmental prome - market requirements	Yes	No			
Item C4	Environmental policy and environmental management	res	INO	n.a.		
C4.1*	The company has a documented environmental policy approved by the management.					
_	1 7 11 7 3	\boxtimes				
C4.2*	The company has an environmental management system covering:	K 7				
	Product development	\boxtimes	Ш			
	Manufacturing	\bowtie				
	If so certified according to: X ISO 14001 X Other as specified in C7					
C4.3	The company regularly publishes an environmental report.	\boxtimes				
	If so, it meets the recommendations of The Global Reporting Initiative Other as specified in C7		_	_		
C5	Recycling					
C5.1*	Information about the product, battery & packaging take back system (C1, C2 and C3) is available in print	ted 🔀				
	or electronic format.		ш			
C6	Voluntary programs					
C6.1	The company meets the requirements of the following voluntary program/s:					
	Voluntary Agreement: Criteria version: Date: Product category:					
	Voluntary Agreement: Criteria version: Date: Product category: Voluntary Agreement: Criteria version: Date: Product category:					
C7	Additional information					
CI						
	HP has received ISO 14001 certification for its manufacturing operations (Worldwide Manufacturing of Computing and Imaging Products and Related Operations) and for product design for its Personal Systems Products and LaserJet and					
	Enterprise Printing Products. The product design certifications include HP-wide product environmental design					
	processes (such as HP's General Specification for the Environment) that cover all HP products.					
	processor (according to the control of the control					
	HP is committed to responsible business practices and transparency in its global citizenship policies and performance.					
	We have a long history of working with suppliers to monitor and improve their social and environmental responsibility					
	(SER) performance when required, as well as improving standards in the industry. HP endorses the EICC Code of					
	Conduct in its entirety, and we have supplemented it with additional requirements specific to freed					
	well as HP's Student and Dispatch Worker Guidance Standard for Supplier Facilities in the People					
	(PRC). HP also has a strong Global Human Rights Policy in place. HP expects its suppliers to esta					
	processes regarding conflict minerals. HP conducts due diligence on its supply chain annually including requesting					
	information about our suppliers' own due diligence and the smelters and refiners used. HP was the first IT company to					
	publish its supply chain smelter list. HP follows the Global Reporting Initiative (GRI) guidelines as a basis for reporting.					
	The GRI index provides easy reference to HP's Living Progress Report (LPR) content. HP offers to					
	products and printing suppliers in some 70 countries. Please refer to HP's Livings Progress Report our global efforts.	t for more	uetalis	s on		
	our grobal errorts.					

Legal references Europe Annex A

Reference	Declaration item
Directive 2012/19/EU (WEEE directive)	C1.1
Directive 2006/66/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	C2.1
Directive 2004/12/EC (Packaging Directive)	C3.1
Decision 97/129/EC (Secondary packaging legislation)	C3.1