CHEMICAL PRODUCT SAFETY DATA SHEET



Product name: CLT-K604Series

Prepared in accordance with GB/T 16483 and GB/T 17519.

Issue date: 13-Jul-2018 Revision date: 18-Oct-2020

Version #: 03

SDS No: -

SECTION 1 Chemical product and company identification

*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Chinese name of chemical CLT-K604Series English name of chemical **CLT-K604Series** China HP Co., Ltd. **Company identification**

5F, Block A, Bldg 1, #8

Guangshun Avenue South, Chaoyang district

Beijing, China Zip code: 100102

(+86) 10 5870 4833 **Telephone Chemical Emergency** 400-626-7911

Advisory Service Hotline

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use This product is a toner mixture that is used in printing systems.

Issue date 13-Jul-2018 **Revision date** 18-Oct-2020 Supersedes date 06-Nov-2019

SECTION 2 Hazards identification

GHS hazard categories

Not classified.

Label elements

Pictograms None. None. Signal word **Hazard statement** None.

Precautionary statement

Prevention None. Response None. None. **Storage** Disposal None.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly Other hazards

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SDS CHINA 14617

Supplemental information None.

SECTION 3 Composition/information on ingredients

Substance/mixture Mixture

Chemical name	Concentration (%)	CAS Number
	<10	8002-74-2
Paraffin waxes and Hydrocarbon waxes		
黑色颜料	<5	Proprietary
Black Pigment		
二氧化钛	<1	13463-67-7
Titanium dioxide		

SECTION 4 First aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical

attention immediately

Most important symptoms and

health effects

Difficulty in breathing. Coughing.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Notes to physician Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media Dry chemical, foam, carbon dioxide, water fog.

Do not use water jet as an extinguisher, as this will spread the fire. Extinguishing media to avoid

During fire, gases hazardous to health may be formed. Specific hazards Special fire fighting Move containers from fire area if you can do so without risk.

procedures

Protection of fire-fighters Firefighters should wear full protective clothing including self contained breathing apparatus.

General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

For emergency responders

Not available.

Environmental precautions

Clean-up methods and materials and containment

measures

Avoid discharge into drains, water courses or onto the ground.

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum

up spillage and collect in suitable container for disposal.

Prevention of secondary

hazards

Not available.

SECTION 7 Handling and storage

Handling Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged

exposure. Practice good housekeeping.

Store in tightly closed original container. Store in a well-ventilated place. Store away from **Storage**

incompatible materials (see Section 10 of the SDS).

Product name: CLT-K604Series Revision date: 18-Oct-2020 SDS No: -

SECTION 8 Exposure controls/personal protection

Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ

2.1-2007)

Components	Туре	Value	Form	
Black Pigment	PC-TWA	4 mg/m3	Total dust.	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	4 mg/m3	Fume.	
	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	PC-TWA	8 mg/m3	Total dust.	

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Monitoring methods

Not available.

Engineering measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Personal protective equipment

Respiratory protection

No personal respiratory protective equipment required under normal conditions of use.

Hand protection

Rubber gloves are recommended. Wash hands after handling.

Eye protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Protection suit must be worn.

Hygiene measures

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product.

SECTION 9 Physical and chemical properties

Appearance

Not available. Physical state **Form** Solid. Fine powder

Color Odor Odorless Not available. pН Melting point/freezing point Not available. Boiling point, initial boiling

Not available.

Black.

point, and boiling range Flash point Not available. Not available. Flammability limit - lower (%) Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density

Solubility(ies)

Solubility (water) Insoluble in water

Partially soluble in toluene, chloroform and tetrahydrofuran Solubility (other)

Partition coefficient

Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** > 392 °F (> 200 °C)

Other data

No information available. Oxidizing properties

Product name: CLT-K604Series Revision date: 18-Oct-2020

SDS No: -

SECTION 10 Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Stable under normal storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials This product may react with strong oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

SECTION 11 Toxicological information

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Components **Species Test Results**

Black Pigment

Acute Oral

LD50 Rat > 10000 mg/kg

Routes of exposure Not available.

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitizer This product is not expected to cause skin sensitization.

Based on available data, the classification criteria are not met. Germ cell mutagenicity Negative Ames Test (Test strains: Salmonella typhimurium).

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

China OELs for hazardous agents in the workplace: Carcinogen Category

Black Pigment (CAS Proprietary) Possible human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans. 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7)

Toxic to reproduction This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity following single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity following repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Not available. Chronic effects

Product name: CLT-K604Series Revision date: 18-Oct-2020 SDS No: -

Other information

Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

SECTION 12 Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

BioaccumulationNot available.Mobility in soilNot available.Other hazardous effectsNot available.

SECTION 13 Disposal considerations

Residual waste Not available.

Contaminated packaging Not available.

Local disposal regulationsDispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge,

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14 Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Not regulated.

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Product name: CLT-K604Series Revision date: 18-Oct-2020
SDS No: -

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable. Basel Convention

Not applicable.

SECTION 16 Other information

References

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds