



CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

Company name: China HP Co., Ltd. Product name: CLT-P4072A

Issue date: 22-Aug-2018
Revision date: 31-Aug-2018
Version #: 03
SDS No: -

1. Chemical product and company identification

Product name CLT-P4072A
Company identification China HP Co., Ltd.
5F, Block A, Bldg 1, #8
Guangshun Avenue South, Chaoyang district
Beijing, China
Zip code: 100102

Telephone (+86) 10 5870 4833
**Chemical Emergency
Advisory Service Hotline** 400-6267911

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048

**HP Inc. Customer Care
Line**
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use This product is a toner mixture that is used in printing systems.
Limitations on use Do not use with non compatible printer.

Issue date 22-Aug-2018
Revision date 31-Aug-2018
Supersedes date 31-Aug-2018

2. Hazards identification

Hazard categories

Not classified.

Label elements

Pictograms None.
Signal word None.
Hazard statement None.

Precautionary statement

Prevention None.
Response None.
Storage None.
Disposal None.

Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

| Substance/mixture | Mixture | | |
|--------------------------------------|---------|-------------------|------------|
| Chemical name | | Concentration (%) | CAS Number |
| Paraffin waxes and Hydrocarbon waxes | | <10 | 8002-74-2 |
| Carbon black | | <5 | 1333-86-4 |
| Titanium dioxide | | <2.5 | 13463-67-7 |

4. First aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical attention immediately. |
| Most important symptoms and health effects | Difficulty in breathing. Coughing. |
| Personal protection for first-aid responders | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |
| Notes to physician | Treat symptomatically. |

5. Fire-fighting measures

| | |
|---|---|
| Extinguishing media | Dry chemical, foam, carbon dioxide, water fog. |
| Extinguishing media to avoid | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards | During fire, gases hazardous to health may be formed. |
| Special fire fighting procedures | Move containers from fire area if you can do so without risk. |
| Protection of fire-fighters | Firefighters should wear full protective clothing including self contained breathing apparatus. |
| General fire hazards | No unusual fire or explosion hazards noted. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|--|---|
| For non-emergency personnel | Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment. |
| For emergency responders | Not available. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| Clean-up methods and materials and containment measures | Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal. |
| Prevention of secondary hazards | Not available. |

7. Handling and storage

| | |
|-----------------|---|
| Handling | Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping. |
| Storage | Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2007)

| Components | Type | Value | Form |
|--|--------|---------|-------------|
| Carbon black (CAS 1333-86-4) | PC-TWA | 4 mg/m3 | Total dust. |
| Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) | STEL | 4 mg/m3 | Fume. |

| Components | Type | Value | Form |
|-----------------------------------|--------|---------------------|-------------|
| Titanium dioxide (CAS 13463-67-7) | TWA | 2 mg/m ³ | Fume. |
| | PC-TWA | 8 mg/m ³ | Total dust. |

| | |
|--------------------------------------|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Engineering measures | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. |
| Personal protective equipment | |
| Respiratory protection | No personal respiratory protective equipment required under normal conditions of use. |
| Hand protection | Rubber gloves are recommended. Wash hands after handling. |
| Eye protection | Wear safety glasses with side shields (or goggles). |
| Skin and body protection | Protection suit must be worn. |
| Hygiene measures | Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. |

9. Physical and chemical properties

Appearance

| | |
|--|--|
| Physical state | Not available. |
| Form | Solid. Fine powder |
| Color | Black. |
| Odor | Odorless |
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Boiling point, initial boiling point, and boiling range | Not available. |
| Flash point | Not available. |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Insoluble in water. |
| Solubility (other) | Partially soluble in toluene, chloroform and tetrahydrofuran |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Other data | |
| Oxidizing properties | No information available. |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |

| | |
|---|--|
| Conditions to avoid | Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials. |
| Incompatible materials | This product may react with strong oxidizing agents. |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Acute toxicity Based on available data, the classification criteria are not met.
LD50/oral/rat >5000 mg/kg.

| Components | Species | Test Results |
|--|---|---------------|
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | > 10000 mg/kg |
| Routes of exposure | Not available. | |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. Not a known irritant. (OECD 404). | |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. Not a known irritant. (OECD 405). | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitizer | This product is not expected to cause skin sensitization. | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium). | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | |

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

China OELs for hazardous agents in the workplace: Carcinogen Category

CARBON BLACK DUST (TOTAL) (CAS 1333-86-4) Possible human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

| | |
|---|---|
| Toxic to reproduction | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity following single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity following repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Chronic effects | Not available. |
| Other information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m³) exposure group. But no pulmonary changes was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

In 1996, the IARC reevaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

12. Ecological information

| | |
|--------------------------------------|--|
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. |
| Bioaccumulation | Not available. |
| Mobility in soil | Not available. |
| Other hazardous effects | Not available. |

13. Disposal considerations

| | |
|-----------------------------------|--|
| Residual waste | Not available. |
| Contaminated packaging | Not available. |
| Local disposal regulations | Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Applicable regulations**Occupational exposure limits for hazardous agents in the workplace (GBZ 2.1-2007)**

Carbon black (CAS 1333-86-4)
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)
Titanium dioxide (CAS 13463-67-7)

Classification and code of dangerous goods (GB 6944-2012)

Not regulated.

UN Recommendations on the Transport of Dangerous Goods (UN RTDG)

Not regulated.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information

References Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |