



CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

Product name: MLT-R116

Issue date: 02-May-2020

Version #: 01

SDS No: -

SECTION 1 Chemical product and company identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Chinese name of chemical	MLT-R116
English name of chemical	MLT-R116
Company identification	China HP Co., Ltd. 5F, Block A, Bldg 1, #8 Guangshun Avenue South, Chaoyang district Beijing, China Zip code: 100102
Telephone	(+86) 10 5870 4833
Chemical Emergency Advisory Service Hotline	400-626-7911
HP Inc. health effects line (Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line (Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use This product is an imaging drum that is used in LaserJet MFP M436n, LaserJet MFP M436nda series printers.

Issue date 02-May-2020

SECTION 2 Hazards identification

GHS hazard categories

Not classified.

Label elements

Pictograms None.

Signal word None.

Hazard statement None.

Precautionary statement

Prevention None.

Response None.

Storage None.

Disposal None.

Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
NEEDED - CHINESE NAME OR TRADE NAME WITH CHINESE USER DESCRIPTOR. Ceramic materials		<95	66402-68-4
聚酯树脂 Polyester resin		<10	Trade Secret
NEEDED - CHINESE NAME OR TRADE NAME WITH CHINESE USER DESCRIPTOR. Coating materials		<3	Trade Secret
黑色颜料 Black Pigment		<1	Proprietary

SECTION 4 First aid measures

Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms and health effects	Difficulty in breathing. Coughing.
Personal protection for first-aid responders	Not available.

SECTION 5 Fire-fighting measures

Extinguishing media	CO2, water, or dry chemical
Extinguishing media to avoid	None known.
Specific hazards	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Protection of fire-fighters	Wear self-contained breathing apparatus and protective clothing. Wear full set of protective equipment including chemical goggles and gloves.
Specific methods	None established.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation.
For emergency responders	Not available.
Environmental precautions	Not available.
Clean-up methods and materials and containment measures	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
Prevention of secondary hazards	Not available.

SECTION 7 Handling and storage

Handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Storage	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

SECTION 8 Exposure controls/personal protection

Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2007)

Components	Type	Value	Form
Black Pigment	PC-TWA	4 mg/m ³	Total dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Not available.

Engineering measures Use in a well ventilated area.

Personal protective equipment

Respiratory protection No personal respiratory protective equipment required under normal conditions of use.

Hand protection Rubber gloves are recommended. Wash hands after handling.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Protection suit must be worn.

SECTION 9 Physical and chemical properties

Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Odorless
pH	Not applicable
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	Not applicable
Flash point	Not applicable
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	No data available
Decomposition temperature	> 392 °F (> 200 °C)
Other data	
Oxidizing properties	No information available.
Percent volatile	0 %
Specific gravity	4.4 g/ml
Viscosity	Not applicable

SECTION 10 Stability and reactivity

Reactivity	Not available.
Stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will occur.
Conditions to avoid	Heat, sparks, flames. Sunlight. Avoid dust close to ignition sources.
Incompatible materials	Strong oxidizers, Strong acids.
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

SECTION 11 Toxicological information

Acute toxicity Based on available data, the classification criteria are not met.
LD50/oral/rat >5000 mg/kg

Components	Species	Test Results
Black Pigment		
<u>Acute</u>		
Oral		
LD50	Rat	> 10000 mg/kg
Ceramic materials (CAS 66402-68-4)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2500 mg/kg
Inhalation		
LC50	Rat	> 2.3 mg/l, 4 Hours > 0.888 mg/l
Oral		
LD50	Rat	> 2000 mg/kg

Routes of exposure Not available.

Skin corrosion/irritation Based on available data, the classification criteria are not met.
Not irritant in rabbit (OECD 404)

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.
Not irritant in rabbit (OECD 405)

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitizer Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)
Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

China OELs for hazardous agents in the workplace: Carcinogen Category

Black Pigment (CAS Proprietary) Possible human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

Toxic to reproduction Based on available data, the classification criteria are not met.

Specific target organ toxicity following single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity following repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

SECTION 12 Ecological information

Ecotoxicological data

Components		Species	Test Results
Ceramic materials (CAS 66402-68-4)			
Aquatic			
<i>Acute</i>			
Algae	ErC50	Algae	184.6 mg/l, 72 h
Crustacea	EC50	Invertebrates (Invertebrates)	1.9 mg/l, 48 h
Fish	LC50	Fish	457 mg/l, 96 h
<i>Chronic</i>			
Fish	EC50	Fish	0.151 mg/l, 7 d
	LC50	Fish	1.94 mg/l, 16 d
Ecotoxicity	Not available.		
Persistence and degradability	Not available.		
Bioaccumulation	Not available.		
Mobility in soil	Not available.		
Other hazardous effects	Not available.		

SECTION 13 Disposal considerations

Residual waste	Not available.
Contaminated packaging	Not available.
Local disposal regulations	Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .

SECTION 14 Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
ADR	Not regulated as dangerous goods.
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases	Not regulated.
Regulations on the Control over Safety of Dangerous Chemicals	Not regulated.
Regulatory information	The components of this product are reported in the following inventories: China.
Stockholm Convention	Not applicable.
Rotterdam Convention	Not applicable.
Montreal Protocol	Not applicable.
Kyoto protocol	Not applicable.
Basel Convention	Not applicable.

SECTION 16 Other information
References

Not available.

Disclaimer

This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds