14616 Version #: 03 Issue date: 13-Jul-2018 Revision date: 18-Oct-2020



Product name: CLT-Y506Series

# SAFETY DATA SHEET

1. Identification

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Name of the substance or

mixture (trade name)

CLT-Y506Series

Major recommended uses for

the substance or mixture

This product is a toner mixture that is used in printing systems.

Specific restrictions for use of

the substance or mixture

Not available.

Manufacturer/Importer/Distributor information

**HP Colombia SAS** Company identification

Carrera 7 No 99-53 Torre B Pisos 7

Bogota, Colombia

**Telephone** (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

Line

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Fmail: hpcustomer.inquiries@hp.com

## 2. Hazards identification

## Classification of the substance or mixture

Not classified. **Physical hazards** Not classified. **Health hazards Environmental hazards** Not classified.

### GHS labeling elements, including precautionary statements

Hazard symbol(s) None. Signal word None.

Hazard statement(s) Not available.

Precautionary statement(s)

Prevention Not available. Not available. Response Not available. Storage Not available. Disposal Other hazards which do not None known.

result in classification

Supplemental information None.

## 3. Composition/information on ingredients

## **Mixture**

Common chemical name or technical name	CAS number	Concentration or concentration range
Paraffin waxes and Hydrocarbon waxes	8002-74-2	<10
Titanium dioxide	13463-67-7	<1

2/7

14616 Version #: 03 Issue date: 13-Jul-2018 Revision date: 18-Oct-2020

Product name: CLT-Y506Series

### 4. First-aid measures

First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical Ingestion

attention immediately.

Most important

symptoms/effects, acute and

delayed

Difficulty in breathing. Coughing.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Notes to physician Treat symptomatically.

## 5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Protective measures taken by

Firefighters should wear full protective clothing including self contained breathing apparatus.

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at

firefighting crews

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

### 6. Control measures for spills and leaks

## Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services

levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

Not available

To be taken by those who

are involved in rendering emergency services

Avoid discharge into drains, water courses or onto the ground.

**Environmental precautions** Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Other issues relating to spills

and releases

Fine powder can form explosive dust-air mixtures. Take up mechanically and collect in suitable container for disposal. Dispose of in compliance with federal, state, and local regulations.

### 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping

Conditions for safe storage, including any incompatibilities

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### **Control parameters**

3/7

#### Occupational exposure limits

US. ACGIH Threshold Limit Value	/alues
---------------------------------	--------

US. ACGIH Threshold Limit Value Components	es Type	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		

#### Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace Form Components Value Type **TWA** Paraffin waxes and 2 mg/m3 Fume. Hydrocarbon waxes (CAS 8002-74-2) Titanium dioxide (CAS **TWA** 10 mg/m3 13463-67-7)

### Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		

### Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

Components	Туре	Value	
Titanium dioxide (CAS	TWA	10 mg/m3	
13463-67-7)			

## Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

## Venezuela. OELs. (COVENIN 2253: Permissible Environmental Concentration Limits for Chemical Substances in Workplaces and Biological Exposure Indices)

Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		

## **Biological limit values**

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

## Personal protective measures

Wear safety glasses with side shields (or goggles). Eyes and face protection

Skin protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

Other Protection suit must be worn.

No personal respiratory protective equipment required under normal conditions of use. Respiratory protection

4/7

14616 Version #: 03 Issue date: 13-Jul-2018 Revision date: 18-Oct-2020

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product.

## 9. Physical and chemical properties

**Appearance** 

Physical state Not available. Form Solid. Fine powder

Yellow Color Odorless Odor Odor threshold Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

temperature range

Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available

Solubility(ies)

Insoluble in water. Solubility (water)

Partially soluble in toluene, chloroform and tetrahydrofuran Solubility (other)

Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available. > 392 °F (> 200 °C) **Decomposition temperature** Not available. Viscosity

Other physical and chemical parameters

**Oxidizing properties** No information available.

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofuran

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable under normal storage conditions. **Chemical stability** 

Possibility of hazardous

reactions

Not available.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials This product may react with strong oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

# 11. Toxicological information

## Information on likely routes of exposure

Dust may irritate respiratory system. Prolonged inhalation may be harmful. Inhalation

Dust or powder may irritate the skin. Skin contact

Dust may irritate the eyes. Eye contact

14616 Version #: 03 Issue date: 13-Jul-2018 Revision date: 18-Oct-2020

Ingestion Expected to be a low ingestion hazard.

**Symptoms** Not available.

**Acute toxicity** Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Skin irritation and corrosion Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium).

Carcinogenicity Based on available data, the classification criteria are not met.

**ACGIH Carcinogens** 

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Titanium dioxide (CAS 13463-67-7)

Group A4 Not classifiable as a human carcinogen.

5/7

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the

Workplace

Toxic to reproduction

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3)

exposure group, the most relevant level to potential human exposures.

## 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of any ingredients in the mixture.

Persistence and degradability

Bioaccumulative potential

Not available.

**Partition coefficient** 

n-octanol / water (log Kow)

Not available.

**Bioconcentration factor** (BCF)

Mobility in soil Not available.

Other adverse effects This product has not been tested for ecological effects.

## 13. Considerations on final disposal

#### Recommended methods for final destination Residual waste Not available.

Contaminated packaging Not available. 14616 Version #: 03 Issue date: 13-Jul-2018 Revision date: 18-Oct-2020

#### Local disposal regulations

Product name: CLT-Y506Series

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

## **Federal regulations**

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

## International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### **Montreal Protocol**

Not applicable.

### **Stockholm Convention**

Not applicable.

### **Rotterdam Convention**

Not applicable.

### **Kyoto protocol**

Not applicable.

### **Basel Convention**

Not applicable.

### 16. Other information

Significant information, yet not specifically related to the previous sections

Not available.

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

14616 Version #: 03 Issue date: 13-Jul-2018 Revision date: 18-Oct-2020 7 / 7

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds