



## SAFETY DATA SHEET

### 1. Identification

<b>Important information</b>	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
<b>Name of the substance or mixture (trade name)</b>	HP Color LaserJet CE270A-AC-AH Black Print Cartridge
<b>Major recommended uses for the substance or mixture</b>	This product is a black toner preparation that is used in HP Color LaserJet CP5525/ HP Color LaserJet Enterprise M750 series printers.
<b>Specific restrictions for use of the substance or mixture</b>	Not available.
<b>Manufacturer/Importer/Distributor information</b>	
<b>Company identification</b>	HP Colombia SAS Carrera 7 No 99-53 Torre B Pisos 7 Bogota, Colombia
<b>Telephone</b>	(57) 1 639 0000
<b>HP Inc. health effects line</b>	
<b>(Toll-free within the US)</b>	1-800-457-4209
<b>(Direct)</b>	1-760-710-0048
<b>HP Inc. Customer Care Line</b>	
<b>(Toll-free within the US)</b>	1-800-474-6836
<b>(Direct)</b>	1-208-323-2551
<b>Email:</b>	hpcustomer.inquiries@hp.com

### 2. Hazards identification

<b>Classification of the substance or mixture</b>	
<b>Physical hazards</b>	Not classified.
<b>Health hazards</b>	Not classified.
<b>Environmental hazards</b>	Not classified.
<b>GHS labeling elements, including precautionary statements</b>	
<b>Hazard symbol(s)</b>	None.
<b>Signal word</b>	None.
<b>Hazard statement(s)</b>	Not available.
<b>Precautionary statement(s)</b>	
<b>Prevention</b>	Not available.
<b>Response</b>	Not available.
<b>Storage</b>	Not available.
<b>Disposal</b>	Not available.
<b>Other hazards which do not result in classification</b>	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Styrene acrylate copolymer	Trade Secret	<85
Carbon Black	1333-86-4	<10
Wax Wax	Trade Secret	<10
Amorphous silica Amorphous silica	7631-86-9	<3

#### 4. First-aid measures

##### First-aid measures

<b>Inhalation</b>	Move person to fresh air immediately. If irritation persists, consult a physician.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
<b>Ingestion</b>	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

**Most important symptoms/effects, acute and delayed**

Not available.

**Notes to physician**

Not available.

#### 5. Fire-fighting measures

##### Means of fire extinguishing

**Suitable extinguishing media** CO2, water, or dry chemical

**Unsuitable extinguishing media** None known.

**Specific hazards arising from the chemical** Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

**Special fire fighting procedures** If fire occurs in the printer, treat as an electrical fire.

**Protective measures taken by firefighting crews** Not available.

**Specific methods** None established.

#### 6. Control measures for spills and leaks

##### Personal precautions, protective equipment and emergency procedures

**To be taken by those who are not involved in rendering emergency services** Minimize dust generation and accumulation.

**To be taken by those who are involved in rendering emergency services** Not available.

**Environmental precautions** Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

**Methods and materials for containment and cleaning up** Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

#### 7. Handling and storage

**Precautions for safe handling** Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

**Conditions for safe storage, including any incompatibilities** Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

## 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

##### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

##### Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

##### Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

##### Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

##### Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Components	Type	Value
Black Pigment (CAS 1333-86-4)	TWA	3.5 mg/m <sup>3</sup>

#### Biological limit values

No biological exposure limits noted for the ingredient(s).

#### Exposure guidelines

, 5 mg/m<sup>3</sup> (Respirable Fraction)

, 3 mg/m<sup>3</sup> (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m<sup>3</sup>)/%SiO<sub>2</sub>, ACGIH (TWA/TLV): 10 mg/m<sup>3</sup>

TRGS 900 (Luftgrenzwert) - 10 mg/m<sup>3</sup> (Einatembare partikel), 3 mg/m<sup>3</sup> (Alveolengängige fraktion)

#### Appropriate engineering controls

Use in a well ventilated area.

#### Personal protective measures

**Eyes and face protection** Not available.

##### Skin protection

**Hand protection** Not available.

**Other** Not available.

**Respiratory protection** Not available.

**Thermal hazards** Not available.

## 9. Physical and chemical properties

<b>Appearance</b>	Fine powder
<b>Physical state</b>	Solid.
<b>Form</b>	solid
<b>Color</b>	Black.
<b>Odor</b>	Slight plastic odor
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not applicable
<b>Melting point/freezing point</b>	Not available.

<b>Initial boiling point and boiling temperature range</b>	Not applicable
<b>Flash point</b>	Not applicable
<b>Evaporation rate</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not flammable
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not applicable
<b>Vapor density</b>	Not applicable
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Negligible in water. Partially soluble in toluene and xylene.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	>= 392 °F (>= 200 °C)
<b>Viscosity</b>	Not applicable
<b>Other physical and chemical parameters</b>	
<b>Concentration</b>	Not applicable
<b>Oxidizing properties</b>	No information available.
<b>Percent volatile</b>	Negligible
<b>Softening point</b>	176 - 266 °F (80 - 130 °C)
<b>Specific gravity</b>	1 - 1.2 (H2O = 1)
<b>VOC</b>	Not applicable

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable under normal storage conditions.
<b>Possibility of hazardous reactions</b>	Will not occur.
<b>Conditions to avoid</b>	Imaging Drum: Exposure to light
<b>Incompatible materials</b>	Strong oxidizers
<b>Hazardous decomposition products</b>	Carbon monoxide and carbon dioxide.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	Contact with skin may result in mild irritation.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Ingestion</b>	Ingestion is not a likely route of exposure.

**Symptoms** Not available.

**Acute toxicity** Based on available data, the classification criteria are not met.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Carbon Black (CAS 1333-86-4)		
<b>Acute Oral</b>		
LD50	Rat	> 10000 mg/kg

**Skin irritation and corrosion** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitization**

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)  
 Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**ACGIH Carcinogens**

Carbon Black (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to humans.

**Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace**

Carbon Black (CAS 1333-86-4) A3 Animal carcinogen.

**Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)**

Carbon Black (CAS 1333-86-4) Group A3 Confirmed animal carcinogen with unknown relevance to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Carbon Black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

**Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace**

Carbon Black (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to humans.

**Toxic to reproduction** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Other information** Complete toxicity data are not available for this specific formulation  
 Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**12. Ecological information**

**Ecotoxicity** LC50: > 100 mg/l, Fish, 96.00 Hours

Product	Species	Test Results
CE270A-AC-AH		
<b>Aquatic</b>		
Algae	ErC50	Algae > 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea > 100 mg/l, 48 Hours
Fish	LC50	Fish > 100 mg/l, 96 Hours

**Persistence and degradability** Not available.

**Bioaccumulative potential**

**Partition coefficient n-octanol / water (log Kow)** Not available.

**Bioconcentration factor (BCF)** Not available.

**Mobility in soil** Not available.

**Other adverse effects** Not available.

---

## 13. Considerations on final disposal

### Recommended methods for final destination

<b>Residual waste</b>	Not available.
<b>Contaminated packaging</b>	Not available.
<b>Local disposal regulations</b>	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

---

## 14. Transport information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

---

## 15. Regulatory information

### Federal regulations

**Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparagraph. f) of article 20 of Law 30 of 1986, as amended)**

Not listed.

**Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)**

Not regulated.

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### Montreal Protocol

Not applicable.

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Kyoto protocol

Not applicable.

#### Basel Convention

Not applicable.

---

## 16. Other information

**Significant information, yet not specifically related to the previous sections** Not available.

### Revision information

1. Product and Company Identification: Alternate Trade Names

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

---

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds