



SAFETY DATA SHEET

1. Identification

Name of the substance or mixture (trade name) HP Color LaserJet CF214A-X-XC Black Print Cartridge

Major recommended uses for the substance or mixture This product is a toner preparation that is used in HP LJ Enterprise MFP M725; HP LJ Enterprise 700 M712 series printers.

Specific restrictions for use of the substance or mixture Not available.

Manufacturer/Importer/Distributor information

Company identification HP Colombia SAS
Carrera 7 No 99-53 Torre B Pisos 7
Bogota, Colombia

Telephone (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048

HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s) None.

Signal word None.

Hazard statement(s) Not available.

Precautionary statement(s)

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Other hazards which do not result in classification None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Polyester resin	CBI	<55
Polyester resin		
Iron oxide	1317-61-9	<50

Amorphous silica	7631-86-9	<3
Amorphous silica		

4. First-aid measures

First-aid measures

Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.
Notes to physician	Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Unusual fire & explosion hazards	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Specific hazards arising from the chemical	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Protective measures taken by firefighting crews	Not available.
Specific methods	None established.
Hazardous combustion products	Carbon monoxide and carbon dioxide.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services	Minimize dust generation and accumulation.
To be taken by those who are involved in rendering emergency services	Not available.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Methods and materials for containment and cleaning up	Not available.
Other issues relating to spills and releases	Slowly vacuum or sweep the material into a bag or other sealed container. If a vacuum is used, the motor must be rated as dust explosion-proof. Clean remainder with a damp cloth or vacuum cleaner. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chile. OELs (Reg. 594/1999, arts. 61 & 66, as amended on Jan 24, 2015)

Components	Type	Value	Form
Amorphous silica (CAS 7631-86-9)	TWA	0.08 mg/m3	Respirable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Personal protective measures

Eyes and face protection

Not available.

Skin protection

Hand protection

Not available.

Personal protective equipment

General

No personal respiratory protective equipment required under normal conditions of use.

Personal protective measures

Other

Not available.

Respiratory protection

Not available.

Thermal hazards

Not available.

9. Physical and chemical properties

Appearance

Fine powder

Physical state

Solid.

Form

solid

Color

Black.

Odor

Slight plastic odor

Odor threshold

Not available.

pH

Not applicable

Melting point/freezing point

Not available.

Initial boiling point and boiling temperature range

Not applicable

Flash point

Not applicable

Evaporation rate

Not applicable

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not flammable

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not applicable

Vapor density

Not applicable

Solubility(ies)

Solubility (water)

Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

Not applicable

Decomposition temperature > 392 °F (> 200 °C)

Viscosity Not applicable

Other physical and chemical parameters

Oxidizing properties No information available.

Percent volatile Negligible

Softening point 212 - 302 °F (100 - 150 °C)

Specific gravity 1.4 - 1.8

VOC Not applicable

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous reactions Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Ingestion is not a likely route of exposure.

Symptoms Not available.

Acute toxicity Based on available data, the classification criteria are not met.

Product	Species	Test Results
---------	---------	--------------

CF214A-X-XC		
-------------	--	--

Acute

LD50

> 2000 mg/kg

Skin irritation and corrosion Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)
Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Toxic to reproduction Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity LL50: > 1000 mg/l, Fish, 96.00 Hours

Product	Species	Test Results
CF214A-X-XC		
Aquatic		
Algae	Erl50	Algae > 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea > 1000 mg/l, 48 Hours
Fish	LL50	Fish > 1000 mg/l, 96 Hours
Persistence and degradability	Not available.	
Bioaccumulative potential		
Partition coefficient n-octanol / water (log Kow)	Not available.	
Bioconcentration factor (BCF)	Not available.	
Mobility in soil	Not available.	
Other adverse effects	Not available.	

13. Considerations on final disposal

Recommended methods for final destination

- Residual waste** Not available.
- Contaminated packaging** Not available.
- Local disposal regulations** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

- UN number** UN2807
- UN proper shipping name** Magnetized Material
- Transport hazard class(es)**
- Class** 9
- Subsidiary risk** -
- Packing group** Not available.
- Environmental hazards** No.
- Special precautions for user** Not available.

IMDG

Not regulated as dangerous goods.


ADR

Not regulated as dangerous goods.

Further information

25 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material.

IATA



15. Regulatory information

Federal regulations

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the previous sections Not available.

Revision information

3. Composition / Information on Ingredients: Disclosure Overrides
Other information: Disclaimer

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds