



SAFETY DATA SHEET

1. Identification

Name of the substance or mixture (trade name) HP Color LaserJet CF350A Black Print Cartridge

Major recommended uses for the substance or mixture This product is a black toner preparation that is used in HP Color LaserJet Pro MFP M176/ HP Color LaserJet Pro MFP M177 series printers.

Specific restrictions for use of the substance or mixture Not available.

Manufacturer/Importer/Distributor information

Company identification HP Colombia SAS
Carrera 7 No 99-53 Torre B Pisos 7
Bogota, Colombia

Telephone (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048

HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s) None.

Signal word None.

Hazard statement(s) Not available.

Precautionary statement(s)

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Other hazards which do not result in classification Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

Mixture

| Common chemical name or technical name | CAS number | Concentration or concentration range |
|--|--------------|--------------------------------------|
| Styrene acrylate copolymer | Trade Secret | <85 |
| Carbon black | 1333-86-4 | <10 |

| | | |
|------------------|--------------|-----|
| Wax | Trade Secret | <10 |
| Wax | | |
| Amorphous silica | 7631-86-9 | <3 |
| Amorphous silica | | |

4. First-aid measures

First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |
| Notes to physician | Not available. |

5. Fire-fighting measures

Means of fire extinguishing

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. |
| Special fire fighting procedures | If fire occurs in the printer, treat as an electrical fire. |
| Protective measures taken by firefighting crews | Not available. |
| Specific methods | None established. |
| Hazardous combustion products | Carbon monoxide and carbon dioxide. |

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

| | |
|--|---|
| To be taken by those who are not involved in rendering emergency services | Minimize dust generation and accumulation. |
| To be taken by those who are involved in rendering emergency services | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| Methods and materials for containment and cleaning up | Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers. |

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

Chile. OELs (Reg. 594/1999, arts. 61 & 66, as amended on Jan 24, 2015)

| Components | Type | Value | Form |
|----------------------------------|------|------------|----------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 0.08 mg/m3 | Respirable fraction. |
| Carbon black (CAS 1333-86-4) | TWA | 3.1 mg/m3 | |

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | TWA | 3.5 mg/m3 |

Venezuela. OELs. (COVENIN 2253: Permissible Environmental Concentration Limits for Chemical Substances in Workplaces and Biological Exposure Indices)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | TWA | 3.5 mg/m3 |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | , 5 mg/m3 (Respirable Fraction) , 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) |
| Appropriate engineering controls | Use in a well ventilated area. |
| Personal protective measures | |
| Eyes and face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Personal protective equipment | |
| General | No personal respiratory protective equipment required under normal conditions of use. |
| Personal protective measures | |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|--|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Form | solid |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling temperature range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other physical and chemical parameters | |
| Oxidizing properties | No information available. |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|--|
| Inhalation | Under normal conditions of intended use, this material is not expected to be an inhalation hazard. |
| Skin contact | Contact with skin may result in mild irritation. |
| Eye contact | Contact with eyes may result in mild irritation. |
| Ingestion | Ingestion is not a likely route of exposure. |
| Symptoms | Not available. |

| | | | |
|--|---|---------------------|--|
| Acute toxicity | Based on available data, the classification criteria are not met. | | |
| Components | Species | Test Results | |
| Carbon black (CAS 1333-86-4) | | | |
| Acute | | | |
| Oral | | | |
| LD50 | Rat | > 10000 mg/kg | |
| Skin irritation and corrosion | Based on available data, the classification criteria are not met. | | |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. | | |
| Respiratory or skin sensitization | | | |
| Respiratory sensitization | Based on available data, the classification criteria are not met. | | |
| Skin sensitization | Based on available data, the classification criteria are not met. | | |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met. | | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | | |
| <p>Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.</p> | | | |
| ACGIH Carcinogens | | | |
| Carbon black (CAS 1333-86-4) | A3 Confirmed animal carcinogen with unknown relevance to humans. | | |
| Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace | | | |
| Carbon black (CAS 1333-86-4) | A3 Animal carcinogen. | | |
| Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013) | | | |
| Carbon black (CAS 1333-86-4) | Group A3 Confirmed animal carcinogen with unknown relevance to humans. | | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | | |
| Amorphous silica (CAS 7631-86-9) | 3 Not classifiable as to carcinogenicity to humans. | | |
| Carbon black (CAS 1333-86-4) | 2B Possibly carcinogenic to humans. | | |
| Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace | | | |
| Carbon black (CAS 1333-86-4) | A3 Confirmed animal carcinogen with unknown relevance to humans. | | |
| Venezuela. OELs. (COVENIN 2253: Permissible Environmental Concentration Limits for Chemical Substances in Workplaces and Biological Exposure Indices) | | | |
| Carbon black (CAS 1333-86-4) | A4 Not classifiable as a human carcinogen. | | |
| Toxic to reproduction | Based on available data, the classification criteria are not met. | | |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. | | |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. | | |
| Aspiration hazard | Based on available data, the classification criteria are not met. | | |
| Other information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. | | |

12. Ecological information

| | | | |
|--------------------------------------|-------------------------------------|---------------------|----------------------|
| Ecotoxicity | LC50: > 100 mg/l, Fish, 96.00 Hours | | |
| Product | Species | Test Results | |
| CF350A | | | |
| Aquatic | | | |
| Fish | LC50 | Fish | > 100 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |

Bioaccumulative potential

**Partition coefficient
n-octanol / water (log Kow)** Not available.

**Bioconcentration factor
(BCF)** Not available.

Mobility in soil Not available.

Other adverse effects This product has not been tested for ecological effects.

13. Considerations on final disposal**Recommended methods for final destination**

Residual waste Not available.

Contaminated packaging Not available.

Local disposal regulations Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information**Federal regulations**

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparagraph. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the previous sections Not available.

Revision information

1. Product and Company Identification: Alternate Trade Names
Physical & Chemical Properties: Multiple Properties
15. Regulatory Information: United States

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |