13655 Version #: 04 Issue date: 28-Aug-2018 Revision date: 01-Jul-2020



Product name: CF400A-X

SAFETY DATA SHEET

1. Identification

*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Name of the substance or mixture (trade name)

HP Color LaserJet CF400A-X Black Print Cartridge

Major recommended uses for the substance or mixture

This product is a black toner preparation that is used in HP Color LaserJet Pro M252 and HP Color

LaserJet Pro MFP M277 series printers.

Specific restrictions for use of the substance or mixture

Not available.

Manufacturer/Importer/Distributor information

HP Colombia SAS Company identification

Carrera 7 No 99-53 Torre B Pisos 7

Bogota, Colombia

Telephone (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Fmail: hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s) None. None. Signal word

Hazard statement(s) Not available.

Precautionary statement(s)

Prevention Not available. Not available. Response Not available. Storage **Disposal** Not available.

Other hazards which do not

result in classification

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information

3. Composition/information on ingredients

Mixture

Common chemical name or technical name CAS number Concentration or concentration range

2/7

13655 Version #: 04 Issue date: 28-Aug-2018 Revision date: 01-Jul-2020

Black Pigment	Proprietary	<10
Wax Wax	Trade Secret	<10
Amorphous silica Amorphous silica	7631-86-9	<3

4. First-aid measures

Product name: CF400A-X

First-aid measures

Move person to fresh air immediately. If irritation persists, consult a physician. Inhalation

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

> physician. Not available.

Most important

symptoms/effects, acute and

delayed

Notes to physician Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

None known.

dispersed in air.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

CO2, water, or dry chemical

Protective measures taken by

firefighting crews

Not available.

Specific methods None established.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency

services

Minimize dust generation and accumulation.

To be taken by those who are involved in rendering emergency services

Not available.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Methods and materials for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

7. Handling and storage

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with Precautions for safe handling

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

8. Exposure controls/personal protection

Control parameters

3/7 13655 Version #: 04 Issue date: 28-Aug-2018 Revision date: 01-Jul-2020

Occu	pational	exposure	limits

Components	Гуре	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace Components Value Type

TWA Black Pigment 3 mg/m3 Inhalable fraction.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Form Components Type Value **Black Pigment** TWA 3 mg/m3 Inhalable fraction.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

Components **Type** Value Form **Black Pigment TWA** 3 mg/m3 Inhalable fraction.

Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Components Value Type **Black Pigment TWA** 3.5 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

, 5 mg/m3 (Respirable Fraction) **Exposure guidelines**

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering

controls

Use in a well ventilated area.

Personal protective measures

Eyes and face protection

Not available.

Skin protection

Not available. Hand protection Other Not available. Not available. Respiratory protection Thermal hazards Not available.

9. Physical and chemical properties

Fine powder **Appearance** Solid. Physical state solid **Form** Color Black.

Odor Slight plastic odor Odor threshold Not available. Not applicable pН Not available. Melting point/freezing point Initial boiling point and boiling Not applicable temperature range Flash point Not applicable

Not applicable **Evaporation rate** Not available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Product name: CF400A-X

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not applicable Vapor density Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not applicable > 392 °F (> 200 °C) **Decomposition temperature Viscosity** Not applicable

Other physical and chemical parameters

Oxidizing properties No information available.

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

1 - 1.2 Specific gravity

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Imaging Drum: Exposure to light Conditions to avoid

Incompatible materials Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact Ingestion is not a likely route of exposure. Ingestion

Not available. **Symptoms**

Based on available data, the classification criteria are not met. **Acute toxicity**

Components **Test Results Species**

Black Pigment

Acute Oral

LD50 Rat > 10000 mg/kg

Based on available data, the classification criteria are not met. Skin irritation and corrosion

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

5/7 13655 Version #: 04 Issue date: 28-Aug-2018 Revision date: 01-Jul-2020

Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

ACGIH Carcinogens

Black Pigment (CAS Proprietary) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Black Pigment (CAS Proprietary) A3 Animal carcinogen.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

Requirements. 1st ed., 1/29, 2013)

Black Pigment (CAS Proprietary)

Group A3 Confirmed animal carcinogen with unknown relevance

IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the

Workplace

Black Pigment (CAS Proprietary) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Toxic to reproduction

Specific target organ toxicity -

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

LC50: > 100 mg/l, Fish, 96.00 Hours **Ecotoxicity**

Product Species Test Results

CF400A-X (CAS 75-73-0)

Aquatic

LC50 Fish Fish > 100 mg/l, 96 Hours

Persistence and degradability

Not available.

Bioaccumulative potential

Partition coefficient

Not available.

n-octanol / water (log Kow)

Bioconcentration factor

(BCF)

Not available.

Mobility in soil Not available Not available. Other adverse effects

13. Considerations on final disposal

Recommended methods for final destination

Not available. Residual waste Not available. Contaminated packaging

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely Local disposal regulations

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

13655 Version #: 04 Issue date: 28-Aug-2018 Revision date: 01-Jul-2020

14. Transport information

Further information

Product name: CF400A-X

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Federal regulations

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the previous sections

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds