

SAFETY DATA SHEET

1. Identification

Name of the substance or mixture (trade name)

HP Color LaserJet CF453A Magenta Print Cartridge

Major recommended uses for the substance or mixture

This product is a magenta toner preparation that is used in HP Color LaserJet M652 / HP Color

LaserJet M681 / HP Color LaserJet M653 / HP Color LaserJet M682 series printers.

Specific restrictions for use of the substance or mixture

Not available.

Manufacturer/Importer/Distributor information

Company identification **HP Colombia SAS**

Carrera 7 No 99-53 Torre B Pisos 7

Bogota, Colombia

Telephone (57) 1 639 0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

Line

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture

Not classified. Physical hazards Not classified. **Health hazards Environmental hazards** Not classified.

GHS labeling elements, including precautionary statements

Hazard symbol(s) None. Signal word None.

Hazard statement(s) Not available.

Precautionary statement(s)

Not available. Prevention Not available. Response Not available. **Storage** Disposal Not available.

Other hazards which do not

result in classification

None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP,

OSHA or ACGIH.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Styrene acrylate copolymer	Trade Secret	<85
Pigment	Trade Secret	<10

Pigment

14223 Version #: 01 Issue date: 02-Aug-2018

Wax Wax	Trade Secret	<10
Amorphous silica	7631-86-9	<3
Amorphous silica		

4. First-aid measures

First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

Not available.

Most important

symptoms/effects, acute and

delayed

Not available Notes to physician

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Protective measures taken by

firefighting crews

Not available.

None established.

Specific methods

Hazardous combustion

products

Carbon monoxide and carbon dioxide.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency

services

Minimize dust generation and accumulation.

To be taken by those who are involved in rendering emergency services

Not available.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Methods and materials for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions for safe handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

8. Exposure controls/personal protection

Control parameters

Product name: CF453A SDS COLOMBIA SA

3/6 14223 Version #: 01 Issue date: 02-Aug-2018

Occupational exposure limits

Chile. OELs (Reg. 594/1999, arts. 61 & 66, as amended on Jan 24, 2015)

Form Components **Type** Value **TWA** Amorphous silica (CAS 0.08 mg/m3 Respirable fraction.

7631-86-9)

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines , 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering

controls

Use in a well ventilated area.

Personal protective measures

Eyes and face protection

Not available.

Skin protection

Hand protection Not available.

Personal protective equipment

General

No personal respiratory protective equipment required under normal conditions of use.

Personal protective measures

Other Not available. Not available. Respiratory protection Thermal hazards Not available.

9. Physical and chemical properties

Fine powder **Appearance**

Physical state Solid. **Form** solid Color Magenta

Odor Slight plastic odor **Odor threshold** Not available. рΗ Not applicable Melting point/freezing point Not available. Initial boiling point and boiling

temperature range

Not applicable

Not applicable Flash point **Evaporation rate** Not applicable Not available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not applicable Vapor pressure

Vapor density

Not applicable

Solubility(ies) Solubility (water)

Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Auto-ignition temperature

Not applicable

Not available.

> 392 °F (> 200 °C) **Decomposition temperature** Not applicable **Viscosity**

Other physical and chemical parameters

14223 Version #: 01 Issue date: 02-Aug-2018

Oxidizing properties No information available.

Percent volatile 0 % estimated

176 - 266 °F (80 - 130 °C) Softening point

1 - 1.2 Specific gravity

10. Stability and reactivity

Reactivity Not available.

Stable under normal storage conditions. **Chemical stability**

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition Carbon monoxide and carbon dioxide.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact Ingestion is not a likely route of exposure. Ingestion

Symptoms Not available.

Based on available data, the classification criteria are not met. Acute toxicity Based on available data, the classification criteria are not met. Skin irritation and corrosion Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Based on available data, the classification criteria are not met. Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Based on available data, the classification criteria are not met. Toxic to reproduction Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -Based on available data, the classification criteria are not met.

repeated exposure

Aspiration hazard Based on available data, the classification criteria are not met. Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

LC50: > 100 mg/l, Fish, 96.00 Hours **Ecotoxicity**

Product		Species	Test Results		
CF453A					
Aquatic					
Algae	ErC50	Algae	> 100 mg/l, 72 Hours		
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours		
Fish	LC50	Fish	> 100 mg/l, 96 Hours		

5/6 14223 Version #: 01 Issue date: 02-Aug-2018

Persistence and degradability

Not available.

Bioaccumulative potential

Partition coefficient

n-octanol / water (log Kow)

Not available.

Bioconcentration factor

(BCF)

Not available.

Mobility in soil Not available.

Other adverse effects This product has not been tested for ecological effects.

13. Considerations on final disposal

Recommended methods for final destination

Residual waste Not available. Not available. Contaminated packaging

Local disposal regulations Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Federal regulations

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not Not available.

specifically related to the

previous sections

Product name: CF453A SDS COLOMBIA SA

14223 Version #: 01 Issue date: 02-Aug-2018 6 / 6

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds