



SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Name of the substance or mixture (trade name)	HP Color LaserJet W2110A-X Black Print Cartridge
Major recommended uses for the substance or mixture	This product is a black toner preparation that is used in HP Color LaserJet Pro M255nw, M255dw, M255dn, Pro MFP M282nw, Pro MFP M283fdn, Pro MFP M283fdn, Pro MFP M283fdw, Pro MFP M283cdw series printers.
Specific restrictions for use of the substance or mixture	Not available.
Manufacturer/Importer/Distributor information	
Company identification	HP Colombia SAS Carrera 7 No 99-53 Torre B Pisos 7 Bogota, Colombia
Telephone	(57) 1 639 0000
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

2. Hazards identification

Classification of the substance or mixture	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
GHS labeling elements, including precautionary statements	
Hazard symbol(s)	None.
Signal word	None.
Hazard statement(s)	Not available.
Precautionary statement(s)	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Other hazards which do not result in classification	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
Supplemental information	None.

3. Composition/information on ingredients

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Styrene acrylate copolymer	Trade Secret	<85
Black Pigment	1333-86-4	<10
Wax Wax	Trade Secret	<10
Amorphous silica Amorphous silica	7631-86-9	<3

4. First-aid measures

First-aid measures

Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

Most important symptoms/effects, acute and delayed

Not available.

Notes to physician

Not available.

5. Fire-fighting measures

Means of fire extinguishing

Suitable extinguishing media CO2, water, or dry chemical

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

Special fire fighting procedures If fire occurs in the printer, treat as an electrical fire.

Protective measures taken by firefighting crews Not available.

Specific methods None established.

6. Control measures for spills and leaks

Personal precautions, protective equipment and emergency procedures

To be taken by those who are not involved in rendering emergency services Minimize dust generation and accumulation.

To be taken by those who are involved in rendering emergency services Not available.

Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

Methods and materials for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions for safe handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m ³	Inhalable fraction.

Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m ³	Inhalable fraction.

Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m ³	Inhalable fraction.

Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

Components	Type	Value	Form
Black Pigment (CAS 1333-86-4)	TWA	3 mg/m ³	Inhalable fraction.

Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Components	Type	Value
Black Pigment (CAS 1333-86-4)	TWA	3.5 mg/m ³

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

, 5 mg/m³ (Respirable Fraction)

, 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

Appropriate engineering controls

Use in a well ventilated area.

Personal protective measures

Eyes and face protection Not available.

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

9. Physical and chemical properties

Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Slight plastic odor
Odor threshold	Not available.
pH	Not applicable
Melting point/freezing point	Not available.

Initial boiling point and boiling temperature range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other physical and chemical parameters	
Oxidizing properties	No information available.
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms Not available.

Acute toxicity Based on available data, the classification criteria are not met.

Product	Species	Test Results
----------------	----------------	---------------------

W2110A-X

Acute

LD50

> 2000 mg/kg

Components	Species	Test Results
-------------------	----------------	---------------------

Black Pigment (CAS 1333-86-4)

Acute

Oral

LD50

Rat

> 10000 mg/kg

Skin irritation and corrosion	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
ACGIH Carcinogens	
Black Pigment (CAS 1333-86-4)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace	
Black Pigment (CAS 1333-86-4)	A3 Animal carcinogen.
Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)	
Black Pigment (CAS 1333-86-4)	Group A3 Confirmed animal carcinogen with unknown relevance to humans.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Amorphous silica (CAS 7631-86-9)	3 Not classifiable as to carcinogenicity to humans.
Black Pigment (CAS 1333-86-4)	2B Possibly carcinogenic to humans.
Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace	
Black Pigment (CAS 1333-86-4)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Toxic to reproduction	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity	LC50: > 100 mg/l, Fish, 96.00 Hours		
Product	Species		Test Results
W2110A-X			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential			
Partition coefficient n-octanol / water (log Kow)	Not available.		
Bioconcentration factor (BCF)	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Considerations on final disposal

Recommended methods for final destination

Residual waste	Not available.
Contaminated packaging	Not available.
Local disposal regulations	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Federal regulations

Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)

Not listed.

Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Significant information, yet not specifically related to the previous sections Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds