



# SAFETY DATA SHEET

## 1. Identification

**Name of the substance or mixture (trade name)** CG305Series

**Major recommended uses for the substance or mixture** Inkjet printing

**Specific restrictions for use of the substance or mixture** Not available.

**Manufacturer/Importer/Distributor information**

**Company identification** HP Colombia SAS  
Carrera 7 No 99-53 Torre B Pisos 7  
Bogota, Colombia

**Telephone** (57) 1 639 0000

**HP Inc. health effects line**  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048

**HP Inc. Customer Care Line**  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551

**Email:** hpcustomer.inquiries@hp.com

## 2. Hazards identification

### Classification of the substance or mixture

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

### GHS labeling elements, including precautionary statements

**Hazard symbol(s)** None.

**Signal word** None.

**Hazard statement(s)** Not available.

**Precautionary statement(s)**

- Prevention** Not available.
- Response** Not available.
- Storage** Not available.
- Disposal** Not available.

**Other hazards which do not result in classification** Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**Supplemental information** None.

## 3. Composition/information on ingredients

Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Water	7732-18-5	75-85
2-pyrrolidone	616-45-5	<15
Carbon black	1333-86-4	<5
Isopropyl alcohol	67-63-0	<2.5

**Composition comments** This ink supply contains an aqueous ink formulation.  
Carbon black is present only in a bound form in this preparation.

#### 4. First-aid measures

##### First-aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.  
**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.  
**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.  
**Ingestion** If ingestion of a large amount does occur, seek medical attention.

**Most important symptoms/effects, acute and delayed** Contact with skin and eyes may result in irritation.

**Notes to physician** Not available.

#### 5. Fire-fighting measures

##### Means of fire extinguishing

**Suitable extinguishing media** CO<sub>2</sub>, water, dry chemical, or foam  
**Unsuitable extinguishing media** None known.

**Unusual fire & explosion hazards** None known.

**Specific hazards arising from the chemical** Not available.

**Protective measures taken by firefighting crews** None established.

**Specific methods** None established.

**General fire hazards** Contact with skin and eyes may result in irritation.

**Hazardous combustion products** Refer to section 10.

#### 6. Control measures for spills and leaks

##### Personal precautions, protective equipment and emergency procedures

**To be taken by those who are not involved in rendering emergency services** Wear appropriate personal protective equipment.

**To be taken by those who are involved in rendering emergency services** Not available.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Methods and materials for containment and cleaning up** Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations.

**Other issues relating to spills and releases** Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

## 7. Handling and storage

**Precautions for safe handling** Avoid contact with skin, eyes and clothing.

**Conditions for safe storage, including any incompatibilities** Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

##### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

##### Chile. OELs (Reg. 594/1999, arts. 61 & 66, as amended on Jan 24, 2015)

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.1 mg/m <sup>3</sup>	
Isopropyl alcohol (CAS 67-63-0)	LPP	858 mg/m <sup>3</sup>	
	LPT	350 ppm	
		1230 mg/m <sup>3</sup> 500 ppm	

##### Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

##### Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials.

##### Requirements. 1st ed., 1/29, 2013)

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

##### Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

##### Peru. OELs. Decreto Supremo 015-2005-SA (Reglamento sobre Valores Límites Permisibles para Agentes Químicos en el Ambiente de Trabajo)

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m <sup>3</sup>	
Isopropyl alcohol (CAS 67-63-0)	STEL	983 mg/m <sup>3</sup>	
		400 ppm	
	TWA	491 mg/m <sup>3</sup> 200 ppm	

**Venezuela. OELs. (COVENIN 2253: Permissible Environmental Concentration Limits for Chemical Substances in Workplaces and Biological Exposure Indices)**

Components	Type	Value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m <sup>3</sup>
Isopropyl alcohol (CAS 67-63-0)	STEL	500 ppm
	TWA	400 ppm

**Biological limit values**

**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

**Venezuela. Biological Exposure Indices (IBEs), Table 2, COVENIN 2253**

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl alcohol (CAS 67-63-0)	40 mg/l	Acetona	Urine	*

\* - For sampling details, please see the source document.

**Exposure guidelines** Exposure limits have not been established for this product.

**Appropriate engineering controls** Use in a well ventilated area.

**Personal protective measures**

**Eyes and face protection** Not available.

**Skin protection**

**Hand protection** Recommended gloves: Nitrile 4 mil minimum thickness.

**Personal protective equipment**

**General** Use personal protective equipment to minimize exposure to skin and eye.

**Personal protective measures**

**Other** Not available.

**Respiratory protection** Not available.

**Thermal hazards** Not available.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

**9. Physical and chemical properties**

**Appearance**

**Physical state** Liquid.

**Form** Not available.

**Color** Black.

**Odor** Not available.

**Odor threshold** Not available.

**pH** 7.8 - 8.4

**Melting point/freezing point** Not available.

**Initial boiling point and boiling temperature range** 200 °F (93.33 °C)

**Flash point** 131.0 - 136.0 °F (55.0 - 57.8 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not determined

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** Not determined

<b>Vapor density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Soluble in water
<b>Partition coefficient (n-octanol/water)</b>	Not determined
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	> 2 cp
<b>Other physical and chemical parameters</b>	
<b>Oxidizing properties</b>	Not determined
<b>Specific gravity</b>	1 - 1.2
<b>VOC</b>	< 116.6 g/l

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Will not occur.
<b>Conditions to avoid</b>	Not available.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents.
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	Contact with skin may result in mild irritation.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Ingestion</b>	Health injuries are not known or expected under normal use.

**Symptoms** Not available.

**Acute toxicity** Based on available data, the classification criteria are not met.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
-------------------	----------------	---------------------

2-pyrrolidone (CAS 616-45-5)

**Acute**

**Oral**

LD50	Rat	> 5000 mg/kg
------	-----	--------------

Carbon black (CAS 1333-86-4)

**Acute**

**Oral**

LD50	Rat	> 10000 mg/kg
------	-----	---------------

**Skin irritation and corrosion** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Not classified as an irritant according to, OECD 405. Based on available data, the classification criteria are not met.

### Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

**ACGIH Carcinogens**

Carbon black (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to humans.  
 Isopropyl alcohol (CAS 67-63-0) A4 Not classifiable as a human carcinogen.

**Colombia. OELs. Resolution No. 02400: Norms Concerning Working Conditions, Health and Safety in the Workplace**

Carbon black (CAS 1333-86-4) A3 Animal carcinogen.  
 Isopropyl alcohol (CAS 67-63-0) A4 Not classifiable as a human carcinogen.

**Ecuador. OELs (INEN 2266:2013, 2013-01 2nd rev.: Transport, storage and handling of hazardous materials. Requirements. 1st ed., 1/29, 2013)**

Carbon black (CAS 1333-86-4) Group A3 Confirmed animal carcinogen with unknown relevance to humans.  
 Isopropyl alcohol (CAS 67-63-0) Group A4 Not classifiable as a human carcinogen.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

**Paraguay. Decree No. 14.390/92 that approves the General Technical Regulation of Safety, Hygiene and Medicine in the Workplace**

Carbon black (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to humans.  
 Isopropyl alcohol (CAS 67-63-0) A4 Not classifiable as a human carcinogen.

**Venezuela. OELs. (COVENIN 2253: Permissible Environmental Concentration Limits for Chemical Substances in Workplaces and Biological Exposure Indices)**

Carbon black (CAS 1333-86-4) A4 Not classifiable as a human carcinogen.

**Toxic to reproduction** Based on available data, the classification criteria are not met.  
**Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.  
**Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.  
**Aspiration hazard** Based on available data, the classification criteria are not met.  
**Other information** Complete toxicity data are not available for this specific formulation  
 Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**12. Ecological information**

**Aquatic toxicity** Not expected to be harmful to aquatic organisms.

**Ecotoxicity**

Product	Species	Test Results
CG305Series		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50	Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours
<b>Components</b>		
2-pyrrolidone (CAS 616-45-5)		
<b>Aquatic</b>		
Crustacea	EC50	Water flea (Daphnia pulex) 13.21 mg/l, 48 hours
Isopropyl alcohol (CAS 67-63-0)		
<b>Aquatic</b>		
Fish	LC50	Bluegill (Lepomis macrochirus) > 1400 mg/l, 96 hours
<i>Acute</i>		
Algae	EC50	Algae > 1000 mg/l, 72 hours
Crustacea	EC50	Daphnia 13299 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 9460 mg/l, 96 hours

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential**

**Partition coefficient n-octanol / water (log Kow)**

2-pyrrolidone -0.85  
 Isopropyl alcohol 0.05

---

<b>Bioconcentration factor (BCF)</b>	Not available.
<b>Mobility in soil</b>	Not available.
<b>Other adverse effects</b>	Not available.

---

### 13. Considerations on final disposal

#### Recommended methods for final destination

<b>Residual waste</b>	Not available.
<b>Contaminated packaging</b>	No special precautions.
<b>Local disposal regulations</b>	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

---

### 14. Transport information

<b>DOT</b>	Not regulated as dangerous goods.
<b>IATA</b>	Not regulated as dangerous goods.
<b>IMDG</b>	Not regulated as dangerous goods.
<b>ADR</b>	Not regulated as dangerous goods.
<b>Further information</b>	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.  No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous Goods Regulations Section 3.3.1.3. No ignition, sustained combustion or flashing detected using the sustained combustibility test (method in US CFR173, Appendix H).

---

### 15. Regulatory information

#### Federal regulations

**Colombia. Controlled Substances (Resolution No. 009 of 1987 nationally regulating the transport & use of substances in subparag. f) of article 20 of Law 30 of 1986, as amended)**

Isopropyl alcohol (CAS 67-63-0)

**Venezuela. Chemical Precursors (Official Gazette No. 34.741, List I & II)**

Not regulated.

#### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### Montreal Protocol

Not applicable.

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Kyoto protocol

Not applicable.

#### Basel Convention

Not applicable.

---

### 16. Other information

<b>Significant information, yet not specifically related to the previous sections</b>	Not available.
<b>Revision information</b>	Physical & Chemical Properties: Multiple Properties

## Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds