



# SAFETY DATA SHEET

## 1. Identification of the product

<b>GHS product identifier</b>	TestATNseries
<b>Other means of identification</b>	
<b>Common name(s), synonym(s)</b>	HP FB210 Black Scitex Ink
<b>Recommended use of the chemical and restrictions on use</b>	
<b>Recommended use</b>	Inkjet printing
<b>Recommended restrictions</b>	None known.
<b>Company identification</b>	HP Inc. Costa Rica, Limitada Centro Corporativo Plaza Roble, Edificio 5 San Jose, Costa Rica 01210
<b>Telephone</b>	52 (55) 5258-4000
<b>HP Inc. health effects line</b>	
<b>(Toll-free within the US)</b>	1-800-457-4209
<b>(Direct)</b>	1-760-710-0048
<b>HP Inc. Customer Care Line</b>	
<b>(Toll-free within the US)</b>	1-800-474-6836
<b>(Direct)</b>	1-208-323-2551
<b>Email:</b>	hpcustomer.inquiries@hp.com

## 2. Hazard identification

### Classification of the substance or mixture

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 1B
	Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity - repeated exposure	Category 1 (liver, respiratory system)
<b>Environmental hazards</b>	Hazardous to the aquatic environment — long-term aquatic hazard	Category 2

### GHS label elements, including precautionary statements



**Signal word** Danger

### Hazard statement

H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H360FD	May damage fertility. May damage the unborn child.
H335	May cause respiratory irritation.
H372	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statement****Prevention**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P270	Do not eat, drink or smoke when using this product.

**Response**

P308 + P313	IF exposed or concerned: Get medical attention/advice.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P312	Call a POISON CENTER/doctor/physician if you feel unwell.
P391	Collect spillage.
P362	Take off contaminated clothing and wash before reuse.

**Storage**

P405	Store locked up.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.

**Disposal**

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	-----------------------------------------------------------------------------------------------------

**Other hazards which do not result in classification**

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**Supplemental information**

None.

**3. Composition/information on ingredients****Mixtures**

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
TRADE SECRET		Proprietary	<25
Acrylic acid ester		Proprietary	<20
Acrylate ester 3		Proprietary	<15
Glycerol, propoxylated, esters with acrylic acid		Proprietary	<15
Acrylic acid, Monoalkyl Ester		Proprietary	<10
Carbon Black Test		Mixture	<7.5

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Diphenyl (2,4,6-trimethylbenzoyl) phosphine		Proprietary	<5
Vinylcaprolactam		Proprietary	<5
Substituted Phosphine Oxide		Proprietary	<1
Vinylester resin	Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester		<1
1-butanol		71-36-3	<0.1
4-Methoxyphenol		150-76-5	<0.1
Genorad 16 Proprietary Stabilizer		Proprietary	<0.1
Octyl decyl acrylate		Proprietary	<0.1

#### 4. First-aid measures

##### Description of necessary first-aid measures

<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
<b>Ingestion</b>	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.
<b>Most important symptoms/effects, acute and delayed</b>	Not available.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Dry powder. Carbon dioxide (CO <sub>2</sub> ). Water may be ineffective.
<b>Unsuitable extinguishing media</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards arising from the chemical</b>	None known.
<b>Special protective actions for firefighters</b>	Not available.
<b>Fire fighting equipment/instructions</b>	Avoid runoff into storm sewers and ditches which lead to waterways.

#### 6. Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>For emergency responders</b>	Not available.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
<b>Methods and materials for containment and cleaning up</b>	Not available.
<b>Other issues relating to spills and releases</b>	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container.

#### 7. Handling and storage

<b>Precautions to ensure safe handling</b>	Avoid contact with skin, eyes and clothing.
--------------------------------------------	---------------------------------------------

**Conditions for safe storage, including any incompatibilities** Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

## 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

**Costa Rica. OELs (Regulation for the Registration of Hazardous Products, Executive Decree No. 28113S, as amended by Executive Decree No. 30718, Oct 2, 2002) updated with ACGIH**

Components	Type	Value
1-butanol (CAS 71-36-3)	TWA	20 ppm
4-Methoxyphenol (CAS 150-76-5)	TWA	5 mg/m <sup>3</sup>

**Nicaragua. OELs (General Law of Workplace Hygiene and Safety. Law No. 618, published in Official Gazette No. 133, July 13, 2007) as updated with ACGIH**

Components	Type	Value
1-butanol (CAS 71-36-3)	TWA	20 ppm
4-Methoxyphenol (CAS 150-76-5)	TWA	5 mg/m <sup>3</sup>

**US. ACGIH Threshold Limit Values**

Components	Type	Value
1-butanol (CAS 71-36-3)	TWA	20 ppm
4-Methoxyphenol (CAS 150-76-5)	TWA	5 mg/m <sup>3</sup>

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.
<b>Control banding approach</b>	Not available.
<b>Appropriate engineering controls</b>	Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.
<b>Other</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Black.
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	> 212.0 °F (> 100.0 °C) Closed Cup EPA Method 1020
<b>Evaporation rate</b>	Not available.

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Vapor density** Not available.

**Solubility(ies)**

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** Not available.

**Other information**

**VOC** < 95 g/L Method 24/ASTM D5409-93

## 10. Stability and reactivity

**Reactivity** Not available.

**Chemical stability** Stable under normal storage conditions.

**Possibility of hazardous reactions** Hazardous polymerization can occur with decreased inhibitor content.

**Conditions to avoid** Exposure to sunlight.

**Incompatible materials** Incompatible with strong bases and oxidizing agents. alkaline metals

**Hazardous decomposition products** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Not available.

**Skin contact** Not available.

**Eye contact** Not available.

**Ingestion** Not available.

**Symptoms** Not available.

### Information on toxicological effects

**Acute toxicity** May be harmful if swallowed. May be harmful in contact with skin. Based on available data, the classification criteria are not met.

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

### Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

**Reproductive toxicity** May damage fertility. May damage the unborn child.

<b>Specific target organ toxicity - single exposure</b>	May cause irritation to the respiratory system.
<b>Specific target organ toxicity - repeated exposure</b>	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Other information</b>	Complete toxicity data are not available for this specific formulation

## 12. Ecological information

<b>Aquatic toxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.	
<b>Ecotoxicity</b>	No ecotoxicity data noted for the ingredient(s).	
<b>Persistence and degradability</b>	Not available.	
<b>Bioaccumulative potential</b>	Not available.	
	<b>Partition coefficient n-octanol / water (log Kow)</b>	
	1-butanol	0.88
	4-Methoxyphenol	1.58
<b>Mobility in soil</b>	Not available.	
<b>Other adverse effects</b>	Not available.	

## 13. Disposal considerations



<b>Disposal methods</b>	
<b>Disposal instructions</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
<b>Local disposal regulations</b>	Not available.
<b>Waste from residues / unused products</b>	Not available.
<b>Contaminated packaging</b>	Not available.

## 14. Transport information

<b>DOT</b>	Not regulated as dangerous goods.
<b>DOT Supplemental Information</b>	DOT Classification only applies to shipments within the US and Puerto Rico.
<b>IATA</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.
<b>IATA Supplemental Information</b>	When shipping ≤ 5L inner packaging, Special Provision A197 may apply.
<b>IMDG</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Transport hazard class(es)</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Not available.
<b>IMDG Supplemental Information</b>	When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

**ADR**

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Hazard No. (ADR)</b>	Not available.
<b>Tunnel restriction code</b>	Not available.
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.
<b>ADR Supplemental Information</b>	When shipping ≤ 5L containers, ADR 375 may apply.

**ADR; IATA; IMDG****Marine pollutant****15. Regulatory information****National regulations****Colombia. Chemical Precursors (Law 67 of 1993, Tables I and II)**

Not regulated.

**Ecuador. Precursors (Narcotic and Psychotropic Substances Law, Annex IV)**

Not regulated.

**International regulations**

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Montreal Protocol**

Not applicable.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Basel Convention**

Not applicable.

**16. Other information**

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds