



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture 51604A Rev B
Registration number -
Synonyms None.
Issue date 25-May-2015
Version number 09
Revision date 11-Feb-2021
Supersedes date 31-May-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Deutschland GmbH
Schickardstrasse 32
71034 Böblingen
Germany
Telephone + 49 7031 - 450 7000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048

HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone number +49 (0) 89 1 92 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

Health hazards

| | | |
|---|---------------------|--|
| Skin sensitization | Category 1 | H317 - May cause an allergic skin reaction. |
| Reproductive toxicity (fertility, the unborn child) | Category 1B | H360 - May damage fertility or the unborn child. |
| Specific target organ toxicity - repeated exposure | Category 2 (kidney) | H373 - May cause damage to organs (kidney) through prolonged or repeated exposure. |

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2-pyrrolidone, Ethylene glycol, Tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate

Hazard pictograms



| | |
|--------------------------|---|
| Signal word | Danger |
| Hazard statements | |
| H317 | May cause an allergic skin reaction. |
| H373 | May cause damage to organs (kidney) through prolonged or repeated exposure. |
| H360 | May damage fertility or the unborn child. |

Precautionary statements

Prevention

| | |
|------|---|
| P280 | Wear protective gloves/protective clothing/eye protection. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P201 | Obtain special instructions before use. |
| P260 | Do not breathe mist or vapor. |

Response

| | |
|-------------|--|
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P314 | Get medical attention/advice if you feel unwell. |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention. |
| P363 | Wash contaminated clothing before reuse. |

Storage

Not available.

Disposal

| | |
|------|---|
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
|------|---|

Supplemental label information

None.

2.3. Other hazards

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|--|--|--------------------------|------------------------|--------------|-------|
| Water | 30-40 | 7732-18-5 231-791-2 | - | - | |
| Classification: | - | | | | |
| 2-pyrrolidone | <30 | 616-45-5 210-483-1 | 01-2119475471-37-XXXX | - | |
| Classification: | Eye Irrit. 2;H319, Repr. 1B;H360 | | | | |
| Ethylene glycol | <25 | 107-21-1 203-473-3 | 01-2119456816-28-XXXX | 603-027-00-1 | # |
| Classification: | Acute Tox. 4;H302, STOT RE 2;H373 | | | | |
| 1,2-hexanediol | <7.5 | 6920-22-5 230-029-6 | 01-2119987321-35-XXXX | - | |
| Classification: | Eye Irrit. 2;H319 | | | | |
| Tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo) naphthalene-2,7-disulfonate | <5 | 116340-05-7 405-170-3 | 01-0000015470-78-XXXX | 611-020-00-X | |
| Classification: | Acute Tox. 3;H301, Skin Sens. 1;H317, Aquatic Chronic 3;H412 | | | | |

Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

SECTION 4: First aid measures

General information

Not available.

4.1. Description of first aid measures

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

| | |
|--|---|
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| Ingestion | If ingestion of a large amount does occur, seek medical attention. |
| 4.2. Most important symptoms and effects, both acute and delayed | Not available. |
| 4.3. Indication of any immediate medical attention and special treatment needed | Not available. |

SECTION 5: Firefighting measures

| | |
|---|--|
| General fire hazards | Not available. |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | None known. |
| 5.2. Special hazards arising from the substance or mixture | Not available. |
| 5.3. Advice for firefighters | |
| Special protective equipment for firefighters | Not available. |
| Special fire fighting procedures | Not available. |
| Specific methods | None established. |

SECTION 6: Accidental release measures

| | |
|---|---|
| 6.1. Personal precautions, protective equipment and emergency procedures | |
| For non-emergency personnel | Wear appropriate personal protective equipment. |
| For emergency responders | Not available. |
| 6.2. Environmental precautions | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. |
| 6.3. Methods and material for containment and cleaning up | Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. |
| 6.4. Reference to other sections | Not available. |

SECTION 7: Handling and storage

| | |
|--|---|
| 7.1. Precautions for safe handling | Avoid contact with skin, eyes and clothing. |
| 7.2. Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep away from excessive heat or cold. |
| 7.3. Specific end use(s) | Not available. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

| Components | Type | Value | Form |
|--------------------------------|------|----------------------|--------------------|
| Ethylene glycol (CAS 107-21-1) | TWA | 26 mg/m ³ | Vapor and aerosol. |
| | | 10 ppm | Vapor and aerosol. |

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

| Components | Type | Value | Form |
|--------------------------------|------|----------------------|--------------------|
| Ethylene glycol (CAS 107-21-1) | AGW | 26 mg/m ³ | Vapor and aerosol. |
| | | 10 ppm | Vapor and aerosol. |

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU

| Components | Type | Value |
|--------------------------------|------|-----------|
| Ethylene glycol (CAS 107-21-1) | STEL | 104 mg/m3 |
| | | 40 ppm |
| | TWA | 52 mg/m3 |
| | | 20 ppm |

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Not available.

Derived no effect levels (DNELs)

| Components | Type | Route | Value | Form | |
|--------------------------------|-----------|------------|-----------------|--------------------|--|
| 1,2-hexanediol (CAS 6920-22-5) | Worker | Inhalation | 123 mg/m3 | Systemic long term | |
| 2-pyrrolidone (CAS 616-45-5) | Consumers | Dermal | 0.67 mg/kg bw/d | Systemic long term | |
| | | Inhalation | 1.985 mg/m3 | Systemic long term | |
| | | Oral | 0.67 mg/kg bw/d | Systemic long term | |
| | Workers | Dermal | 4.2 mg/kg bw/d | Systemic long term | |
| | | Inhalation | 29.62 mg/m3 | Systemic long term | |
| | | | | | |
| Ethylene glycol (CAS 107-21-1) | Consumers | Dermal | 53 mg/kg | Systemic long term | |
| | | Inhalation | 7 mg/m3 | Local long term | |
| | Workers | Dermal | 106 mg/kg | Systemic long term | |
| | | Inhalation | 35 mg/m3 | Local long term | |
| | | | | | |
| | | | | | |

Predicted no effect concentrations (PNECs)

| Components | Type | Route | Value | Form |
|--------------------------------|----------------|--------------|--------------|------------------------|
| 2-pyrrolidone (CAS 616-45-5) | Not applicable | Freshwater | 0.5 mg/l | |
| | | Intermittent | 0.5 mg/l | Releases |
| | | Marine water | 0.05 mg/l | |
| | | Sediment | 0.4205 mg/kg | Freshwater |
| | | Soil | 0.0612 mg/kg | |
| | | STP | 10 mg/l | Sewage Treatment Plant |
| | | | | |
| Ethylene glycol (CAS 107-21-1) | Not applicable | Freshwater | 10 mg/l | |
| | | Intermittent | 10 mg/l | Releases |
| | | Marine water | 1 mg/l | |
| | | Sediment | 37 mg/kg | Freshwater |
| | | Sediment | 3.7 mg/kg | Marine water |
| | | Soil | 1.53 mg/kg | |
| | | STP | 199.5 mg/l | Sewage Treatment Plant |
| | | | | |

Exposure guidelines Exposure limits have not been established for this product.

Germany DFG MAK (advisory): Skin designation

Ethylene glycol (CAS 107-21-1) Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

Ethylene glycol (CAS 107-21-1) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Not available.

Skin protection

- **Hand protection** Recommended gloves: Nitrile 4 mil minimum thickness.

- **Other** Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

| | |
|--|---|
| Physical state | Liquid. |
| Form | Not available. |
| Color | Black. |
| Odor | Not available. |
| Odor threshold | Not available. |
| pH | 7 - 7.4 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not determined |
| Flash point | > 200.0 °F (> 93.3 °C) Closed Cup EPA Method 1020 |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not determined |
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Soluble in water |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not available. |
| Oxidizing properties | Not available. |

9.2. Other information

| | |
|-----|---------------------|
| VOC | < 578 g/l Estimated |
|-----|---------------------|

SECTION 10: Stability and reactivity

| | |
|--|---|
| 10.1. Reactivity | Not available. |
| 10.2. Chemical stability | Stable under recommended storage conditions. |
| 10.3. Possibility of hazardous reactions | Will not occur. |
| 10.4. Conditions to avoid | Not available. |
| 10.5. Incompatible materials | Incompatible with strong bases and oxidizing agents. |
| 10.6. Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

SECTION 11: Toxicological information

| | |
|--|---|
| General information | Not available. |
| Information on likely routes of exposure | |
| Inhalation | Inhalation may result in mild irritation to the respiratory system. |
| Skin contact | May cause sensitization by skin contact. |
| Eye contact | Contact with eyes may result in mild irritation. |
| Ingestion | Ingestion is not a likely route of exposure. |
| Symptoms | Not available. |
| 11.1. Information on toxicological effects | |
| Acute toxicity | Based on available data, the classification criteria are not met. LD50/oral/rat >2500 mg/kg (OECD 401). |

| Components | Species | Test Results |
|---|---|---------------------|
| 2-pyrrolidone (CAS 616-45-5) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | > 5000 mg/kg |
| Ethylene glycol (CAS 107-21-1) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 9530 mg/kg |
| Inhalation | | |
| <i>Aerosol</i> | | |
| LC50 | Rat | > 2.5 mg/l, 6 Hours |
| Other | | |
| LD50 | Rat | 2800 mg/kg |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. Non irritant in rabbit (OECD 404) | |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. Not classified as an irritant according to, OECD 405. | |
| Respiratory sensitization | Based on available data, the classification criteria are not met. | |
| Skin sensitization | May cause sensitization by skin contact. | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | |
| Reproductive toxicity | May damage fertility or the unborn child. | |
| | 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study). | |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity - repeated exposure | May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion. | |
| Aspiration hazard | Based on available data, the classification criteria are not met. | |
| Mixture versus substance information | Not available. | |
| Other information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. | |

SECTION 12: Ecological information

12.1. Toxicity

| Product | Species | Test Results |
|----------------|---------|--|
| 51604A Rev B | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Fish | LC50 | Fathead minnow (<i>Pimephales promelas</i>) > 750 mg/l, 96 hours |
| Components | Species | Test Results |

| | | |
|------------------------------|------|--|
| 2-pyrrolidone (CAS 616-45-5) | | |
| Aquatic | | |
| Crustacea | EC50 | Water flea (<i>Daphnia pulex</i>) 13.21 mg/l, 48 hours |

12.2. Persistence and degradability Not available.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

| | |
|-----------------|-------|
| 2-pyrrolidone | -0.85 |
| Ethylene glycol | -1.36 |

Bioconcentration factor (BCF) Not available.

| | |
|---|---|
| 12.4. Mobility in soil | Not available. |
| 12.5. Results of PBT and vPvB assessment | Not a PBT or vPvB substance or mixture. |
| 12.6. Other adverse effects | Not available. |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-------------------------------------|---|
| Residual waste | Not available. |
| Contaminated packaging | Not available. |
| EU waste code | Not available. |
| Disposal methods/information | Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor. |

SECTION 14: Transport information

DOT

| | |
|-------------------------------------|----------------|
| UN number | Not available. |
| UN proper shipping name | Not Regulated |
| Transport hazard class(es) | |
| Class | Not available. |
| Subsidiary risk | - |
| Packing group | Not available. |
| Environmental hazards | |
| Marine pollutant | No |
| Special precautions for user | Not available. |

IATA

| | |
|-------------------------------------|----------------|
| UN number | Not available. |
| UN proper shipping name | Not Regulated |
| Transport hazard class(es) | |
| Class | Not available. |
| Subsidiary risk | - |
| Packing group | Not available. |
| Environmental hazards | No |
| Special precautions for user | Not available. |

IMDG

| | |
|-------------------------------------|----------------|
| UN number | Not available. |
| UN proper shipping name | Not Regulated |
| Transport hazard class(es) | |
| Class | Not available. |
| Subsidiary risk | - |
| Packing group | Not available. |
| Transport hazard class(es) | |
| Marine pollutant | No |
| EmS | Not available. |
| Special precautions for user | Not available. |

ADR

| | |
|-------------------------------------|----------------|
| UN number | Not available. |
| UN proper shipping name | Not Regulated |
| Transport hazard class(es) | |
| Class | Not available. |
| Subsidiary risk | - |
| Hazard No. (ADR) | Not available. |
| Tunnel restriction code | Not available. |
| Packing group | Not available. |
| Environmental hazards | No |
| Special precautions for user | Not available. |

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

National regulations

Not available.

Water hazard class

AwSV

WGK2

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H301 Toxic if swallowed.

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure by ingestion.
H412 Harmful to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |

Safe Use of Mixture Information (SUMI)

--

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions

| | |
|------------------------------|---|
| Maximum duration | Up to 8 hours per day |
| Frequency of exposure | < 240 days per year |
| Process conditions | Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions followed. |

Risk management measures

| | |
|--|---|
| Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation | <p>Wear safety glasses with side shields (or goggles), if splashing is possible. Wear appropriate chemical resistant gloves: see section 8 of the SDS. Wear appropriate chemical resistant clothing. In case of inadequate ventilation wear respiratory protection. Eye wash fountain and emergency showers are recommended. Avoid breathing mist/vapours. Avoid contact with skin, eyes and clothing. Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.</p> <div style="display: flex; justify-content: space-around; align-items: center;">     </div> |
|--|---|

Good practice advice

Use personal protective equipment as required.
Wash hands before breaks and after work.
Keep good industrial hygiene and safety practice.
Use only with adequate ventilation.
Do no eat, drink or smoke when using this product.
Wash contaminated clothing before reuse.
Store at room temperature.



Environmental measures

Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.
Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

- IS-Use at industrial sites
- PW-Widespread use by professional workers
- SU7-Printing and reproduction media
- PC18-Inks and Toners
- PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
- PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities
- ERC5-Use at industrial site leading to inclusion into/onto article
- ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.
Most of the water based inks are "not classified".
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.
All ingredients contributing to the classification are stated in Section 3 of the SDS.
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these ingredients where applicable.