



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture CG353Series  
Registration number -  
Synonyms None.  
Issue date 24-Feb-2016  
Version number 06  
Revision date 02-Oct-2019  
Supersedes date 15-Mar-2019

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing  
Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

HP Deutschland GmbH  
Schickardstrasse 32  
71034 Böblingen  
Germany  
Telephone 07031 140

### HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048

### HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone number +49 (0) 89 1 92 40

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

#### Health hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
Reproductive toxicity	Category 2	
Specific target organ toxicity - repeated exposure	Category 2	H373 - May cause damage to organs (testes) through prolonged or repeated exposure.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1,2-Benzisothiazolin-3-one, 1,3-dimethylimidazolidin-2-one, Black Pigment, ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol, Isopropyl alcohol

#### Hazard pictograms



#### Signal word

Danger

#### Hazard statements

H302 Harmful if swallowed.  
H318 Causes serious eye damage.  
H373 May cause damage to organs (testes) through prolonged or repeated exposure.

## Precautionary statements

### Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash hands thoroughly after handling.

### Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 Rinse mouth.  
P308 + P313 IF exposed or concerned: Get medical attention/advice.  
P314 Get medical attention/advice if you feel unwell.

### Storage

P405 Store locked up.

### Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental label information** None.

## 2.3. Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70 - 80	7732-18-5 231-791-2	-	-	
<b>Classification:</b>	-				
1,3-dimethylimidazolidin-2-one	<15	80-73-9 201-304-8	-	-	
<b>Classification:</b>	Acute Tox. 4;H302, Eye Dam. 1;H318, Repr. 2;H361fd, STOT RE 2;H373				
Black Pigment	<5	Proprietary	01-2119384822-32-XXXX	-	
<b>Classification:</b>	-				
Isopropyl alcohol	<5	67-63-0 200-661-7	-	603-117-00-0	
<b>Classification:</b>	Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336				
ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol	<2.5	9014-85-1 500-022-5	01-2119954393-33-XXXX	-	
<b>Classification:</b>	Eye Dam. 1;H318, Aquatic Chronic 3;H412				
1,2-Benzisothiazolin-3-one	<0.1	2634-33-5 220-120-9	-	613-088-00-6	
<b>Classification:</b>	Acute Tox. 4;H302, Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318, Aquatic Acute 1;H400				

**Composition comments** Carbon black is present only in a bound form in this preparation.

## SECTION 4: First aid measures

**General information** Not available.

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention. Never give anything by mouth to an unconscious person.

**4.2. Most important symptoms and effects, both acute and delayed** Not available.

**4.3. Indication of any immediate medical attention and special treatment needed** Not available.

---

### SECTION 5: Firefighting measures

**General fire hazards** Not available.

#### 5.1. Extinguishing media

**Suitable extinguishing media** CO2, water, dry chemical, or foam

**Unsuitable extinguishing media** None known.

**5.2. Special hazards arising from the substance or mixture** Not available.

#### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Not available.

**Special fire fighting procedures** Wear suitable protective equipment.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Not available.

**For emergency responders** Not available.

**6.2. Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**6.3. Methods and material for containment and cleaning up** Wipe up with adsorbent material (e.g. cloth, fleece).

**6.4. Reference to other sections** Not available.

---

### SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

**7.2. Conditions for safe storage, including any incompatibilities** Keep away from heat, sparks and flame. Store in a cool, dry place out of direct sunlight. Keep containers tightly closed. Keep out of reach of children.

**7.3. Specific end use(s)** Not available.

---

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value
Isopropyl alcohol (CAS 67-63-0)	TWA	500 mg/m3
		200 ppm

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**

Components	Type	Value
Isopropyl alcohol (CAS 67-63-0)	AGW	500 mg/m3

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**  
**Components** **Type**

**Value**

200 ppm

**Biological limit values**

**Germany. TRGS 903, BAT List (Biological Limit Values)**

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl alcohol (CAS 67-63-0)	25 mg/l	Aceton	Urine	*
	25 mg/l	Aceton	Blood	*

\* - For sampling details, please see the source document.

**Recommended monitoring procedures** Not available.

**Derived no effect levels (DNELs)**

Components	Type	Route	Value	Form
Black Pigment	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS 9014-85-1)	Consumers	Dermal	0.75 mg/kg	Systemic short term
		Dermal	0.25 mg/kg	Systemic long term
	Workers	Inhalation	1.29 mg/m3	Systemic short term
		Inhalation	0.43 mg/m3	Systemic long term
		Oral	0.25 mg/g	Systemic long term
		Oral	0.75 mg/kg	Systemic short term
		Dermal	1.5 mg/kg	Systemic short term
		Dermal	0.5 mg/kg	Systemic long term
		Inhalation	5.28 mg/m3	Systemic short term
		Inhalation	1.76 mg/m3	Systemic long term

**Predicted no effect concentrations (PNECs)**

Components	Type	Route	Value	Form
Black Pigment	Not applicable	Freshwater	5 mg/l	
		Marine water	5 mg/l	
ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS 9014-85-1)	Not applicable	Freshwater	0.04 mg/l	
		Intermittent	0.4 mg/l	Releases
		Marine water	0.004 mg/l	
		Sediment	0.32 mg/kg	Freshwater
		Sediment	0.032 mg/kg	Marine water
		Soil	0.028 mg/kg	
		STP	7 mg/l	Sewage Treatment Plant

**Exposure guidelines** Exposure limits have not been established for this product.

**8.2. Exposure controls**

**Appropriate engineering controls** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

**Individual protection measures, such as personal protective equipment**

**General information** Avoid contact with the skin and the eyes. Wear suitable protective equipment.

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

**Skin protection**

- **Hand protection** Wear appropriate chemical resistant gloves.

- **Other** Wear suitable protective clothing and eye/face protection. Remove and wash contaminated clothing before re-use.

**Respiratory protection** Provide adequate ventilation.

**Thermal hazards** Not available.

**Hygiene measures** When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls Not available.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state Not available.

Form Liquid.

Color Black.

Odor Not available.

Odor threshold Not available.

pH 8 - 9.5

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point > 160.0 Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

#### Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

#### Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Explosive properties Not available.

Oxidizing properties Not available.

### 9.2. Other information

VOC < 226 g/L

---

## SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions Will not occur.

10.4. Conditions to avoid Avoid high temperatures.

10.5. Incompatible materials Incompatible with strong acids and oxidizing agents.

10.6. Hazardous decomposition products Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

---

## SECTION 11: Toxicological information

General information Not available.

### Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms Not available.

### 11.1. Information on toxicological effects

---

<b>Acute toxicity</b>	Harmful if swallowed.	
<b>Product</b>	<b>Species</b>	<b>Test Results</b>
CG353Series		
<b>Acute</b>		
<b>Oral</b>		
<i>Liquid</i>		
LD50	Rat	> 2000 mg/kg
<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Black Pigment		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 10000 mg/kg
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.	
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.	
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.	
<b>Reproductive toxicity</b>	Suspected of damaging fertility or the unborn child.	
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - repeated exposure</b>	May cause damage to organs (testes) through prolonged or repeated exposure.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Mixture versus substance information</b>	Not available.	
<b>Other information</b>	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.	

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Aquatic toxicity</b>	No information available.	
<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Isopropyl alcohol (CAS 67-63-0)		
<b>Aquatic</b>		
<i>Acute</i>		
Algae	EC50	Algae > 1000 mg/l, 72 hours
Crustacea	EC50	Daphnia 13299 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 9460 mg/l, 96 hours

**12.2. Persistence and degradability** Not available.

**12.3. Bioaccumulative potential** Not available.

**Partition coefficient n-octanol/water (log Kow)**  
Isopropyl alcohol 0.05

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** Not available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Residual waste** Not available.  
**Contaminated packaging** Not available.  
**EU waste code** Not available.  
**Disposal methods/information** Do not allow this material to drain into sewers/water supplies. Dispose of in compliance with federal, state, and local regulations.

---

## SECTION 14: Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### ADR

Not regulated as dangerous goods.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I**

Not listed.

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA**

Not listed.

#### Authorizations

**Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work**

Not regulated.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Isopropyl alcohol (CAS 67-63-0)

#### Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### National regulations

Not available.

### 15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

**SECTION 16: Other information****References**

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any H-statements not written out in full under Sections 2 to 15**

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**Revision information**

None.

**Training information**

Follow training instructions when handling this material.

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.










## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds

# Generic Exposure Information Sheet (GEIS)

--

## Maintenance fluid digital printing: SSMF01 \*English\*

<b>Disclaimer</b>	
<p><i>This GEIS is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this GEIS to a specific product SDS, the importer/formulator declares that the product can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, GEIS Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.</i></p> <p><i>The REACH registration number(s), where applicable, completes an extended product SDS.</i></p>	
<b>Operational conditions</b>	
<b>Maximum duration</b>	Up to 8 hours per day
<b>Frequency of exposure</b>	< 240 days per year
<b>Process conditions</b>	<p>Covers use at ambient temperatures.</p> <p>Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.</p> <p>Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.</p> <p>Avoid direct contact.</p> <p>Regular cleaning of equipment and work area.</p> <p>Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions follow</p>
<b>Risk management measures</b>	
<b>Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation</b>	<p>Wear safety glasses with side shields (or goggles), if splashing is possible.</p> <p>Wear appropriate chemical resistant gloves: see section 8 of the SDS.</p> <p>Wear appropriate chemical resistant clothing.</p> <p>Eye wash fountain and emergency showers are recommended.</p> <p>Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.</p> <p>Avoid breathing mist/vapours.</p> <p>Avoid contact with skin, eyes and clothing.</p> <p>Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.</p> <div style="display: flex; justify-content: center; gap: 10px; margin-top: 10px;">      </div>
<b>Good practice advice</b>	
<p>Use personal protective equipment as required.</p> <p>Wash hands before breaks and after work.</p> <p>Keep good industrial hygiene and safety practice.</p> <p>Use only with adequate ventilation.</p> <p>Do no eat, drink or smoke when using this product.</p> <p>Wash contaminated clothing before reuse.</p> <p>Store at room temperature.</p>	 
<b>Environmental measures</b>	
<p>Do not allow this material to drain into sewers/water supplies.</p> <p>Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.</p> <p>Ensure collection and disposal with appropriately licenced waste contractor.</p>	
<b>Use descriptors</b>	
IS-Use at industrial sites	
PW-Widespread use by professional workers	
SU7-Printing and reproduction media	
PC35-Washing and cleaning products	
PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities	
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities	
PROC11-Non-industrial spraying	
ERC4-Use of non-reactive processing aid at industrial site (no inclusion into or onto article)	
<b>Additional information on product composition</b>	
<p>In section 2 of the SDS as well as on the label, the classification of the product is provided.</p> <p>Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.</p>	