

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

HP LaserJet CF280A-X-XC-XD-XF Print Cartridge

Registration number

**Synonyms** None

17-Jun-2015 Issue date

Version number 07

**Revision date** 05-Sep-2018 13-Apr-2018 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a toner preparation that is used in HP LaserJet Pro 400 M401, HP LaserJet Pro

400 MFP M425 series printers.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

HP Europe B.V.

Startbaan 16, building left wing

1187 XR Amstelveen The Netherlands

**Telephone** 

+372 6 813820

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

hpcustomer.inquiries@hp.com Email:

1.4 Emergency telephone

number

1-760-710-0048

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Iron oxide, Polyester resin

**Hazard pictograms** None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements** 

**Precautionary statements** 

Not available. Prevention Not available. Response Not available. Storage Not available. Disposal

Supplemental label information

2.3. Other hazards None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB)

as defined under Regulation (EC) 1907/2006.

Material name: CF280A-X-XC-XD-XF SDS ESTONIA

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Polyester resin	<55	СВІ	-	-	
Classification: -		-			
Iron oxide	<50	1317-61-9 215-277-5	01-2119457646-28-XXXX	-	
Classification: -					
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

## **SECTION 4: First aid measures**

Not available. **General information** 

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms

and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Minimize dust generation and accumulation.

personnel

Not available. For emergency responders

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up

Material name: CF280A-X-XC-XD-XF

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

12746 Version #: 07 Revision date: 05-Sep-2018 Issue date: 17-Jun-2015

SDS ESTONIA

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## Occupational exposure limits

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September

2001)

Components Value **Form** Type Amorphous silica (CAS **TWA** 2 mg/m3 Respirable dust. 7631-86-9)

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

Not available.

procedures

Derived no effect levels (DNELs)

Not available

Predicted no effect concentrations (PNECs) Not available.

**Exposure guidelines** 

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

## Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Not available.

Skin protection

Not available. - Hand protection Not available. - Other Respiratory protection Not available. Thermal hazards Not available. Not available. Hygiene measures Not available. **Environmental exposure** 

controls

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Fine powder **Appearance** Solid. Physical state solid Form Color Black.

Odor Slight plastic odor **Odor threshold** Not available. Not applicable pН

Material name: CF280A-X-XC-XD-XF

SDS ESTONIA

12746 Version #: 07 Revision date: 05-Sep-2018 Issue date: 17-Jun-2015

Melting point/freezing point Not available. Initial boiling point and boiling Not applicable

range

Flash point Not applicable Not applicable **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

Flammability limit - upper

(%)

Not available.

Not applicable Vapor pressure Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient

Not available.

(n-octanol/water)

**Auto-ignition temperature** Not applicable **Decomposition temperature** > 392 °F (> 200 °C) **Viscosity** Not applicable **Explosive properties** Not available.

**Oxidizing properties** No information available.

9.2. Other information

Percent volatile Negligible

Softening point 212 - 302 °F (100 - 150 °C)

1.4 - 1.8Specific gravity VOC Not applicable

# **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

# **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation. Ingestion Ingestion is not a likely route of exposure.

**Symptoms** Not available.

11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

**Product Species Test Results** 

CF280A-X-XC-XD-XF

<u>Acute</u>

LD50 > 2000 mg/kg

Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Respiratory sensitization Based on available data, the classification criteria are not met. Material name: CF280A-X-XC-XD-XF

SDS ESTONIA

**Skin sensitization** Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# **SECTION 12: Ecological information**

**12.1. Toxicity** LL50: > 1000 mg/l, Fish, 96.00 Hours

Product Species Test Results

CF280A-X-XC-XD-XF

**Aquatic** 

 Algae
 FL50
 Algae
 > 1000 mg/l, 72 Hours

 Crustacea
 EL50
 Crustacea
 > 1000 mg/l, 48 Hours

 Fish
 LL50
 Fish
 > 1000 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

**12.3. Bioaccumulative potential** Not available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

NOL availa

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

**12.6. Other adverse effects** Not available.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Do

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### IATA

UN number UN2807

**UN proper shipping name** Magnetized Material

Transport hazard class(es)

Class 9 Subsidiary risk -

Packing group Not available.

Material name: CF280A-X-XC-XD-XF 12746 Version #: 07 Revision date: 05-Sep-2018 Issue date: 17-Jun-2015 **Environmental hazards** No.

Special precautions for user Not available.


#### **IMDG**

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

#### **IATA**



**Further information** 

88or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

# **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed

# Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

## Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

**National regulations** Not available.

Material name: CF280A-X-XC-XD-XF SDS ESTONIA 12746 Version #: 07 Revision date: 05-Sep-2018 Issue date: 17-Jun-2015

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

Revision information

SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture SECTION 6: Accidental release measures: 6.3. Methods and material for containment and cleaning up

# Training information

Disclaimer

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

# **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF280A-X-XC-XD-XF

SDS ESTONIA