

SAFETY DATA SHEET

1. Chemical product and company identification

Product name HP Color LaserJet C8560A (Toner) Imaging Drum Cartridge

Company identification PT. Hewlett-Packard Indonesia

9th Floor, Jl.Casablanca Kav.88 Prudential Centre

Jakarta, Indonesia 12870

Telephone +62-21 5799-1088

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use This product is a black toner preparation that is used in HP Color LaserJet 9500/9500mfp series

printers.

2. Hazards identification

Environmental hazards

GHS classification

Physical hazards Not classified.

Health hazards Carcinogenicity

Not classified.

Label elements

PictogramNone.Signal wordNone.Hazard statementNone.

Precautionary statement

PreventionNone.ResponseNone.StorageNone.DisposalNone.

Other hazards Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

Category 2

this carcinogenic risk.

Mixture

Supplemental information None.

3. Composition / information on ingredients

Substance or mixture

Chemical property

Chemical name	CAS Number	Concentration (%)
Styrene acrylate copolymer	Trade Secret	<80
Wax	Trade Secret	<15
Wax		
Carbon black	1333-86-4	<10
Polyester resin	Trade Secret	<10
Polyester resin		

Material name: C8560A (Toner) SDS INDONESIA

11407 Version #: 01 Issue date: 23-Jan-2019

CAS Number Concentration (%)

Titanium dioxide 13463-67-7 <1

4. First aid measures

First aid measures for different exposure routes

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

Most important symptoms and

effects

Not available.

Personal protection for first-aid

responders

Not available.

Notes to physician

Not available.

5. Fire-fighting measures

Extinguishing media CO2, water, or dry chemical

Extinguishing media to avoid

None known.

Specific hazards

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Protection of fire-fighters Not specified.

Specific methods None established.

6. Accidental release measures

Personal precautions Minimize dust generation and accumulation.

Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Spill clean-up methods Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

Value

federal, state, and local regulations.

7. Handling and storage

Handling

Precautions Not available.

Safe handling advice Not available.

Storage

Suitable storage

conditions

Not available.

Incompatible materials

Not available.

8. Exposure controls/personal protection

Exposure limits

Components

Indonesia. OELs (Minister of Manpower and Transmigration Regulation No. Per.13/MEN/X/2011 concerning Threshold

Limit Values, Annex II)

Components	туре	value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3
Titanium dioxide (CAS	TWA	10 mg/m3

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.

Material name: C8560A (Toner)

US. ACGIH Threshold Limit Values

 Components
 Type
 Value
 Form

 Titanium dioxide (CAS
 TWA
 10 mg/m3

13463-67-7)

Exposure guidelines , 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Engineering measures Use in a well ventilated area.

Personal protective equipment

Respiratory protection
Hand protection
Eye protection
Skin and body protection
Not available.
Not available.
Not available.
Not available.
Not available.

9. Physical and chemical properties

Appearance Fine powder
Physical state Solid.
Form solid
Color Black.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Boiling point, initial boiling point, and boiling range

Flash point Not applicable
Auto-ignition temperature Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower Not flam

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density Not applicable

Evaporation rate Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partiall soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not available.

Decomposition temperature > 200

Viscosity Not applicable

Softening point 212 - 302 °F (100 - 150 °C)

Other data

Oxidizing properties No information available.

Specific gravity 1 - 1.2

10. Stability and reactivity

Reactivity Not available.

Stability Stable under normal storage conditions.

Conditions to avoid None.

Incompatible materials

Hazardous decomposition

products

Strong oxidizers Carbon monoxide and carbon dioxide.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological information

Acute toxicity

Components **Test Results Species**

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 10000 mg/kg

Not available. Routes of exposure Not available. **Symptoms** Skin corrosion/irritation Not available.

Serious eye damage/eye irritation

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group

2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

ACGIH Carcinogens

Carbon black (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to

humans

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Toxic to reproduction Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available.

Not available **Aspiration hazard**

Chronic effects No information available.

Interactive effects Not available

Complete toxicity data are not available for this specific formulation Other information

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicological data

Product Test Results Species

C8560A (Toner) Aquatic

> Fish LL50 Rainbow Trout >= 1000 mg/l, 96 Hours

Ecotoxicity LL50: >= 1000 mg/l, Rainbow Trout, 96.00 Hours

Persistence and degradability Not available. Not available. **Bioaccumulation** Mobility in soil Not available. Other hazardous effects Not available

Material name: C8560A (Toner) 11407 Version #: 01 Issue date: 23-Jan-2019

SDS INDONESIA

13. Disposal considerations

Disposal methods/information

Not available.

Local disposal regulations

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Applicable regulations

CWC (Law of RI No. 9 of 2008 re: Prohibition on the Use of Chemicals as Chemical Weapon, March 10, 2008)

Dangerous Substances that Must be Registered (Regulation of the Minister of Health of the Republic of Indonesia, No. 472/Menkes/Per/V/1996)

Not regulated.

Import and Distribution Control of Hazardous Materials (Minister of Trade Regulation No. 75/M-DAG/PER/10/2014, Annex I)

Not listed.

Precursor Chemicals (Ministry of Industry and Trade Decree No. 647/MPP/Kep/10/2004 concerning Regulation on Import of Precursors, Attachment 1, Oct. 18, 2004)

Prohibited Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 1)

Not regulated.

Restricted Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 2)

Toxic and Hazardous Materials List (Decree of the Ministry of Industry on the Safeguarding of Toxic and Hazardous Materials in Industrial Plants, No. 148/M/SK/4/1985)

Not regulated.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Applicable regulations

Hazardous Substances Approved for Use (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment I)

Listed substances

Not regulated.

Listed substances / Allowed until 2040

Not regulated.

16. Other information

Issued by

Company name

HP Inc.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: C8560A (Toner)

Issue date 23-Jan-2019 **References and sources for** Not available.

data used to compile the SDS

Revision information

Product and Company Identification: Physical States

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C8560A (Toner) SDS INDONESIA