

SAFETY DATA SHEET

1. Chemical product and company identification

Product name HP Z7Y73A Yellow Developer

Company identification PT. Hewlett-Packard Indonesia

9th Floor, Jl.Casablanca Kav.88 Prudential Centre

Jakarta, Indonesia 12870

Telephone +62-21 5799-1088

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use This product is a yellow developer preparation that is used in HP Color LaserJet Managed MFP

E87640, HP Color LaserJet Managed MFP E87650, HP Color LaserJet Managed MFP E87660

series printers.

2. Hazards identification

GHS classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

PictogramNone.Signal wordNone.Hazard statementNone.

Precautionary statement

Prevention None.
Response None.
Storage None.
Disposal None.

Other hazards None known.

Supplemental information None.

3. Composition / information on ingredients

Substance or mixture Mixture

Chemical property

Chemical name	CAS Number	Concentration (%)
Ferrite	Trade Secret	<95
Polyester resin	Trade Secret	<10
Polyester resin		
Paraffin wax	Trade Secret	<2
Yellow Pigment	Trade Secret	<2
Silica	Trade Secret	<1
Amorphous silica		

Material name: Z7Y73A SDS INDONESIA

4. First aid measures

First aid measures for different exposure routes

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

Most important symptoms and

effects

Difficulty in breathing. Coughing.

Personal protection for first-aid

responders

Not available

Notes to physician Not available

5. Fire-fighting measures

Extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media to avoid None known.

Specific hazards Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Protection of fire-fighters Wear self-contained breathing apparatus and protective clothing. Wear full set of protective

equipment including chemical goggles and gloves.

Specific methods None established.

6. Accidental release measures

Personal precautions Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS

for Personal Protective Equipment. Ensure adequate ventilation.

Environmental precautions Avoid spreading dust or contaminated materials. Avoid discharge into drains, water courses or

onto the ground.

Spill clean-up methods Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

7. Handling and storage

Handling

Precautions Not available.

Safe handling advice Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Wash

thoroughly after handling. Keep away from excessive heat, sparks, and open flames.

Storage

Technical measures Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

Suitable storage

conditions

Not available.

Incompatible materials Not available.

8. Exposure controls/personal protection

Exposure limits

Indonesia. OELs (Minister of Manpower and Transmigration Regulation No. Per.13/MEN/X/2011 concerning Threshold

Limit Values, Annex II)

ComponentsTypeValueFormParaffin WaxTWA2 mg/m3Fume.

Occupational exposure limits

US. ACGIH Threshold Limit Values

 Components
 Type
 Value
 Form

 Paraffin Wax
 TWA
 2 mg/m3
 Fume.

Engineering measuresUse in a well ventilated area.

Personal protective equipment

Respiratory protection No personal respiratory protective equipment required under normal conditions of use.

Hand protection Rubber gloves are recommended. Wash hands after handling.

Material name: Z7Y73A SDS INDONESIA

Wear safety glasses with side shields (or goggles). Eye protection

Skin and body protection

Protection suit must be worn.

Hygiene measures

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product.

9. Physical and chemical properties

Fine powder **Appearance**

Physical state Solid. **Form** solid Yellow Color Odor Odorless

Odor threshold No information available

pН Not applicable

No information available Melting point/freezing point

Boiling point, initial boiling point, and boiling range

Not applicable

Not applicable Flash point No data available **Auto-ignition temperature** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not applicable Vapor density Not applicable

Evaporation rate

Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Decomposition temperature > 392 °F (> 200 °C) **Viscosity** Not applicable

Other data

Oxidizing properties No information available. Specific gravity 4.4 g/ml (20C, 68F)

10. Stability and reactivity

Not available. Reactivity

Stable under normal storage conditions. Stability

Conditions to avoid Heat, sparks, flames. Sunlight. Avoid dust close to ignition sources.

This product may react with strong oxidizing agents. This product may react with strong acids. Incompatible materials

Hazardous decomposition

products

Carbon monoxide and carbon dioxide. Hydrogen.

Possibility of hazardous Stable

reactions

11. Toxicological information

Based on available data, the classification criteria are not met. LD50/oral/rat >5000 mg/kg **Acute toxicity**

Not available. Routes of exposure **Symptoms** Not available.

Skin corrosion/irritation Based on available data, the classification criteria are not met. Not a known irritant. (OECD 404) Based on available data, the classification criteria are not met. Not a known irritant. (OECD 405) Serious eye damage/eye

irritation

Material name: Z7Y73A SDS INDONESIA Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitization

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silica (CAS Trade Secret)

3 Not classifiable as to carcinogenicity to humans.

Toxic to reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Chronic effects Interactive effects

Not available. Not available.

Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

12. Ecological information

Ecotoxicity Not available. Persistence and degradability Not available.

Not available Bioaccumulation Mobility in soil Not available.

Other hazardous effects This product has not been tested for ecological effects

13. Disposal considerations

Disposal methods/information

Not available.

Local disposal regulations

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Applicable regulations

CWC (Law of RI No. 9 of 2008 re: Prohibition on the Use of Chemicals as Chemical Weapon, March 10, 2008)

Not regulated.

Dangerous Substances that Must be Registered (Regulation of the Minister of Health of the Republic of Indonesia, No. 472/Menkes/Per/V/1996)

Not regulated.

Material name: Z7Y73A SDS INDONESIA Import and Distribution Control of Hazardous Materials (Minister of Trade Regulation No. 75/M-DAG/PER/10/2014, Annex I)

Not listed.

Precursor Chemicals (Ministry of Industry and Trade Decree No. 647/MPP/Kep/10/2004 concerning Regulation on Import of Precursors, Attachment 1, Oct. 18, 2004)

Prohibited Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 1)

Not regulated.

Restricted Substances (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment II, Table 2)

Not regulated.

Toxic and Hazardous Materials List (Decree of the Ministry of Industry on the Safeguarding of Toxic and Hazardous Materials in Industrial Plants, No. 148/M/SK/4/1985)

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Applicable regulations

Hazardous Substances Approved for Use (Government Regulation No. 74 of 2001 regarding Management of Hazardous and Poisonous Substances, Attachment I)

Listed substances

Not regulated.

Listed substances / Allowed until 2040

Not regulated.

16. Other information

Issued by

Company name

HP Inc.

Disclaimer

This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Issue date

04-Aug-2018 Not available.

References and sources for data used to compile the SDS

Revision information

1. Product and Company Identification: Alternate Trade Names

Composition / Information on Ingredients: Ingredients

Material name: Z7Y73A SDS INDONESIA

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: Z7Y73A SDS INDONESIA