Version #: 03



SAFETY DATA SHEET

1. Identification of the dangerous substance/preparation and the identity of the manufacturer, importer, agent or marketer

Product name CLT-M406Series

Company identification Hewlett-Packard (Israel) Ltd.

Dafna 9 Ra'anana 43662,

Israel

Telephone +972 9 7623222

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Identification of the components of the substance/preparation

Substance or Preparation Preparation

Chemical name	Synonyms	CAS number	Percent
Paraffin waxes and Hydrocarbon waxes		8002-74-2	<10
Titanium dioxide		13463-67-7	<2.5

3. Dangers of the dangerous substance/preparation

Physical hazards Not classified as a physical hazard.

Health hazards Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

GHS classification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

GHS label elements

Signal word None.
Hazard symbols None.
Hazard statement None.

Precautionary statement

PreventionNone.ResponseNone.StorageNone.DisposalNone.Main symptomsNot available.

4. First aid instructions

14604

First aid measures for different exposure routes

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Material name: CLT-M406Series SDS ISRAEL

Version #: 03

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical Ingestion

attention immediately.

Main symptoms Difficulty in breathing. Coughing.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Treat symptomatically. Notes to physician

Not available. Special first aid equipment

5. Firefighting procedure

Extinguishing media

Suitable extinguishing

media

Dry chemical, foam, carbon dioxide, water fog.

Extinguishing media which must not be used for

safety reasons

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards during fire

fighting

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

procedures Protection of fire-fighters

Special fire fighting

Firefighters should wear full protective clothing including self contained breathing apparatus.

General fire hazards No unusual fire or explosion hazards noted.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

6. Safety precautions

Personal precautions

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

Environmental precautions Methods for cleaning up

Methods and materials for

clean-up

Not available.

Not available.

Other information Fine powder can form explosive dust-air mixtures. Take up mechanically and collect in suitable container for disposal. Dispose of in compliance with federal, state, and local regulations.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged

exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in tightly closed original container. Store in a well-ventilated place. Store away from

incompatible materials (see Section 10 of the SDS).

8. Means of reducing exposure and personal protection

Engineering measures to reduce exposure

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Occupational exposure limits

Israel. OELs (Labor Inspection Regs. (Occup. & Bio. Monitoring of those Working with Hazardous Materials), Appendix 2, 1990, as amended)

Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Material name: CLT-M406Series

14604

2/6

Version #: 03

US. ACGIH Threshold Limit Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
logical limit values	No biological exposure limits noted for the ingredient(s).			

Biological limit values

Personal protective equipment

Respiratory protection No personal respiratory protective equipment required under normal conditions of use.

Hand protection Rubber gloves are recommended. Wash hands after handling.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Protection suit must be worn.

Hygiene measures Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product.

9. Physical and chemical properties

Appearance

Not available. Physical state **Form** Solid. Fine powder

Color Magenta Odorless Odor Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

> 392 °F (> 200 °C) **Decomposition temperature** Not available. Flash point Not available. **Flammability** Not available. **Auto-ignition temperature**

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Oxidizing properties No information available.

Vapor pressure Not available.

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** (n-octanol/water)

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal storage conditions.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Possibility of hazardous

reactions

Not available.

Incompatibility This product may react with strong oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Materials to avoid Not available

Material name: CLT-M406Series

Version #: 03

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Toxicological data Not available.

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

Based on available data, the classification criteria are not met. Not a known irritant. (OECD 405).

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium).

Based on available data, the classification criteria are not met.

ACGIH Carcinogens

Titanium dioxide (CAS 13463-67-7)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

exposure group, the most relevant level to potential human exposures.

12. Environmental information

Ecotoxicity

Environmental effects Not available.

Persistence and degradability

BiodegradationNo data is available on the degradability of any ingredients in the mixture.

Mobility in soilNot available.Other informationNot available.

13. Dangerous substance disposal methods

Disposal instructions Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge,

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Material name: CLT-M406Series SDS ISRAEL

Version #: 03

Waste from residues / unused

products

Not available.

Contaminated packaging

Special precautions

Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. Regulatory information

Israel regulations

Israel. Harmful Chemicals (Hazardous Substances Law, 5753-1993, Annex 1, as amended)

Not listed.

Israel. Toxic Chemicals (Hazardous Substances Law, 5753-1993, Annex 2, as amended)

Not listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. Other information

Training information Follow training instructions when handling this material.

Recommended use Not available.

Recommended restrictions

Do not use with non compatible printer.

Further information Bibliography

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Alternate Trade Names

Material name: CLT-M406Series

5 / 6

Version #: 03

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

National Institute for Occupational Safety and Health **NIOSH**

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

Toxic Substances Control Act **TSCA** Volatile Organic Compounds VOC

Material name: CLT-M406Series