Version #: 02



SAFETY DATA SHEET

1. Identification of the dangerous substance/preparation and the identity of the manufacturer, importer, agent or marketer

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Product name CLT-R806K

Other means of identification Not available.

Company identification Hewlett-Packard (Israel) Ltd.

Dafna 9 Ra'anana 43662,

Israel

Telephone +972 9 7623222

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Identification of the components of the substance/preparation

Substance or Preparation Preparation

Chemical name	Synonyms	CAS number	Percent
Ceramic Materials And Wares, Chemicals		Proprietary	<95%
Polyester resin	Polyester resin	Proprietary	<10%
Amorphous silica		Proprietary	<1%
Black Pigment		Proprietary	<1%
Titanium dioxide		13463-67-7	<1%

3. Dangers of the dangerous substance/preparation

Physical hazardsNot classified as a physical hazard. **Health hazards**Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

GHS classification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

GHS label elements

Symbols None.
Signal word None.
Hazard statement None.

Precautionary statement

PreventionNone.ResponseNone.StorageNone.DisposalNone.

Material name: CLT-R806K SDS ISRAEL

Version #: 02

Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Titanium dioxide is classified by IARC as a Group 2B carcinogen, meaning there is inadequate evidence in humans for the carcinogenicity of titanium dioxide, but there is sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide. Titanium dioxide in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information

None

4. First aid instructions

First aid measures for different exposure routes

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical

attention immediately.

Difficulty in breathing. Coughing. Main symptoms

Personal protection for first-aid

responders

Ingestion

Not available.

Not available. Notes to physician Special first aid equipment Not available

5. Firefighting procedure

Extinguishing media

Suitable extinguishing

ABC powder, foam and water. Alcohol resistant foam.

Extinguishing media which must not be used for

safety reasons Specific hazards during fire

fighting

Special fire fighting

procedures

dispersed in air.

If fire occurs in the printer, treat as an electrical fire.

Do not use water jet.

Protection of fire-fighters Wear self-contained breathing apparatus and protective clothing. Wear full set of protective

equipment including chemical goggles and gloves.

Specific methods None established.

6. Safety precautions

Containment procedures Dispose of in compliance with federal, state, and local regulations. Slowly vacuum or sweep the

material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

form explosive dust-air mixtures.

Avoid spreading dust or contaminated materials. Avoid discharge into drains, water courses or **Environmental precautions**

onto the ground.

Methods for cleaning up

Not available.

Personal precautions Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation. Remove victim immediately from

source of exposure. Emergency personnel should wear self-contained breathing apparatus.

7. Handling and storage

Precautions for safe handling

Use local exhaust ventilation. Take precautionary measures against static discharges. Use only in well-ventilated areas. Ground and bond containers when transferring material. Avoid inhalation of dust and contact with skin and eyes. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Wash hands after handling. When using, do not eat, drink or smoke. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Keep tightly closed and dry. Store at room temperature.

Material name: CLT-R806K SDS ISRAEL

Version #: 02

8. Means of reducing exposure and personal protection

Engineering measures to

reduce exposure

Use in a well ventilated area.

Occupational exposure limits

Israel. OELs (Labor Inspection Regs. (Occup. & Bio. Monitoring of those Working with Hazardous Materials), Appendix 2,

1990, as amended)

ComponentsTypeValueFormBlack PigmentTWA3 mg/m3Inhalable fraction.Titanium dioxide (CAS
13463-67-7)TWA10 mg/m3

US. ACGIH Threshold Limit Values

ComponentsTypeValueFormBlack PigmentTWA3 mg/m3Inhalable fraction.Titanium dioxide (CAS
13463-67-7)TWA10 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines 5 mg/m3 (Respirable Fraction) 3 mg/m3 (Respirable Particulate)

Personal protective equipment

Respiratory protection No personal respiratory protective equipment required under normal conditions of use.

Hand protection Rubber gloves are recommended. Wash hands after handling.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Protection suit must be worn.

Hygiene measures Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product.

9. Physical and chemical properties

Appearance Fine powder

Physical state Solid.
Form solid
Color Black.
Odor Odorless

Odor threshold No information available

pH Not applicable

Melting point/freezing point No information available

Initial boiling point and boiling

range

Not applicable

Decomposition temperatureNot available.Flash pointNot applicableFlammabilityNot available.Auto-ignition temperatureNo data available

Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Oxidizing properties No information available.

Vapor pressure Not applicable
Density 1.20 g/ml

Solubility(ies)

Solubility (water) Insoluble in water. Partially soluble in toluene, chloroform and tetrahydrofurane

Material name: CLT-R806K SDS ISRAEL

Version #: 02

Partition coefficient (n-octanol/water)

Not available.

Other information

Specific gravity 1.2 g/ml
Vapor density Not applicable
Viscosity Not applicable

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Conditions to avoid Risk of dust explosion. Shocks and physical damage.

No information available.

Possibility of hazardous

reactions

Not available.

Not available

Incompatibility
Hazardous decomposition

Not known.

products

Materials to avoid

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Toxicological data Not available.

Acute toxicity Based on available data, the classification criteria are not met. LD50/oral/rat >5000 mg/kg

Components Species Test Results

Black Pigment

<u>Acute</u>

Oral LD50

Rat > 10000 mg/kg

Ceramic Materials And Wares, Chemicals

Acute

Dermal

LD50 Rabbit > 2500 mg/kg

Inhalation

LC50 Rat > 2.3 mg/l, 4 Hours

> 0.888 mg/l

Oral

LD50 Rat > 2000 mg/kg

Skin corrosion/irritationBased on available data, the classification criteria are not met. Not a known irritant. (OECD 404)

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Not a known irritant. (OECD 404)

Respiratory or skin sensitization

Respiratory sensitizationBased on available data, the classification criteria are not met. **Skin sensitization**Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Material name: CLT-R806K SDS ISRAEL

Issue date: 07-Nov-2019 Revision date: 25-Oct-2020 Version #: 02

Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.

ACGIH Carcinogens

Black Pigment (CAS Proprietary) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Chronic effects Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

12. Environmental information

Ecotoxicity

Components		Species	Test Results		
Ceramic Materials And \	Nares, Chemicals	8			
Aquatic					
Acute					
Algae	ErC50	Algae	184.6 mg/l, 72 h		
Crustacea	EC50	Invertebrates (Invertebrates)	1.9 mg/l, 48 h		
Fish	LC50	Fish	457 mg/l, 96 h		
Chronic					
Fish	EC50	Fish	0.151 mg/l, 7 d		
	LC50	Fish	1.94 mg/l, 16 d		
vironmental effects	Not available.				
ersistence and degradabi	lity				
obility in soil	Not available.				
ther information	Not available.				

13. Dangerous substance disposal methods

Disposal instructions

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

Material name: CLT-R806K SDS ISRAEL

Version #: 02

Waste from residues / unused

products

Not available.

Contaminated packaging Special precautions Not available.
Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. Regulatory information

Israel regulations

Israel. Harmful Chemicals (Hazardous Substances Law, 5753-1993, Annex 1, as amended)

Not listed.

Israel. Toxic Chemicals (Hazardous Substances Law, 5753-1993, Annex 2, as amended)

Not listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

New Zealand, and China.

16. Other information

Training information Follow training instructions when handling this material.

Recommended use
Recommended restrictions
Not available.
Further information
Not available.
Bibliography
Not available.

Disclaimer This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific

properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Alternate Trade Names

Material name: CLT-R806K SDS ISRAEL

Issue date: 07-Nov-2019 Revision date: 25-Oct-2020 Version #: 02

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CLT-R806K SDS ISRAEL