Version #: 05



SAFETY DATA SHEET

1. Identification of the dangerous substance/preparation and the identity of the manufacturer, importer, agent or marketer

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Product name MLT-B708Series

Other means of identification Not available.

Company identification Hewlett-Packard (Israel) Ltd.

Dafna 9 Ra'anana 43662,

Israel

Telephone +972 9 7623222

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Identification of the components of the substance/preparation

Substance or Preparation Preparation

Chemical name	Synonyms	CAS number	Percent
Styrene acrylic resin		Proprietary	<85%
Wax		Proprietary	<10%
Amorphous silica	Amorphous silica	Proprietary	<5%
Black Pigment		Proprietary	<5%

3. Dangers of the dangerous substance/preparation

Physical hazardsNot classified as a physical hazard.Health hazardsNot classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

GHS classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

GHS label elements

Symbols None.
Signal word None.
Hazard statement None.

Precautionary statement

Prevention None.

Response None.

Storage None.

Disposal None.

Material name: MLT-B708Series SDS ISRAEL

Version #: 05

Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information

None.

4. First aid instructions

First aid measures for different exposure routes

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical

attention immediately.

Main symptoms Difficulty in breathing. Coughing.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Notes to physician Treat symptomatically.

Special first aid equipment Not available.

5. Firefighting procedure

Extinguishing media

Suitable extinguishing

media

Dry chemical, foam, carbon dioxide, water fog.

Extinguishing media which must not be used for

safety reasons

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards during fire

fighting

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Protection of fire-fighters

General fire hazards

Firefighters should wear full protective clothing including self contained breathing apparatus.

No unusual fire or explosion hazards noted.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

6. Safety precautions

Containment procedures

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Methods for cleaning up

Not available.

Other information

Fine powder can form explosive dust-air mixtures. Take up mechanically and collect in suitable container for disposal. Dispose of in compliance with federal, state, and local regulations.

Personal precautions

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

Material name: MLT-B708Series

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

14596

Version #: 05

8. Means of reducing exposure and personal protection

Engineering measures to reduce exposure

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Occupational exposure limits

Israel. OELs (Labor Inspection Regs. (Occup. & Bio. Monitoring of those Working with Hazardous Materials), Appendix 2, 1990, as amended)

Components	Туре	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.
Wax	TWA	2 mg/m3	Fume.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.
Wax	TWA	2 mg/m3	Fume.

Biological limit values No biological exposure limits noted for the ingredient(s).

Personal protective equipment

No personal respiratory protective equipment required under normal conditions of use. Respiratory protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

Wear safety glasses with side shields (or goggles). Eye protection

Skin and body protection

Protection suit must be worn.

Hygiene measures Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Appearance

Physical state Not available. Solid. Fine powder **Form**

Color Black. Odor Odorless Not applicable pН

No information available Melting point/freezing point

Initial boiling point and boiling

range

Not applicable

> 392 °F (> 200 °C) **Decomposition temperature** Flash point Not applicable **Flammability** Not available.

Auto-ignition temperature No data available

Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available

No information available. **Oxidizing properties**

Vapor pressure Not applicable **Density** 1.20 g/ml

Solubility(ies)

Solubility (water) Insoluble in water.

Material name: MLT-B708Series SDS ISRAEL

Version #: 05

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofurane

Partition coefficient (n-octanol/water)

Not available.

Other information

Vapor density Not applicable **Viscosity** Not applicable

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal storage conditions.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

This product may react with strong oxidizing agents. Incompatibility

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Materials to avoid Not available.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Expected to be a low ingestion hazard. Ingestion

Toxicological data Not available.

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Components **Species Test Results**

Black Pigment

Acute Oral

LD50 Rat > 10000 mg/kg

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization. Based on available data, the classification criteria are not met. Germ cell mutagenicity

Negative Ames Test (Test strains: Salmonella typhimurium).

Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

ACGIH Carcinogens

Black Pigment (CAS Proprietary) A3 Confirmed animal carcinogen with unknown relevance to

humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS Proprietary) 3 Not classifiable as to carcinogenicity to humans. Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

SDS ISRAEL 14596

Material name: MLT-B708Series

Version #: 05

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Chronic effects

Not available.

Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

12. Environmental information

Ecotoxicity

Environmental effects Not available.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture. Biodegradation

Mobility in soil Not available. Not available. Other information

13. Dangerous substance disposal methods

Disposal instructions

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Not available.

Contaminated packaging Special precautions

Not available. Not available

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. Regulatory information

Israel regulations

Material name: MLT-B708Series SDS ISRAEL

14596

Version #: 05

Israel. Harmful Chemicals (Hazardous Substances Law, 5753-1993, Annex 1, as amended)

Israel. Toxic Chemicals (Hazardous Substances Law, 5753-1993, Annex 2, as amended)

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. Other information

Training information Follow training instructions when handling this material.

Recommended use Not available.

Do not use with non compatible printer. **Recommended restrictions**

Further information Not available. Not available. **Bibliography**

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

Comprehensive Environmental Response Compensation and Liability Act **CERCLA**

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

Emergency Planning and Community Right-to-Know Act (aka SARA) **EPCRA**

International Agency for Research on Cancer **IARC**

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

Recommended Exposure Limit **REL**

Superfund Amendments and Reauthorization Act of 1986 SARA

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

Threshold Limit Value TLV

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: MLT-B708Series SDS ISRAEL