



SAFETY DATA SHEET

1. Identification of the dangerous substance/preparation and the identity of the manufacturer, importer, agent or marketer

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product name	MLT-R116
Other means of identification	Not available.
Company identification	Hewlett-Packard (Israel) Ltd. Dafna 9 Ra'anana 43662, Israel
Telephone	+972 9 7623222
HP Inc. health effects line (Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

2. Identification of the components of the substance/preparation

Substance or Preparation	Preparation		
Chemical name	Synonyms	CAS number	Percent
Ceramic materials		66402-68-4	<95
Polyester resin	Polyester resin	Trade Secret	<10
Coating materials		Trade Secret	<3
Black Pigment		Proprietary	<1

3. Dangers of the dangerous substance/preparation

Physical hazards	Not classified as a physical hazard.
Health hazards	Not classified as a health hazard.
Environmental hazards	Not classified as an environmental hazard.
GHS classification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
GHS label elements	
Symbols	None.
Signal word	None.
Hazard statement	None.
Precautionary statement	
Prevention	None.
Response	None.
Storage	None.
Disposal	None.

Other hazards	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
Supplemental information	None.

4. First aid instructions

First aid measures for different exposure routes

Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Main symptoms	Difficulty in breathing. Coughing.
Personal protection for first-aid responders	Not available.
Notes to physician	Not available.
Special first aid equipment	Not available.

5. Firefighting procedure

Extinguishing media

Suitable extinguishing media	CO2, water, or dry chemical
Extinguishing media which must not be used for safety reasons	None known.
Specific hazards during fire fighting	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Protection of fire-fighters	Wear self-contained breathing apparatus and protective clothing. Wear full set of protective equipment including chemical goggles and gloves.
Specific methods	None established.

6. Safety precautions

Personal precautions	Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation.
Environmental precautions	Not available.
Methods for cleaning up	Not available.
Containment procedures	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

8. Means of reducing exposure and personal protection

Engineering measures to reduce exposure	Use in a well ventilated area.		
Occupational exposure limits	Israel. OELs (Labor Inspection Regs. (Occup. & Bio. Monitoring of those Working with Hazardous Materials), Appendix 2, 1990, as amended)		
Components	Type	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

US. ACGIH Threshold Limit Values				
Components	Type	Value	Form	
Black Pigment	TWA	3 mg/m ³	Inhalable fraction.	
Biological limit values	No biological exposure limits noted for the ingredient(s).			
Personal protective equipment				
Respiratory protection	No personal respiratory protective equipment required under normal conditions of use.			
Hand protection	Rubber gloves are recommended. Wash hands after handling.			
Eye protection	Wear safety glasses with side shields (or goggles).			
Skin and body protection	Protection suit must be worn.			
Hygiene measures	Not available.			

9. Physical and chemical properties

Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Odorless
pH	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Flash point	Not applicable
Flammability	Not available.
Auto-ignition temperature	No data available
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Oxidizing properties	No information available.
Vapor pressure	Not applicable
Density	4.40 g/ml
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Other information	
Percent volatile	0 %
Specific gravity	4.4 g/ml
Vapor density	Not applicable
Viscosity	Not applicable

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Conditions to avoid	Heat, sparks, flames. Sunlight. Avoid dust close to ignition sources.
Possibility of hazardous reactions	Will occur.
Incompatibility	Strong oxidizers, Strong acids.

Hazardous decomposition products Carbon monoxide and carbon dioxide.

Materials to avoid Not available.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Ingestion is not a likely route of exposure.

Toxicological data Not available.

Acute toxicity Based on available data, the classification criteria are not met.
LD50/oral/rat >5000 mg/kg

Components	Species	Test Results
Black Pigment		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Ceramic materials (CAS 66402-68-4)		
Acute		
Dermal		
LD50	Rabbit	> 2500 mg/kg
Inhalation		
LC50	Rat	> 2.3 mg/l, 4 Hours > 0.888 mg/l
Oral		
LD50	Rat	> 2000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met. Not irritant in rabbit (OECD 404)	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met. Not irritant in rabbit (OECD 405)	
Respiratory or skin sensitization		
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

ACGIH Carcinogens

Black Pigment (CAS Proprietary)

A3 Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary)

2B Possibly carcinogenic to humans.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

12. Environmental information

Ecotoxicity

Components		Species	Test Results
Ceramic materials (CAS 66402-68-4)			
Aquatic			
<i>Acute</i>			
Algae	ErC50	Algae	184.6 mg/l, 72 h
Crustacea	EC50	Invertebrates (Invertebrates)	1.9 mg/l, 48 h
Fish	LC50	Fish	457 mg/l, 96 h
<i>Chronic</i>			
Fish	EC50	Fish	0.151 mg/l, 7 d
	LC50	Fish	1.94 mg/l, 16 d

Environmental effects Not available.

Persistence and degradability

Mobility in soil Not available.

Other information Not available.

13. Dangerous substance disposal methods

Disposal instructions Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

Waste from residues / unused products Not available.

Contaminated packaging Not available.

Special precautions Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. Regulatory information

Israel regulations

Israel. Harmful Chemicals (Hazardous Substances Law, 5753-1993, Annex 1, as amended)

Not listed.

Israel. Toxic Chemicals (Hazardous Substances Law, 5753-1993, Annex 2, as amended)

Not listed.

Regulatory information The components of this product are reported in the following inventories: China.

16. Other information

Training information	Follow training instructions when handling this material.
Recommended use	Not available.
Recommended restrictions	Not available.
Further information	Not available.
Bibliography	Not available.
Disclaimer	<p>This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.</p> <p>This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.</p>
Revision information	1. Product and Company Identification: Alternate Trade Names
Explanation of abbreviations	

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds