

# **SAFETY DATA SHEET**

Issue date: 19-Mar-2018 Revision date: 06-Aug-2019

Version #: 04

## 1. Chemical and company identification

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Name of chemical (Product

name)

CLT-C406Series

Recommended use of the chemical and restrictions on use

**Restrictions on use** Do not use with non compatible printer.

HP Japan Inc.

0120-50-3024

5F Ojima2-2-1 Koto-ku Tokyo, Japan 136-8711

**Poison Information Centre** 

Telephone

(+81) 3 5628-1101

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Recommended use of the chemical and restrictions on use

Intended use This product is a toner mixture that is used in printing systems.

### 2. Hazards identification

### **GHS** classification

The product is not classified according to GHS.

**GHS** label elements

Symbols None.
Signal words None.
Hazard statement None.

**Precautionary statement** 

PreventionNone.ResponseNone.StorageNone.DisposalNone.

Other hazards which do not

result in classification

None known.

GHS Supplemental information None.

## 3. Composition/information on ingredients

Substance or mixture Mixture

### Gazette notification

Components				
	CAS Number	ENCS no.	ISHL no.	Concentration (%)
Styrene acrylic resin	Proprietary			<90
Wax	Proprietary	(2)-10, (8)-414	(2)-10, (8)-414	<10
Amorphous Silica	68909-20-6	(2)-2044	(2)-2044	<5
Cyan Pigment	Proprietary			<5
Titanium dioxide	13463-67-7	(1)-558, (5)-5225	(1)-558, (5)-5225, 2-(3)-509	<2

Company name: HP Japan Inc. Product name: CLT-C406Series

14605 Version #: 04 Revision date: 06-Aug-2019

**Chemical formula** C6H19NSi2.O2Si (68909-20-6), C6H19NSi2.O2Si (68909-20-6), O2-Ti (13463-67-7), O2-Ti

(13463-67-7)

4. First aid measures

If inhaled Move person to fresh air immediately. If irritation persists, consult a physician.

If on skin Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at If in eyes

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical If swallowed

attention immediately.

Most important

symptoms/effects, acute and

delayed

Difficulty in breathing. Coughing.

Protection of first-aid responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Extinguishing media Dry chemical, foam, carbon dioxide, water fog.

Do not use water jet as an extinguisher, as this will spread the fire. Extinguishing media to avoid

During fire, gases hazardous to health may be formed. Specific hazards Special fire fighting Move containers from fire area if you can do so without risk.

procedures

Protection of fire-fighters Firefighters should wear full protective clothing including self contained breathing apparatus. General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency measures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Methods or materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

### 7. Handling and storage

Handling

Technical measures (e.g.

Local and general ventilation)

Not available

Safe handling advice

Not available.

Hygiene measures

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

10 mg/m3

after handling the product.

**TWA** 

Storage

Safe storage conditions

Store in tightly closed original container. Store in a well-ventilated place. Store away from

incompatible materials (see Section 10 of the SDS).

Safe packaging materials Not available.

### 8. Exposure controls/personal protection

### Occupational exposure limits

Titanium dioxide (CAS

13463-67-7)

Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits) Type **Form** Components Value

Titanium dioxide (CAS TWA Total dust. 4 mg/m3 13463-67-7) 1 mg/m3 Respirable dust. 0.3 mg/m3 **US. ACGIH Threshold Limit Values** Form Components Value Type

Company name: HP Japan Inc. Product name: CLT-C406Series

SDS JAPAN 14605 Version #: 04 Revision date: 06-Aug-2019

**US. ACGIH Threshold Limit Values** 

Value Form Components **Type** Wax **TWA** 2 mg/m3 Fume.

Good general ventilation should be used. Ventilation rates should be matched to conditions. If **Engineering measures** 

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures

below the recommended exposure limits.

Personal protective equipment

Respiratory protection No personal respiratory protective equipment required under normal conditions of use.

Rubber gloves are recommended. Wash hands after handling. Hand protection

Wear safety glasses with side shields (or goggles). Eye protection

Skin and body protection Protection suit must be worn.

## 9. Physical and chemical properties

**Appearance** 

Not available. Physical state **Form** Solid. Fine powder

Color Cyan Odor Odorless Not available. pН Melting point/Freezing point Not available. Boiling point, initial boiling Not available.

point, and boiling range

Not available. Flash point

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Not available. Vapor pressure Specific gravity Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** > 392 °F (> 200 °C)

Viscosity (Coefficient of

viscosity)

Not available.

Other information

No information available. **Oxidizing properties** 

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable under normal storage conditions. **Chemical stability** 

Possibility of hazardous

reactions

Not available.

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible Conditions to avoid

Incompatible materials This product may react with strong oxidizing agents.

**Hazardous decomposition** 

products

Carbon monoxide and carbon dioxide.

Company name: HP Japan Inc. Product name: CLT-C406Series SDS JAPAN 14605 Version #: 04 Revision date: 06-Aug-2019

11. Toxicological information

**Acute toxicity** Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Negative Ames Test (Test strains: Salmonella typhimurium).

Carcinogenicity Based on available data, the classification criteria are not met.

**ACGIH Carcinogens** 

Titanium dioxide (CAS 13463-67-7)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

Japan Society for Occupational Health: Carcinogen

TITANIUM DIOXIDE (NANOPARTICLE, AS TI) (CAS

13463-67-7)

2B Possibly carcinogenic to humans.

Reproductive toxicity

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

This product is not expected to cause reproductive or developmental effects.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulation Not available. Not available. Mobility in soil Not available

Hazardous to the ozone layer 13. Disposal considerations

Local disposal regulations

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

DOT

Not regulated as dangerous goods.

ΙΔΤΔ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Company name: HP Japan Inc. Product name: CLT-C406Series 14605 Version #: 04 Revision date: 06-Aug-2019

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

### **Industrial Safety and Health Act**

Notifiable substances

SOLID PARAFFIN Table 9 Ordinance No. 170 0 - 10 % TITANIUM DIOXIDE Table 9 Ordinance No. 191 0 - 2.5 %

Labeling substances

TITÂNIUM DIOXIDE 0 - 2.5 %

### **Poisonous and Deleterious Substances Control Act**

Specified poisonous substances

Not regulated.

Poisonous substances

Not regulated.

**Deleterious substances** 

Not regulated.

### Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

Class I specified chemical substances

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

**Priority Assessment Chemical Substances (PACs)** 

Not regulated.

**Reporting Exempted Substances** 

TITANIUM DIOXIDE

### Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Fire Service Act Not dangerous goods under Fire Service Law

Not regulated.

Ship Safety Law, Dangerous

**Goods Marine Transport and** 

Storage Rule

Air Law, Enforcement Rule Not regulated.

**Explosives Control Act** 

Not regulated.

#### Act on Prevention of Marine Pollution and Maritime Disaster

PARAFFIN WAX Category: Y
TITANIUMOXIDE Category: Z

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

## 16. Other information

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Company name: HP Japan Inc. Product name: CLT-C406Series SDS JAPAN

# **Revision information** Chemical and company identification: Important information

Composition / Information on Ingredients: Ingredients

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Company name: HP Japan Inc. Product name: CLT-C406Series 14605 Version #: 04 Revision date: 06-Aug-2019