



1. Chemical and company identification

Name of chemical (Product name) TestATNseries

Synonym(s) HP FB210 Black Scitex Ink
HP Japan Inc.
5F Ojima2-2-1 Koto-ku
Tokyo, Japan 136-8711

Poison Information Centre Telephone 0120-50-3024
(+81) 3 5628-1101

HP Inc. health effects line (Toll-free within the US) (Direct) 1-800-457-4209
1-760-710-0048

HP Inc. Customer Care Line (Toll-free within the US) (Direct) 1-800-474-6836
1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Recommended use of the chemical and restrictions on use

Intended use Inkjet printing

2. Hazards identification

GHS classification

Physical hazards The product is not classified according to GHS.

Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitization, skin	Category 1
Reproductive toxicity (fertility, the unborn child)	Category 1B
Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Specific target organ toxicity, repeated exposure	Category 1 (liver, respiratory system)

Environmental hazards Hazardous to the aquatic environment, long-term hazard Category 2

GHS label elements

Symbols



Signal words

Danger

Hazard statement

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility. May damage the unborn child. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling.

Response	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If eye irritation persists: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Collect spillage. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical attention/advice. Call a POISON CENTER/doctor/physician if you feel unwell. Take off contaminated clothing and wash before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Mixture

Components	CAS Number	Gazette notification		Concentration (%)
		ENCS no.	ISHL no.	
TRADE SECRET	Proprietary	Proprietary	Proprietary	<25
Acrylic acid ester	Proprietary	Proprietary	Proprietary	<20
Acrylate ester 3	Proprietary	Proprietary	Proprietary	<15
Glycerol, propoxylated, esters with acrylic acid	Proprietary	Proprietary	Proprietary	<15
Acrylic acid, Monoalkyl Ester	Proprietary	Proprietary	Proprietary	<10
Carbon Black Test	Mixture			<7.5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine	Proprietary	Proprietary	Proprietary	<5
Vinylcaprolactam	Proprietary	Proprietary	Proprietary	<5
Substituted Phosphine Oxide	Proprietary	Proprietary	Proprietary	<1
Vinylester resin Synonym(s): Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester		(7)-706	(7)-706	<1
1-butanol	71-36-3	(2)-3049	(2)-3049, 2-(8)-299	<0.1
4-Methoxyphenol	150-76-5	(3)-567	(3)-567	<0.1
Genorad 16 Proprietary Stabilizer	Proprietary			<0.1
Octyl decyl acrylate	Proprietary			<0.1

Synonym(s) HP FB210 Black Scitex Ink

Chemical formula C7-H8-O2 (150-76-5), C7-H8-O2 (150-76-5), C4-H10-O (71-36-3), C4-H10-O (71-36-3)

4. First aid measures

If inhaled	Move to fresh air. If symptoms persist, get medical attention.
If on skin	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
If in eyes	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
If swallowed	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

5. Fire-fighting measures

Extinguishing media	Dry powder. Carbon dioxide (CO2). Water may be ineffective.
Extinguishing media to avoid	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
Special fire fighting procedures	Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency measures	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Methods or materials for containment and cleaning up	Not available.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation)	Not available.
Safe handling advice	Avoid contact with skin, eyes and clothing.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

Storage

Safe storage conditions	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.
Safe packaging materials	Not available.

8. Exposure controls/personal protection

Occupational exposure limits

Japan. OELs - ISHL. (Workplace Environment Assessment Standards)

Components	Type	Value
1-BUTANOL (CAS 71-36-3)	TLV	25 ppm

Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits)

Components	Type	Value
1-butanol (CAS 71-36-3)	Ceiling	150 mg/m3 50 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
1-butanol (CAS 71-36-3)	TWA	20 ppm
4-Methoxyphenol (CAS 150-76-5)	TWA	5 mg/m3

Exposure guidelines Exposure limits have not been established for this product.

Japan JSOH OELs: Skin designation

1-butanol (CAS 71-36-3) Can be absorbed through the skin.

Engineering measures Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

Personal protective equipment

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.

Eye protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

Skin and body protection Wear appropriate chemical resistant clothing.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid.

Color Black.

Odor Characteristic.

pH Not available.

Melting point/Freezing point Not available.

Boiling point, initial boiling point, and boiling range	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup EPA Method 1020
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Specific gravity	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity (Coefficient of viscosity)	Not available.
Other information	
VOC	< 95 g/L Method 24/ASTM D5409-93

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with decreased inhibitor content.
Conditions to avoid	Exposure to sunlight.
Incompatible materials	Incompatible with strong bases and oxidizing agents. alkaline metals
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.
Reproductive toxicity	May damage fertility. May damage the unborn child.
Specific target organ toxicity - single exposure	May cause irritation to the respiratory system.
Specific target organ toxicity - repeated exposure	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other information	Complete toxicity data are not available for this specific formulation

12. Ecological information

Aquatic toxicity	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.
Ecotoxicity	Not available.
Persistence and degradability	Not available.
Bioaccumulation	Not available.
Bioaccumulative potential	
Octanol/water partition coefficient log Kow	
1-butanol	0.88
4-Methoxyphenol	1.58
Mobility in soil	Not available.
Hazardous to the ozone layer	Not available.


13. Disposal considerations

Local disposal regulations	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
-----------------------------------	--


14. Transport information

DOT	Not regulated as dangerous goods.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.
IATA Supplemental Information	When shipping ≤ 5L inner packaging, Special Provision A197 may apply.
IMDG	
UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Transport hazard class(es)	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Not available.
IMDG Supplemental Information	When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.
ADR	
UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.
ADR Supplemental Information	When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



Marine pollutant



15. Regulatory information

Industrial Safety and Health Act

Organic solvent regulation

Class 2 organic solvents

1-BUTANOL

Notifiable substances

Acrylic acid, Monoalkyl Ester

0 - 10 %

N-BUTANOL

Table 9 Ordinance No. 477 0 - 0.10 %

P-METHOXYPHENOL

Table 9 Ordinance No. 448 0 - 0.10 %

Labeling substances

Acrylic acid, Monoalkyl Ester

0 - 10 %

N-BUTANOL

0 - 0.10 %

P-METHOXYPHENOL

0 - 0.10 %

Poisonous and Deleterious Substances Control Act

Specified poisonous substances

Not regulated.

Poisonous substances

Not regulated.

Deleterious substances

Not regulated.

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

Class I specified chemical substances

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

Priority Assessment Chemical Substances (PACs)

1-BUTANOL

Reporting Exempted Substances

Not regulated.

Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Fire Service Act

Class 4 Group 3 oils (Non-water soluble) Hazard rank III

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule

Miscellaneous dangerous substances

Air Law, Enforcement Rule

Miscellaneous dangerous goods

Explosives Control Act

Not regulated.

Act on Prevention of Marine Pollution and Maritime Disaster

BUTYL ALCOHOL

Category: Z

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds