



MATERIAL SAFETY DATA SHEET

1. Chemical product and company identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***

A. Product name MLT-D308Series

Other means of identification Not available.

B. Recommended use and Limitations on use
Recommended use This product is a toner mixture that is used in printing systems.

C. Supplier information
HP Korea House
23-6 Yoido-dong
Youngdeungpo-gu
Seoul 150-742, Korea

Telephone (02) 2199-0114

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048

HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards identification

A. Hazard category/Classification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

B. Warning label items including precautionary statement

- **Pictogram** None.
- **Signal word** None.
- **Hazard statement** None.
- **Precautionary statement** None.

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard) Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

| Chemical identity | Common and alternative names | CAS number | ID number | Content in percent (%) |
|--------------------------------------|------------------------------|-------------|-------------|------------------------|
| Black Pigment | | Proprietary | Proprietary | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | KE-31032 | <2.5 |
| Paraffin waxes and Hydrocarbon waxes | | 8002-74-2 | KE-27782 | <2.5 |
| Isobutyltrimethoxysilane | | 18395-30-7 | 97-3-164 | <1 |
| Titanium dioxide | | 13463-67-7 | KE-33900 | <1 |

4. First aid measures

| | |
|---|--|
| A. In case of eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| B. In case of skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| C. In case of inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| D. In case of swallowing | Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical attention immediately. |
| E. Note to physician | Treat symptomatically. |
| Most important symptoms/effects, acute and delayed | Difficulty in breathing. Coughing. |
| General advice | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| | |
|---|---|
| A. Suitable (and unsuitable) extinguishing media | |
| Suitable extinguishing media | Dry chemical, foam, carbon dioxide, water fog. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| B. Specific hazards arising from the chemical (example: hazardous combustion products) | During fire, gases hazardous to health may be formed. |
| C. Specific methods of fire-fighting | |
| Special protective equipment for firefighters | Firefighters should wear full protective clothing including self contained breathing apparatus. |
| Special fire fighting procedures | Move containers from fire area if you can do so without risk. |
| General fire hazards | No unusual fire or explosion hazards noted. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

6. Accidental release measures

| | |
|---|---|
| A. Personal precautions, protective equipment and emergency measures | Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the MSDS for Personal Protective Equipment. |
| B. Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| C. Methods and materials for containment and cleaning up | Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal. |

7. Handling and storage

| | |
|---|--|
| A. Precautions for safe handling | Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping. |
| B. Conditions for safe storage (including any incompatibilities) | Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS). |

8. Exposure controls/personal protection

A. Exposure limit values, biological limit values, etc

Korea. OELs. Standards for Exposure to Chemical Substances and Physically Hazardous Factors

| Components | Type | Value | Form |
|--|------|-----------------------|-------|
| Black Pigment | TWA | 3.5 mg/m ³ | |
| Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) | TWA | 2 mg/m ³ | Fume. |
| Titanium dioxide (CAS 13463-67-7) | TWA | 10 mg/m ³ | |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|--|------|----------------------|---------------------|
| Black Pigment | TWA | 3 mg/m ³ | Inhalable fraction. |
| Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) | TWA | 2 mg/m ³ | Fume. |
| Titanium dioxide (CAS 13463-67-7) | TWA | 10 mg/m ³ | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

B. Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

C. Personal protective equipment

- **Respiratory protection** No personal respiratory protective equipment required under normal conditions of use.
- **Eye protection** Wear safety glasses with side shields (or goggles).
- **Hand protection** Rubber gloves are recommended. Wash hands after handling.
- **Body protection** Protection suit must be worn.

Hygiene measures

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties**A. Appearance**

- Physical state** Not available.
- Form** Solid. Fine powder
- Color** Black.

B. Odor

Odorless

C. Odor threshold

Not available.

D. pH

Not available.

E. Melting point/freezing point

Not available.

F. Boiling point, initial boiling point, and boiling range

Not available.

G. Flash point

Not available.

H. Evaporation rate

Not available.

I. Flammability (solid, gas)

Not available.

J. Upper/lower limit on flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

K. Vapor pressure

Not available.

L. Solubility

Solubility (water) Insoluble in water.

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofuran

M. Vapor density

Not available.

N. Specific gravity

Not available.

O. n-octanol/water partition coefficient

Not available.

P. Auto-ignition temperature

Not available.

Q. Decomposition temperature

> 392 °F (> 200 °C)

R. Viscosity

Not available.

S. Molecular weight

Not available.

Other data

Oxidizing properties No information available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

A. Stability and hazardous reaction potential

Stability Stable under normal storage conditions.

Hazardous reaction potential No dangerous reaction known under conditions of normal use.

B. Conditions to avoid (e.g. static discharge, shock or vibration, etc) Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.

C. Incompatible materials This product may react with strong oxidizing agents.

D. Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

A. Information on likely routes of exposure

- **Respiratory organs** Dust may irritate respiratory system. Prolonged inhalation may be harmful.
- **Skin** Dust or powder may irritate the skin.
- **Eyes** Dust may irritate the eyes.
- **Mouth** Expected to be a low ingestion hazard.

B. Information on health hazards

- **Acute toxicity (list all possible routes of exposure)** Based on available data, the classification criteria are not met. LD50/oral/rat >5000 mg/kg.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Black Pigment

Acute

Oral

LD50

Rat

> 10000 mg/kg

- **Corrosivity or irritation to the skin** Based on available data, the classification criteria are not met. Not a known irritant. (OECD 404).

- **Serious eye damage/eye irritation** Based on available data, the classification criteria are not met. Not a known irritant. (OECD 405).

- **Respiratory sensitization** Not a respiratory sensitizer.

- **Skin sensitization** This product is not expected to cause skin sensitization.

- **Carcinogenic properties /Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

- **Mutagenic properties /Mutagenicity** Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium).

- **Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

- **Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.

- **Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

12. Ecological information

A. Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| | |
|-------------------------------------|--|
| B. Persistence/degradability | No data is available on the degradability of any ingredients in the mixture. |
| C. Bioaccumulative potential | Not available. |
| D. Mobility in soil | Not available. |
| E. Other adverse effects | Not available. |

13. Disposal considerations

| | |
|--|--|
| A. Method of disposal | Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
| B. Disposal considerations (including disposal of contaminated containers or packaging) | Not available. |

14. Transport information

| | |
|----------------------------|--|
| DOT | Not regulated as dangerous goods. |
| IATA | Not regulated as dangerous goods. |
| IMDG | Not regulated as dangerous goods. |
| ADR | Not regulated as dangerous goods. |
| Further information | Not a dangerous good under DOT, IATA, ADR, IMDG, or RID. |

15. Regulatory information

| | |
|---|---|
| A. Restrictions under the Industrial Safety and Health Law | |
| Harmful Substances Prohibited from Manufacturing | Not regulated. |
| Harmful Substances Requiring Permission for Manufacture or Use | Not regulated. |
| Controlled Hazardous Substances | Not regulated. |
| Harmful Substances Requiring Special Medical Examination | Not regulated. |
| Workplace Environmental Monitoring Harmful Materials | Not regulated. |
| Occupational Exposure Limit | Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Titanium dioxide (CAS 13463-67-7) |
| B. Restrictions under the Chemicals Control Law (Previously Toxic Chemicals Control Law) | |
| Accidental Release Prevention Substances | Not regulated. |
| Act on the Registration and Evaluation of Chemicals | |
| Banned Toxic Chemicals | Not regulated. |
| Designated Existing Chemicals Subject to Registration (PEC) (MoE No. 2015-92) | Not listed. |
| Restricted Chemical Substances | Not regulated. |
| Toxic Chemicals | Not regulated. |
| C. Restrictions under the Dangerous Substance Safety Management Act | |
| D. Restrictions under the Wastes Control Act | |
| Halogenated Materials in Waste Organic Solvents | Not regulated. |

Hazardous Substances

Not regulated.

E. Restrictions under other foreign or domestic laws

Clean Air Conservation Act

Air Pollutants

Not regulated.

Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides (Rules on PIC, MoE No. 2014-252, Dec. 31, 2014; Standards for Pesticides, RDA No. 2014-26), as amended

Not listed.

Specific Air Pollutants

Not regulated.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information

A. Source of information

Not available.

B. Issue date

22-Mar-2018

C. Number of revisions and date of most recent revision

23-Oct-2020 (04 revision)

D. Other

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |