



MATERIAL SAFETY DATA SHEET

1. Chemical product and company identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***

A. Product name MLT-R309Series

Other means of identification Not available.

B. Recommended use and Limitations on use

Recommended use This product is a toner mixture that is used in printing systems.

C. Supplier information

HP Korea House
23-6 Yoido-dong
Youngdeungpo-gu
Seoul 150-742, Korea

Telephone (02) 2199-0114

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048

HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

A. Hazard category/Classification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

B. Warning label items including precautionary statement

• **Pictogram** None.

• **Signal word** None.

• **Hazard statement** None.

• **Precautionary statement** None.

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Titanium dioxide is classified by IARC as a Group 2B carcinogen, meaning there is inadequate evidence in humans for the carcinogenicity of titanium dioxide, but there is sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide. Titanium dioxide in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

Chemical identity	Common and alternative names	CAS number	ID number	Content in percent (%)
Ceramic Materials And Wares, Chemicals		Proprietary	KE-05377	<95%
Styrene acrylic resin		Proprietary		<10%
Amorphous silica		Proprietary	KE-34696	<1%
Black Pigment		Proprietary	Proprietary	<1%

Chemical identity	Common and alternative names	CAS number	ID number	Content in percent (%)
Titanium dioxide		13463-67-7	KE-33900	<1%

4. First aid measures

A. In case of eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
B. In case of skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
C. In case of inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
D. In case of swallowing	Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical attention immediately.
E. Note to physician	Treat symptomatically.
Most important symptoms/effects, acute and delayed	Difficulty in breathing. Coughing.
General advice	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

A. Suitable (and unsuitable) extinguishing media	
Suitable extinguishing media	Dry chemical, foam, carbon dioxide, water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
B. Specific hazards arising from the chemical (example: hazardous combustion products)	During fire, gases hazardous to health may be formed.
C. Specific methods of fire-fighting	
Special protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

A. Personal precautions, protective equipment and emergency measures	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the MSDS for Personal Protective Equipment.
B. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
C. Methods and materials for containment and cleaning up	Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

7. Handling and storage

A. Precautions for safe handling	Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.
B. Conditions for safe storage (including any incompatibilities)	Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS).

8. Exposure controls/personal protection

A. Exposure limit values, biological limit values, etc

Korea. OELs. Standards for Exposure to Chemical Substances and Physically Hazardous Factors

Components	Type	Value
------------	------	-------

Black Pigment	TWA	3.5 mg/m ³
---------------	-----	-----------------------

Korea. OELs. Standards for Exposure to Chemical Substances and Physically Hazardous Factors

Components	Type	Value
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m ³

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment	TWA	3 mg/m ³	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m ³	

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate) 3 mg/m ³ (Respirable Particulate)
B. Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.
C. Personal protective equipment	
• Respiratory protection	No personal respiratory protective equipment required under normal conditions of use.
• Eye protection	Wear safety glasses with side shields (or goggles).
• Hand protection	Rubber gloves are recommended. Wash hands after handling.
• Body protection	Protection suit must be worn.
Hygiene measures	Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

A. Appearance	
Physical state	Not available.
Form	Solid. Fine powder
Color	Black.
B. Odor	Odorless
C. Odor threshold	Not available.
D. pH	Not available.
E. Melting point/freezing point	Not available.
F. Boiling point, initial boiling point, and boiling range	Not available.
G. Flash point	Not available.
H. Evaporation rate	Not available.
I. Flammability (solid, gas)	Not available.
J. Upper/lower limit on flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
K. Vapor pressure	Not available.
L. Solubility	
Solubility (water)	Insoluble in water.
Solubility (other)	Partially soluble in toluene, chloroform and tetrahydrofuran
M. Vapor density	Not available.
N. Specific gravity	Not available.

O. n-octanol/water partition coefficient	Not available.
P. Auto-ignition temperature	Not available.
Q. Decomposition temperature	> 392 °F (> 200 °C)
R. Viscosity	Not available.
S. Molecular weight	Not available.

Other data
Oxidizing properties No information available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

A. Stability and hazardous reaction potential

Stability Stable under normal storage conditions.
Hazardous reaction potential No dangerous reaction known under conditions of normal use.

B. Conditions to avoid (e.g. static discharge, shock or vibration, etc) Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.

C. Incompatible materials This product may react with strong oxidizing agents.

D. Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

A. Information on likely routes of exposure

- **Respiratory organs** Dust may irritate respiratory system. Prolonged inhalation may be harmful.
- **Skin** Dust or powder may irritate the skin.
- **Eyes** Dust may irritate the eyes.
- **Mouth** Expected to be a low ingestion hazard.

B. Information on health hazards

- **Acute toxicity (list all possible routes of exposure)** Based on available data, the classification criteria are not met. LD50/oral/rat >5000 mg/kg.

Components	Species	Test Results
Black Pigment		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Ceramic Materials And Wares, Chemicals		
Acute		
Dermal		
LD50	Rabbit	> 2500 mg/kg
Inhalation		
LC50	Rat	> 2.3 mg/l, 4 Hours > 0.888 mg/l
Oral		
LD50	Rat	> 2000 mg/kg
• Corrosivity or irritation to the skin	Based on available data, the classification criteria are not met. Not a known irritant. (OECD 404).	
• Serious eye damage/eye irritation	Based on available data, the classification criteria are not met. Not a known irritant. (OECD 405).	
• Respiratory sensitization	Not a respiratory sensitizer.	
• Skin sensitization	This product is not expected to cause skin sensitization.	

• Carcinogenic properties /Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

• Mutagenic properties /Mutagenicity

Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium).

• Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

• Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

• Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

• Aspiration hazard

Based on available data, the classification criteria are not met.

12. Ecological information

A. Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Ceramic Materials And Wares, Chemicals		
Aquatic		
<i>Acute</i>		
Algae	ErC50	Algae 184.6 mg/l, 72 h
Crustacea	EC50	Invertebrates (Invertebrates) 1.9 mg/l, 48 h
Fish	LC50	Fish 457 mg/l, 96 h
<i>Chronic</i>		
Fish	EC50	Fish 0.151 mg/l, 7 d
	LC50	Fish 1.94 mg/l, 16 d

B. Persistence/degradability

No data is available on the degradability of any ingredients in the mixture.

C. Bioaccumulative potential

Not available.

D. Mobility in soil

Not available.

E. Other adverse effects

Not available.

13. Disposal considerations

A. Method of disposal

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

B. Disposal considerations (including disposal of contaminated containers or packaging)

Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information**A. Restrictions under the Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacturing**

Not regulated.

Harmful Substances Requiring Permission for Manufacture or Use

Not regulated.

Controlled Hazardous Substances

Not regulated.

Harmful Substances Requiring Special Medical Examination

Not regulated.

Workplace Environmental Monitoring Harmful Materials

Not regulated.

Occupational Exposure Limit

Titanium dioxide (CAS 13463-67-7)

B. Restrictions under the Chemicals Control Law (Previously Toxic Chemicals Control Law)**Accidental Release Prevention Substances**

Not regulated.

Act on the Registration and Evaluation of Chemicals**Banned Toxic Chemicals**

Not regulated.

Designated Existing Chemicals Subject to Registration (PEC) (MoE No. 2015-92)

Not listed.

Restricted Chemical Substances

Not regulated.

Toxic Chemicals

Not regulated.

C. Restrictions under the Dangerous Substance Safety Management Act**D. Restrictions under the Wastes Control Act****Halogenated Materials in Waste Organic Solvents**

Not regulated.

Hazardous Substances

Not regulated.

E. Restrictions under other foreign or domestic laws**Clean Air Conservation Act****Air Pollutants**

Not regulated.

Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides (Rules on PIC, MoE No. 2014-252, Dec. 31, 2014; Standards for Pesticides, RDA No. 2014-26), as amended

Not listed.

Specific Air Pollutants

Not regulated.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information

- A. Source of information** Not available.
- B. Issue date** 26-Jun-2019
- C. Number of revisions and date of most recent revision** 24-Oct-2020 (02 revision)
- D. Other** Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds