



SAFETY DATA SHEET

SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Name of the hazardous chemical substance or mixture	CLT-R806K
Other means of identification	None.
Recommended use of the hazardous chemical substance or mixture, and restrictions of use	
Recommended use	HP Developer
Recommended restrictions	None known.
Suppliers details	
Company identification	Computing and Printing Mexico S. de R.L. de C.V. Avenida Javier Barros Sierra 495, Piso 11 y 10 Col. Santa Fe, Alc. Álvaro Obregón C.P. 01376, Ciudad de México, México
Telephone	52 (55) 5258-4000
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

SECTION 2. Hazard identification

Classification of the substance or mixture

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.

Elements of labeling, including precautionary statements and warning pictograms

Hazard symbols	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.

Other hazards which do not result in classification Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Titanium dioxide is classified by IARC as a Group 2B carcinogen, meaning there is inadequate evidence in humans for the carcinogenicity of titanium dioxide, but there is sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide. Titanium dioxide in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

SECTION 3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Ceramic Materials And Wares, Chemicals		Proprietary	<95%
Polyester resin	Polyester resin	Proprietary	<10%
Amorphous silica		Proprietary	<1%
Black Pigment		Proprietary	<1%
Titanium dioxide		13463-67-7	<1%

SECTION 4. First-aid measures

Description of necessary first-aid measures

Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical attention immediately.
Most important symptoms/effects, acute and delayed	Difficulty in breathing. Coughing.

SECTION 5. Fire-fighting measures

Suitable extinguishing media	ABC powder, foam and water. Alcohol resistant foam.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Special protective actions for firefighters	Wear self-contained breathing apparatus and protective clothing. Wear full set of protective equipment including chemical goggles and gloves.
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

Personal precautionary measures, protective equipment and emergency procedure

For non-emergency personnel	Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation. Remove victim immediately from source of exposure. Emergency personnel should wear self-contained breathing apparatus.
For emergency responders	Not available.

Environmental precautions Avoid spreading dust or contaminated materials. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containing and cleaning up spills or releases Dispose of in compliance with federal, state, and local regulations. Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures.

SECTION 7. Handling and storage

Precautions for safe handling Use local exhaust ventilation. Take precautionary measures against static discharges. Use only in well-ventilated areas. Ground and bond containers when transferring material. Avoid inhalation of dust and contact with skin and eyes. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Wash hands after handling. When using, do not eat, drink or smoke. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Keep tightly closed and dry. Store at room temperature.

SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Mexico. Occupational Exposure Limit Values

Components	Type	Value
Black Pigment	STEL	7 mg/m3
	TWA	3.5 mg/m3
Titanium dioxide (CAS 13463-67-7)	STEL	20 mg/m3
	TWA	10 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	5 mg/m3 (Respirable Fraction) 3 mg/m3 (Respirable Particulate)
Control banding approach	Not available.
Appropriate engineering controls	Use in a well ventilated area.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Rubber gloves are recommended. Wash hands after handling.
Other	Protection suit must be worn.
Respiratory protection	No personal respiratory protective equipment required under normal conditions of use.
Thermal hazards	Not available.

General hygiene considerations	Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.
---------------------------------------	--

SECTION 9. Physical and chemical properties

Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Odorless
Odor threshold	No information available
pH	Not applicable
Melting point/freezing point	No information available
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Insoluble in water. Partially soluble in toluene, chloroform and tetrahydrofurane
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	No data available
Decomposition temperature	Not available.
Viscosity	Not applicable
Molecular weight	Not available.
Other information	Not available.
Oxidizing properties	No information available.
Specific gravity	1.2 g/ml

SECTION 10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Not available.
Conditions that must be avoided	Risk of dust explosion. Shocks and physical damage.
Incompatible materials	No information available.
Hazardous decomposition products	Not known.

SECTION 11. Toxicological information

Information about likely routes of entry

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Numerical measures of toxicity (such as acute toxicity estimates)

Acute toxicity Based on available data, the classification criteria are not met. LD50/oral/rat >5000 mg/kg

Components	Species	Test Results
Black Pigment		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Ceramic Materials And Wares, Chemicals		
Acute		
Dermal		
LD50	Rabbit	> 2500 mg/kg
Inhalation		
LC50	Rat	> 2.3 mg/l, 4 Hours > 0.888 mg/l
Oral		
LD50	Rat	> 2000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met. Not a known irritant. (OECD 404)	

Serious eye damage/eye irritation Based on available data, the classification criteria are not met. Not a known irritant. (OECD 405)

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)
Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.

ACGIH Carcinogens

Black Pigment (CAS Proprietary) A3 Confirmed animal carcinogen with unknown relevance to humans.

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

SECTION 12. Ecotoxicological information

Toxicity Not available.

Components	Species	Test Results
Ceramic Materials And Wares, Chemicals		
Aquatic		
<i>Acute</i>		
Algae	ErC50	Algae 184.6 mg/l, 72 h
Crustacea	EC50	Invertebrates (Invertebrates) 1.9 mg/l, 48 h
Fish	LC50	Fish 457 mg/l, 96 h
<i>Chronic</i>		
Fish	EC50	Fish 0.151 mg/l, 7 d
	LC50	Fish 1.94 mg/l, 16 d

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

SECTION 13. Disposal considerations

Disposal methods

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
Local disposal regulations	Not available.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

SECTION 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15. Regulatory information

Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question

Mexico. Hazard identification guidance list (NOM-018-STPS)

Black Pigment (CAS Proprietary)	Listed.
Titanium dioxide (CAS 13463-67-7)	Listed.

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

Issue date	07-Nov-2019
Revision date	25-Oct-2020
Version #	02

Disclaimer

This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds