

SAFETY DATA SHEET

SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

GHS product identifier CLT-Y403Series

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use This product is a toner mixture that is used in printing systems.

Recommended restrictions Do not use with non compatible printer.

Company identification Computing and Printing Mexico S. de R.L. de C.V.

Av. Vasco de Quiroga No. 2999

Mexico City, Distrito Federal, Mexico 01210

Telephone 52 (55) 5258-4000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

SECTION 2: Hazard identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

GHS label elements, including precautionary statements

Hazard symbols None.
Signal word None.

Hazard statement Not available.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not

result in classification

None known.

Supplemental information None.

SECTION 3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Paraffin waxes and Hydrocarbon waxes		8002-74-2	<10
Titanium dioxide		13463-67-7	<2.5

Material name: CLT-Y403Series SDS MEXICO

SECTION 4. First-aid measures

Description of necessary first-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical

attention immediately.

Difficulty in breathing. Coughing.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

SECTION 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical, foam, carbon dioxide, water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective actions for

firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

For emergency responders

Not available.

Environmental precautions

Methods and materials for

Avoid discharge into drains, water courses or onto the ground.

containment and cleaning up

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Other issues relating to spills

and releases

Fine powder can form explosive dust-air mixtures. Take up mechanically and collect in suitable container for disposal. Dispose of in compliance with federal, state, and local regulations.

SECTION 7. Handling and storage

Precautions to ensure safe

handling

14595

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Hydrocarbon waxes (CAS

Mexico. Occupational Exposu	re Limit Values		
Components	Туре	Value	Form
Paraffin waxes and	STEL	6 mg/m3	Fume.

8002-74-2)

Material name: CLT-Y403Series SDS MEXICO

Components	Type	Value	Form	
	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	STEL	20 mg/m3		
	TWA	10 mg/m3		
US. ACGIH Threshold Limit Value	s			
Components	Type	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS	TWA	2 mg/m3	Fume.	

Biological limit values No biological exposure limits noted for the ingredient(s).

TWA

Control banding approach Not available.

Titanium dioxide (CAS

Mexico Occupational Exposure Limit Values

Appropriate engineering controls

8002-74-2)

13463-67-7)

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures

10 mg/m3

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

below the recommended exposure limits.

Other Protection suit must be worn.

Respiratory protectionNo personal respiratory protective equipment required under normal conditions of use.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneconsiderations
Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Appearance

Physical stateNot available.FormSolid. Fine powder

Color Yellow.
Odor Odorless

Odor threshold No information available

pH Not applicable

Melting point/freezing point No information available

Initial boiling point and boiling

range

Not applicable

Flash point Not applicable
Evaporation rate Not available.
Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Material name: CLT-Y403Series SDS MEXICO

Vapor pressure Not applicable
Vapor density Not applicable

Solubility(ies)

Solubility (water) Insoluble in water.

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofurane

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNo data availableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableMolecular weightNot available.Other informationNot available.

Oxidizing properties No information available.

Percent volatile 0 % estimated Specific gravity 1.2 g/ml

SECTION 10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials

Incompatible materialsThis product may react with strong oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

SECTION 11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Negative Ames Test (Test strains: Salmonella typhimurium).

Carcinogenicity Based on available data, the classification criteria are not met.

ACGIH Carcinogens

Titanium dioxide (CAS 13463-67-7)

A4 Not classifiable as a human carcinogen.

Material name: CLT-Y403Series SDS MEXICO

irritation

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

SECTION 12. Ecotoxicological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential Not available. Mobility in soil Not available. Other adverse effects Not available

SECTION 13. Disposal considerations

Disposal methods

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, **Disposal instructions**

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations

Waste from residues / unused products

Not available. Not available.

Not available. Contaminated packaging

SECTION 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Mexico. Hazard identification guidance list (NOM-018-STPS)

DIOXIDO DE TITANIO (COMO TI) (CAS 13463-67-7) Listed. PARAFINA, CERA (CAS 8002-74-2) Listed.

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

Material name: CLT-Y403Series SDS MEXICO

14595

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

18-Mar-2018 Issue date 13-Jul-2018 **Revision date**

Version # 02

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CLT-Y403Series SDS MEXICO

14595

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CLT-Y403Series SDS MEXICO