

# SAFETY DATA SHEET

# SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Name of the hazardous

chemical substance or mixture

CLT-Y809Series

None.

Other means of identification

Recommended use of the hazardous chemical substance or mixture, and restrictions of use

This product is a toner mixture that is used in printing systems. Recommended use

**Recommended restrictions** None known.

Suppliers details

**Company identification** Computing and Printing Mexico S. de R.L. de C.V.

Avenida Javier Barros Sierra 495, Piso 11 y 10

Col. Santa Fe, Alc. Álvaro Obregón C.P. 01376, Ciudad de México, México

52 (55) 5258-4000 **Telephone** 

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

I ine

1-800-474-6836 (Toll-free within the US) (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### **SECTION 2. Hazard identification**

#### Classification of the substance or mixture

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified.

#### Elements of labeling, including precautionary statements and warning pictograms

**Hazard symbols** None. Signal word None

**Hazard statement** Not available.

**Precautionary statement** 

Prevention Not available. Not available. Response Storage Not available. Not available. Disposal

Other hazards which do not

result in classification

None known.

**Supplemental information** None.

# **SECTION 3. Composition/information on ingredients**

#### **Mixtures**

Material name: CLT-Y809Series SDS MEXICO

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration	
Styrene acrylate copolymer		Proprietary	<90	
Paraffin Wax		Trade Secret	<10	

#### **SECTION 4. First-aid measures**

#### Description of necessary first-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eve contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical

attention immediately.

Most important

symptoms/effects, acute and

delayed

Difficulty in breathing. Coughing.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# **SECTION 5. Fire-fighting measures**

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical, foam, carbon dioxide, water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective actions for

firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting

equipment/instructions

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do so without risk.

**General fire hazards** No unusual fire or explosion hazards noted.

## SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

# Personal precautionary measures, protective equipment and emergency procedure

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

For emergency responders

Not available.

**Environmental precautions** 

Methods and materials for

containing and cleaning up spills or releases

Avoid discharge into drains, water courses or onto the ground.

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Other issues relating to spills

and releases

Fine powder can form explosive dust-air mixtures. Take up mechanically and collect in suitable container for disposal. Dispose of in compliance with federal, state, and local regulations.

## **SECTION 7. Handling and storage**

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

#### **SECTION 8. Exposure controls/personal protection**

#### **Control parameters**

Material name: CLT-Y809Series SDS MEXICO

#### Occupational exposure limits

Mexico. Occupational Exposure Limit Values

Components	Туре	Value	Form	
Paraffin Wax	STEL	6 mg/m3	Fume.	
	TWA	2 mg/m3	Fume.	
US. ACGIH Threshold Limit Value	S			
Components	Туре	Value	Form	
Paraffin Wax	TWA	2 mg/m3	Fume.	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Not available.

Control banding approach

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

below the recommended exposure limits.

Other Protection suit must be worn.

No personal respiratory protective equipment required under normal conditions of use. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

considerations

after handling the product.

# **SECTION 9. Physical and chemical properties**

**Appearance** 

**Physical state** Not available. Solid. Fine powder **Form** 

Yellow. Color Odorless Odor **Odor threshold** Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available.

Solubility(ies)

Insoluble in water. Solubility (water)

Material name: CLT-Y809Series SDS MEXICO

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofuran

**Partition coefficient** 

Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** > 392 °F (> 200 °C) **Decomposition temperature** 

Not available. **Viscosity** Molecular weight Not available. Not available. Other information

No information available. **Oxidizing properties** 

# **SECTION 10. Stability and reactivity**

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Not available.

Conditions that must be avoided

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials

This product may react with strong oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

# **SECTION 11. Toxicological information**

#### Information about likely routes of entry

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

# Numerical measures of toxicity (such as acute toxicity estimates)

Based on available data, the classification criteria are not met. **Acute toxicity** 

LD50/oral/rat >5000 mg/kg.

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium).

Based on available data, the classification criteria are not met.

Carcinogenicity This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Material name: CLT-Y809Series SDS MEXICO

#### Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

# **SECTION 12. Ecotoxicological information**

**Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potentialNot available.Mobility in soilNot available.Other adverse effectsNot available.

# **SECTION 13. Disposal considerations**

#### **Disposal methods**

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge,

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations

Waste from residues / unused products

Not available.

Contaminated packaging

Not available.

# **SECTION 14. Transport information**

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

#### **SECTION 15. Regulatory information**

Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question

Mexico. Hazard identification guidance list (NOM-018-STPS)

Paraffin Wax (CAS Trade Secret) Listed.

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Montreal Protocol** 

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

Material name: CLT-Y809Series SDS MEXICO

14618

#### **Kyoto protocol**

Not applicable. **Basel Convention**Not applicable.

# SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

Issue date 19-Mar-2018
Revision date 18-Oct-2020

Version # 04

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CLT-Y809Series SDS MEXICO