



# SAFETY DATA SHEET

## SECTION 1. Identification of the hazardous chemical substance or mixture and of the supplier or manufacturer

|  |   |
|--|---|
| <b>Important information</b>   | *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. *** |
| <b>Name of the hazardous chemical substance or mixture</b>                                     | MLT-R116  |
| <b>Other means of identification</b>   | None.   |
| <b>Recommended use of the hazardous chemical substance or mixture, and restrictions of use</b> |   |
| <b>Recommended use</b>   | This product is an imaging drum that is used in LaserJet MFP M436n, LaserJet MFP M436nda series printers.   |
| <b>Recommended restrictions</b>  | None known.   |
| <b>Suppliers details</b>   |   |
| <b>Company identification</b>  | Computing and Printing Mexico S. de R.L. de C.V.<br>Avenida Javier Barros Sierra 495, Piso 11 y 10<br>Col. Santa Fe, Alc. Álvaro Obregón<br>C.P. 01376, Ciudad de México, México                                  |
| <b>Telephone</b>   | 52 (55) 5258-4000   |
| <b>HP Inc. health effects line</b>   |   |
| <b>(Toll-free within the US)</b>   | 1-800-457-4209  |
| <b>(Direct)</b>  | 1-760-710-0048  |
| <b>HP Inc. Customer Care Line</b>  |   |
| <b>(Toll-free within the US)</b>   | 1-800-474-6836  |
| <b>(Direct)</b>  | 1-208-323-2551  |
| <b>Email:</b>  | hpcustomer.inquiries@hp.com   |

## SECTION 2. Hazard identification

|  |   |
|--|---|
| <b>Classification of the substance or mixture</b>                                      |   |
| <b>Physical hazards</b>  | Not classified.   |
| <b>Health hazards</b>  | Not classified.   |
| <b>Environmental hazards</b>   | Not classified.   |
| <b>Elements of labeling, including precautionary statements and warning pictograms</b> |   |
| <b>Hazard symbols</b>  | None.   |
| <b>Signal word</b>   | None.   |
| <b>Hazard statement</b>  | Not available.  |
| <b>Precautionary statement</b>   |   |
| <b>Prevention</b>  | Not available.  |
| <b>Response</b>  | Not available.  |
| <b>Storage</b>   | Not available.  |
| <b>Disposal</b>  | Not available.  |
| <b>Other hazards which do not result in classification</b>                             | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. |
| <b>Supplemental information</b>  | None.   |

## SECTION 3. Composition/information on ingredients

### Mixtures

| Chemical identity | Common name(s), synonym(s) | CAS number and other unique identifiers | Concentration |
|-------------------|----------------------------|---|---------------|
| Ceramic materials |                            | 66402-68-4                              | <95           |
| Polyester resin   | Polyester resin            | Trade Secret                            | <10           |
| Coating materials |                            | Trade Secret                            | <3            |
| Black Pigment     |                            | Proprietary                             | <1            |

## SECTION 4. First-aid measures

### Description of necessary first-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Move person to fresh air immediately. If irritation persists, consult a physician.   |
| <b>Skin contact</b>                                       | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.   |
| <b>Eye contact</b>  | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| <b>Ingestion</b>  | Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.   |
| <b>Most important symptoms/effects, acute and delayed</b> | Difficulty in breathing. Coughing.   |

## SECTION 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                | CO2, water, or dry chemical   |
| <b>Unsuitable extinguishing media</b>              | None known.   |
| <b>Specific hazards arising from the chemical</b>  | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.                           |
| <b>Special protective actions for firefighters</b> | Wear self-contained breathing apparatus and protective clothing. Wear full set of protective equipment including chemical goggles and gloves. |
| <b>Fire fighting equipment/instructions</b>        | If fire occurs in the printer, treat as an electrical fire.   |
| <b>Specific methods</b>                            | None established.   |

## SECTION 6. Measures that must be taken in the event of accidental spillage or an accidental leak

### Personal precautionary measures, protective equipment and emergency procedure

|                                    |   |
|------------------------------------|---|
| <b>For non-emergency personnel</b> | Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation. |
| <b>For emergency responders</b>    | Not available.  |

**Environmental precautions** Not available.

**Methods and materials for containing and cleaning up spills or releases** Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

## SECTION 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.   |

## SECTION 8. Exposure controls/personal protection

### Control parameters

**Occupational exposure limits****Mexico. Occupational Exposure Limit Values**

| Components    | Type | Value                 |
|---------------|------|-----------------------|
| Black Pigment | STEL | 7 mg/m <sup>3</sup>   |
|               | TWA  | 3.5 mg/m <sup>3</sup> |

**US. ACGIH Threshold Limit Values**

| Components    | Type | Value               | Form                |
|---------------|------|---------------------|---------------------|
| Black Pigment | TWA  | 3 mg/m <sup>3</sup> | Inhalable fraction. |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Control banding approach** Not available.

**Appropriate engineering controls** Use in a well ventilated area.

**Individual protection measures, such as personal protective equipment (PPE)**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection** Rubber gloves are recommended. Wash hands after handling.

**Other** Protection suit must be worn.

**Respiratory protection** No personal respiratory protective equipment required under normal conditions of use.

**Thermal hazards** Not available.

**SECTION 9. Physical and chemical properties**

**Appearance** Fine powder

**Physical state** Solid.

**Form** solid

**Color** Black.

**Odor** Odorless

**Odor threshold** Not available.

**pH** Not applicable

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** Not applicable

**Flash point** Not applicable

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not flammable

**Flammability limit - upper (%)** Not available.

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** Not applicable

**Vapor density** Not applicable

**Solubility(ies)**

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** No data available

**Decomposition temperature** > 392 °F (> 200 °C)

**Viscosity** Not applicable

**Molecular weight** Not available.

|                             |                           |
|-----------------------------|---------------------------|
| <b>Other information</b>    | Not available.            |
| <b>Oxidizing properties</b> | No information available. |
| <b>Percent volatile</b>     | 0 %                       |
| <b>Specific gravity</b>     | 4.4 g/ml                  |

## SECTION 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | Not available.  |
| <b>Chemical stability</b>                 | Stable under normal storage conditions.                               |
| <b>Possibility of hazardous reactions</b> | Will occur.   |
| <b>Conditions that must be avoided</b>    | Heat, sparks, flames. Sunlight. Avoid dust close to ignition sources. |
| <b>Incompatible materials</b>             | Strong oxidizers, Strong acids.                                       |
| <b>Hazardous decomposition products</b>   | Carbon monoxide and carbon dioxide.                                   |

## SECTION 11. Toxicological information

### Information about likely routes of entry

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Under normal conditions of intended use, this material is not expected to be an inhalation hazard. |
| <b>Skin contact</b> | Contact with skin may result in mild irritation.   |
| <b>Eye contact</b>  | Contact with eyes may result in mild irritation.   |
| <b>Ingestion</b>    | Ingestion is not a likely route of exposure.   |

**Symptoms related to the physical, chemical and toxicological characteristics** Not available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

### Numerical measures of toxicity (such as acute toxicity estimates)

**Acute toxicity** Based on available data, the classification criteria are not met.  
LD50/oral/rat >5000 mg/kg

| Components                               | Species  | Test Results                        |
|--|--|-------------------------------------|
| Black Pigment                            |  |                                     |
| <b><u>Acute</u></b>                      |  |                                     |
| <b>Oral</b>                              |  |                                     |
| LD50                                     | Rat  | > 10000 mg/kg                       |
| Ceramic materials (CAS 66402-68-4)       |  |                                     |
| <b><u>Acute</u></b>                      |  |                                     |
| <b>Dermal</b>                            |  |                                     |
| LD50                                     | Rabbit   | > 2500 mg/kg                        |
| <b>Inhalation</b>                        |  |                                     |
| LC50                                     | Rat  | > 2.3 mg/l, 4 Hours<br>> 0.888 mg/l |
| <b>Oral</b>                              |  |                                     |
| LD50                                     | Rat  | > 2000 mg/kg                        |
| <b>Skin corrosion/irritation</b>         | Based on available data, the classification criteria are not met.<br>Not irritant in rabbit (OECD 404)   |                                     |
| <b>Serious eye damage/eye irritation</b> | Based on available data, the classification criteria are not met.<br>Not irritant in rabbit (OECD 405)   |                                     |
| <b>Respiratory or skin sensitization</b> |  |                                     |
| <b>Respiratory sensitization</b>         | Based on available data, the classification criteria are not met.  |                                     |
| <b>Skin sensitization</b>                | Based on available data, the classification criteria are not met.  |                                     |
| <b>Germ cell mutagenicity</b>            | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)<br>Based on available data, the classification criteria are not met. |                                     |

|   |   |
|---|---|
| <b>Carcinogenicity</b>  | Based on available data, the classification criteria are not met.   |
|   | Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.                       |
| <b>ACGIH Carcinogens</b>                                      |   |
| Black Pigment (CAS Proprietary)                               | A3 Confirmed animal carcinogen with unknown relevance to humans.  |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b> |   |
| Black Pigment (CAS Proprietary)                               | 2B Possibly carcinogenic to humans.   |
| <b>Reproductive toxicity</b>                                  | Based on available data, the classification criteria are not met.   |
| <b>Specific target organ toxicity - single exposure</b>       | Based on available data, the classification criteria are not met.   |
| <b>Specific target organ toxicity - repeated exposure</b>     | Based on available data, the classification criteria are not met.   |
| <b>Aspiration hazard</b>                                      | Based on available data, the classification criteria are not met.   |
| <b>Other information</b>                                      | Complete toxicity data are not available for this specific formulation  |
|   | Refer to Section 2 for potential health effects and Section 4 for first aid measures.   |
|   | In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures. |

## SECTION 12. Ecotoxicological information

|                                      |                |                               |                     |
|--------------------------------------|----------------|-------------------------------|---------------------|
| <b>Toxicity</b>                      | Not available. |                               |                     |
| <b>Components</b>                    |                | <b>Species</b>                | <b>Test Results</b> |
| Ceramic materials (CAS 66402-68-4)   |                |                               |                     |
| <b>Aquatic</b>                       |                |                               |                     |
| <i>Acute</i>                         |                |                               |                     |
| Algae                                | ErC50          | Algae                         | 184.6 mg/l, 72 h    |
| Crustacea                            | EC50           | Invertebrates (Invertebrates) | 1.9 mg/l, 48 h      |
| Fish                                 | LC50           | Fish                          | 457 mg/l, 96 h      |
| <i>Chronic</i>                       |                |                               |                     |
| Fish                                 | EC50           | Fish                          | 0.151 mg/l, 7 d     |
|                                      | LC50           | Fish                          | 1.94 mg/l, 16 d     |
| <b>Persistence and degradability</b> | Not available. |                               |                     |
| <b>Bioaccumulative potential</b>     | Not available. |                               |                     |
| <b>Mobility in soil</b>              | Not available. |                               |                     |
| <b>Other adverse effects</b>         | Not available. |                               |                     |

## SECTION 13. Disposal considerations

|  |   |
|--|---|
| <b>Disposal methods</b>                      |   |
| <b>Disposal instructions</b>                 | Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies. |
|  | HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <a href="http://www.hp.com/recycle">http://www.hp.com/recycle</a> .   |
| <b>Local disposal regulations</b>            | Not available.  |
| <b>Waste from residues / unused products</b> | Not available.  |

---

**Contaminated packaging** Not available.

---

## SECTION 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### ADR

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

---

## SECTION 15. Regulatory information

**Safety, health and environmental regulations specific for the hazard chemical substance or mixture in question**

### Mexico. Hazard identification guidance list (NOM-018-STPS)

Black Pigment (CAS Proprietary) Listed.

### Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not listed.

**International regulations** The components of this product are reported in the following inventories: China.

#### Montreal Protocol

Not applicable.

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Kyoto protocol

Not applicable.

#### Basel Convention

Not applicable.

---

## SECTION 16. Other included information relevant to the preparation and updating of safety data sheets

**Issue date** 02-May-2020

**Version #** 01

**Disclaimer** This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

**Revision information** 1. Product and Company Identification: Alternate Trade Names

**Explanation of abbreviations**

|               |   |
|---------------|---|
| <b>ACGIH</b>  | American Conference of Governmental Industrial Hygienists           |
| <b>CAS</b>    | Chemical Abstracts Service  |
| <b>CERCLA</b> | Comprehensive Environmental Response Compensation and Liability Act |
| <b>CFR</b>    | Code of Federal Regulations   |
| <b>COC</b>    | Cleveland Open Cup  |
| <b>DOT</b>    | Department of Transportation  |
| <b>EPCRA</b>  | Emergency Planning and Community Right-to-Know Act (aka SARA)       |
| <b>IARC</b>   | International Agency for Research on Cancer                         |
| <b>NIOSH</b>  | National Institute for Occupational Safety and Health               |
| <b>NTP</b>    | National Toxicology Program   |
| <b>OSHA</b>   | Occupational Safety and Health Administration                       |
| <b>PEL</b>    | Permissible Exposure Limit  |
| <b>RCRA</b>   | Resource Conservation and Recovery Act                              |
| <b>REC</b>    | Recommended   |
| <b>REL</b>    | Recommended Exposure Limit  |
| <b>SARA</b>   | Superfund Amendments and Reauthorization Act of 1986                |
| <b>STEL</b>   | Short-Term Exposure Limit   |
| <b>TCLP</b>   | Toxicity Characteristics Leaching Procedure                         |
| <b>TLV</b>    | Threshold Limit Value   |
| <b>TSCA</b>   | Toxic Substances Control Act  |
| <b>VOC</b>    | Volatile Organic Compounds  |