CLT-P407Ser[Y][4]-SDS_MALAYSIA-English-03.pdf

 $CLT-P407Ser[M][4]-SDS_MALAYSIA-English-02.pdf$

 $CLT-P407Ser[C][4]-SDS_MALAYSIA-English-02.pdf$

 $CLT-P407Ser[K][4]-SDS_MALAYSIA-English-02.pdf$

SAFETY DATA SHEET

Section 1: Identification of the chemical and of the supplier

CLT-P407Ser[Y][4] **Product identifier**

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use This product is a toner mixture that is used in printing systems.

Recommended restrictions Do not use with non compatible printer.

Details of principal suppliers

HP PPS Malaysia Sdn. Bhd.

Ground Floor Customer Service, Block B. No.12 Jalan Gelenggang, HP Towers, Bukit Damansara

Kuala Lumpur, Wilayah Persekutuan Kuala Lump, Malaysia 50490

60-3-7953-3333 **Telephone**

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

Section 2: Hazard identification

Not classified. Physical hazards **Health hazards** Not classified. **Environmental hazards** Not classified.

Label elements

Hazard symbol None. Signal word None.

Not available. **Hazard statement**

Precautionary statement

Not available. Prevention Not available. Response Not available. **Storage** Not available. Disposal

Other hazards which do not

result in classification

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Supplemental information None.

Section 3: Composition and information of the ingredients of the hazardous chemical

Mixtures

Hazardous components

Chemical name	Common name and synonyms	CAS number	%	
Titanium dioxide		13463-67-7	<2.5	
Non-hazardous components				
Chemical name	Common name and synonyms	CAS number	%	
Paraffin waxes and Hydrocarbo waxes	n	8002-74-2	<10	

Section 4: First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Material name: CLT-P407Ser[Y][4] SDS MALAYSIA

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical Ingestion

attention immediately.

Difficulty in breathing. Coughing.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special Treat symptomatically.

treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Firefighters should wear full protective clothing including self contained breathing apparatus.

protect themselves.

Section 5: Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical, foam, carbon dioxide, water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

HAZCHEM code None.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

Environmental precautions

Methods and materials for containment and cleaning up Avoid discharge into drains, water courses or onto the ground.

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Section 7: Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8: Exposure controls and personal protection

Occupational exposure limits

Malaysia. OELs. (Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health)

Regulations)

Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
US. ACGIH Threshold Limit Value	s			
Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

Other Protection suit must be worn.

Respiratory protectionNo personal respiratory protective equipment required under normal conditions of use.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

Section 9: Physical and chemical properties

Appearance

Physical state Not available.
Form Solid. Fine powder

Color Yellow.
Odor Odorless

Odor threshold No information available

pH Not applicable

Melting point/freezing point No information available

Initial boiling point and boiling

range

Not applicable

Flash point Not applicable
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density Not applicable

Solubility(ies)

Solubility (water) Insoluble in water.

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofurane

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNo data availableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther informationNot available.

Oxidizing properties No information available.

Percent volatile 0 % estimated Specific gravity 1.2 g/ml

Section 10: Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal storage conditions.

Material name: CLT-P407Ser[Y][4]

SDS MALAYSIA

Possibility of hazardous

reactions

Not available.

Conditions to avoid

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials

This product may react with strong oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Section 11: Toxicological information

Information on likely routes of exposure

Dust may irritate respiratory system. Prolonged inhalation may be harmful. Inhalation

Dust or powder may irritate the skin. Skin contact

Dust may irritate the eyes. Eye contact

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Not available

Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity**

LD50/oral/rat >5000 mg/kg.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity

Negative Ames Test (Test strains: Salmonella typhimurium).

Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

US NTP Report on Carcinogens: Anticipated carcinogen

Not available.

US NTP Report on Carcinogens: Known carcinogen

Not available.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3)

exposure group, the most relevant level to potential human exposures.

Section 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential Not available. Mobility in soil Not available.

Other adverse effects This product has not been tested for ecological effects.

Material name: CLT-P407Ser[Y][4] 14595 Version #: 01 Issue date: 26-May-2018

Section 13: Disposal information

Disposal instructionsDispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge,

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Contaminated packaging

Not available.

packaging Not available.

Section 14: Transportation information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

HAZCHEM code None

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004)

Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5,

2007)

Not regulated.

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated.

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999]

Not regulated.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Section 16: Other information

Issue date 26-May-2018

Version # 01

References Not available.

Material name: CLT-P407Ser[Y][4] SDS MALAYSIA

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CLT-P407Ser[Y][4]

14595 Version #: 01 Issue date: 26-May-2018

SAFETY DATA SHEET

Section 1: Identification of the chemical and of the supplier

Product identifier CLT-P407Ser[M][4]

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use This product is a toner mixture that is used in printing systems.

Recommended restrictions Do not use with non compatible printer.

Details of principal suppliers

HP PPS Malaysia Sdn. Bhd.

Ground Floor Customer Service, Block B, No.12 Jalan Gelenggang, HP Towers, Bukit Damansara

Kuala Lumpur, Wilayah Persekutuan Kuala Lump, Malaysia 50490

Telephone 60-3-7953-3333

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Section 2: Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not

result in classification

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Supplemental information None.

Section 3: Composition and information of the ingredients of the hazardous chemical

Mixtures

Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Paraffin waxes and Hydrocarbon		8002-74-2	<10
waxes			
Titanium dioxide		13463-67-7	<2.5

Section 4: First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Material name: CLT-P407Ser[M][4] SDS MALAYSIA

14604 Version #: 01 Issue date: 26-May-2018

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical Ingestion

attention immediately.

Difficulty in breathing, Coughing,

Most important

symptoms/effects, acute and

delayed

Indication of immediate

Treat symptomatically.

medical attention and special

treatment needed **General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Section 5: Fire-fighting measures

Suitable extinguishing media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

HAZCHEM code None.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Section 7: Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8: Exposure controls and personal protection

Occupational exposure limits

Biological limit values

Malaysia. OELs. (Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations)

Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
US. ACGIH Threshold Limit Value	S			
Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS	TWA	10 mg/m3		

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

Other Protection suit must be worn.

Respiratory protectionNo personal respiratory protective equipment required under normal conditions of use.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Kee considerations after

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

Section 9: Physical and chemical properties

Appearance

Physical state Not available.
Form Solid. Fine powder

Color Magenta
Odor Odorless
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature> 392 °F (> 200 °C)ViscosityNot available.Other informationNot available.

Oxidizing properties No information available.

Section 10: Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materialsThis product may react with strong oxidizing agents.

Material name: CLT-P407Ser[M][4]

14604 Version #: 01 Issue date: 26-May-2018

SDS MALAYSIA

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium).

Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

US NTP Report on Carcinogens: Anticipated carcinogen

Not available.

US NTP Report on Carcinogens: Known carcinogen

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3)

exposure group, the most relevant level to potential human exposures.

Section 12: Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects This product has not been tested for ecological effects.

Material name: CLT-P407Ser[M][4] 14604 Version #: 01 Issue date: 26-May-2018

Section 13: Disposal information

Disposal instructions Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge,

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Contaminated packaging

Not available.

Not available.

Section 14: Transportation information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

HAZCHEM code None

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004)

Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5,

2007)

Not regulated.

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated.

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999]

Not regulated.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Section 16: Other information

Issue date 26-May-2018

Version # 01

References Not available.

Material name: CLT-P407Ser[M][4] SDS MALAYSIA

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CLT-P407Ser[M][4] 14604 Version #: 01 Issue date: 26-May-2018

SAFETY DATA SHEET

Section 1: Identification of the chemical and of the supplier

Product identifier CLT-P407Ser[C][4]

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended useThis product is a toner mixture that is used in printing systems.

Recommended restrictions Do not use with non compatible printer.

Details of principal suppliers

HP PPS Malaysia Sdn. Bhd.

Ground Floor Customer Service, Block B, No.12 Jalan Gelenggang, HP Towers, Bukit Damansara

Kuala Lumpur, Wilayah Persekutuan Kuala Lump, Malaysia 50490

Telephone 60-3-7953-3333

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Section 2: Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Other hazards which do not result in classification

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Supplemental information None.

Section 3: Composition and information of the ingredients of the hazardous chemical

Mixtures

Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Paraffin waxes and Hydrocarbon waxes		8002-74-2	<10
Titanium dioxide		13463-67-7	<2.5

Section 4: First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Material name: CLT-P407Ser[C][4] SDS MALAYSIA

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical Ingestion

attention immediately.

Difficulty in breathing, Coughing,

Most important

symptoms/effects, acute and

delayed

Indication of immediate

Treat symptomatically.

medical attention and special

treatment needed **General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Section 5: Fire-fighting measures

Suitable extinguishing media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

HAZCHEM code None.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Section 7: Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8: Exposure controls and personal protection

Occupational exposure limits

Biological limit values

Malaysia. OELs. (Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations)

Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
US. ACGIH Threshold Limit Value	S			
Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	
Titanium dioxide (CAS	TWA	10 mg/m3		

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

Other Protection suit must be worn.

Respiratory protectionNo personal respiratory protective equipment required under normal conditions of use.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

Section 9: Physical and chemical properties

Appearance

Physical state Not available.

Form Solid. Fine powder

Color Cyan
Odor Odorless
Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature> 392 °F (> 200 °C)ViscosityNot available.Other informationNot available.

Oxidizing properties No information available.

Section 10: Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materialsThis product may react with strong oxidizing agents.

Material name: CLT-P407Ser[C][4] 14605 Version #: 01 Issue date: 26-May-2018 Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Negative Ames Test (Test strains: Salmonella typhimurium).

Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

US NTP Report on Carcinogens: Anticipated carcinogen

Not available.

US NTP Report on Carcinogens: Known carcinogen

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3)

exposure group, the most relevant level to potential human exposures.

Section 12: Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects This product has not been tested for ecological effects.

Material name: CLT-P407Ser[C][4] 14605 Version #: 01 Issue date: 26-May-2018

Section 13: Disposal information

Disposal instructionsDispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge,

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Contaminated packaging

Not available.

packaging Not available.

Section 14: Transportation information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

HAZCHEM code None

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004)

Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5,

2007)

Not regulated.

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999]

Not regulated.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Section 16: Other information

Issue date 26-May-2018

Version # 01

References Not available.

Material name: CLT-P407Ser[C][4] SDS MALAYSIA

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

Permissible Exposure Limit **PEL**

RCRA Resource Conservation and Recovery Act

REC Recommended

Recommended Exposure Limit REL

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCI P Toxicity Characteristics Leaching Procedure

Threshold Limit Value TLV

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CLT-P407Ser[C][4]

14605 Version #: 01 Issue date: 26-May-2018

SDS MALAYSIA

SAFETY DATA SHEET

Section 1: Identification of the chemical and of the supplier

Product identifier CLT-P407Ser[K][4]

Other means of identification None

Recommended use of the chemical and restrictions on use

Recommended use This product is a toner mixture that is used in printing systems.

Recommended restrictions Do not use with non compatible printer.

Details of principal suppliers

HP PPS Malaysia Sdn. Bhd.

Ground Floor Customer Service, Block B, No.12 Jalan Gelenggang, HP Towers, Bukit Damansara

Kuala Lumpur, Wilayah Persekutuan Kuala Lump, Malaysia 50490

Telephone 60-3-7953-3333

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Section 2: Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not result in classification

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Supplemental information None.

Section 3: Composition and information of the ingredients of the hazardous chemical

Mixtures

Non-hazardous components

Chemical name	Common name and synonyms	CAS number	%
Paraffin waxes and Hydrocarbon waxes		8002-74-2	<10
Carbon black		1333-86-4	<5
Titanium dioxide		13463-67-7	<2.5

Material name: CLT-P407Ser[K][4]

SDS MALAYSIA

Section 4: First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical Ingestion

attention immediately.

Most important

symptoms/effects, acute and

delayed

Difficulty in breathing. Coughing.

Indication of immediate medical attention and special

treatment needed **General information** Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Section 5: Fire-fighting measures

Suitable extinguishing media Dry chemical, foam, carbon dioxide, water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Firefighters should wear full protective clothing including self contained breathing apparatus.

and precautions for firefighters Fire fighting

equipment/instructions

HAZCHEM code None.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Section 7: Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8: Exposure controls and personal protection

Occupational exposure limits

Malaysia. OELs. (Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Pogulations)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.

Material name: CLT-P407Ser[K][4]

SDS MALAYSIA

14606 Version #: 01 Issue date: 27-May-2018

US. ACGIH Threshold Limit Values

Form Value Components **Type** Paraffin waxes and **TWA** 2 mg/m3 Fume. Hydrocarbon waxes (CAS 8002-74-2)

Titanium dioxide (CAS

TWA 10 mg/m3

13463-67-7)

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Rubber gloves are recommended. Wash hands after handling. **Hand protection**

Protection suit must be worn. Other

No personal respiratory protective equipment required under normal conditions of use. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

considerations

Section 9: Physical and chemical properties

Appearance

Not available. **Physical state** Solid. Fine powder Form

Color Black. Odor Odorless **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Vapor pressure Not available. Not available. Vapor density

Solubility(ies)

Insoluble in water. Solubility (water)

Partially soluble in toluene, chloroform and tetrahydrofuran Solubility (other)

Partition coefficient

(n-octanol/water)

Not available.

Not available. **Auto-ignition temperature** > 392 °F (> 200 °C) **Decomposition temperature** Not available **Viscosity** Other information Not available.

Material name: CLT-P407Ser[K][4]

SDS MALAYSIA 14606 Version #: 01 Issue date: 27-May-2018

No information available. Oxidizing properties

Section 10: Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable under normal storage conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible Conditions to avoid

materials.

Incompatible materials This product may react with strong oxidizing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Dust or powder may irritate the skin. Skin contact

Eye contact Contact with eyes may result in mild irritation. Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Components **Species Test Results**

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 10000 mg/kg

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Not a known irritant. (OECD 404).

Serious eye damage/eye

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Negative Ames Test (Test strains: Salmonella typhimurium).

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

US NTP Report on Carcinogens: Anticipated carcinogen

Not available.

US NTP Report on Carcinogens: Known carcinogen

Not available.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard

Further information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Section 12: Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Not available.

Not available.

Mobility in soil
Other adverse effects

This product has not been tested for ecological effects.

Section 13: Disposal information

Disposal instructionsDispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge,

unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Not available.

Contaminated packaging

Not available.

Section 14: Transportation information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

HAZCHEM code None

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004)

Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5, 2007)

Not regulated.

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated.

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999]

Not regulated.

Material name: CLT-P407Ser[K][4] 14606 Version #: 01 Issue date: 27-May-2018

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Section 16: Other information

Issue date 27-May-2018

Version # 01

References Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

compatible supplies in our recycling programs.

Revision information 1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CLT-P407Ser[K][4] SDS MALAYSIA

14606 Version #: 01 Issue date: 27-May-2018