## SAFETY DATA SHEET

## Section 1: Identification of the chemical and of the supplier

**TestATNseries Product identifier** 

Other means of identification

**Synonyms** HP FB210 Black Scitex Ink Recommended use of the chemical and restrictions on use

Recommended use Inkjet printing **Recommended restrictions** None known.

**Details of principal suppliers** 

HP PPS Malaysia Sdn. Bhd.

Ground Floor Customer Service, Block B, No.12 Jalan Gelenggang, HP Towers, Bukit Damansara

Kuala Lumpur, Wilayah Persekutuan Kuala Lump, Malaysia 50490

60-3-7953-3333 **Telephone** 

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

I ine

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### **Section 2: Hazard identification**

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2 Sensitization, skin Category 1 Reproductive toxicity (fertility, the unborn Category 1B

child)

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation Specific target organ toxicity, repeated Category 1 (liver, respiratory system)

exposure

**Environmental hazards** Hazardous to the aquatic environment, Category 2

long-term hazard

Label elements



Signal word Danger

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May **Hazard statement** 

damage fertility. May damage the unborn child. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

with long lasting effects.

**Precautionary statement** 

Prevention

Material name: TestATNseries

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product.

12099 Version #: 01 Issue date: 03-Mar-2018

SDS MALAYSIA

IF exposed or concerned: Get medical attention/advice. IF ON SKIN: Wash with plenty of soap Response

and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention. Call a POISON

CENTER/doctor/physician if you feel unwell. Collect spillage. Take off contaminated clothing and

wash before reuse.

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information

None.

## Section 3: Composition and information of the ingredients of the hazardous chemical

#### Mixtures

#### **Hazardous components**

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET		Proprietary	<25
Acrylic acid ester		Proprietary	<20
Acrylate ester 3		Proprietary	<15
Glycerol, propxylated, esters with acrylic acid		Proprietary	<15
Acrylic acid, Monoalkyl Ester		Proprietary	<10
Diphenyl (2,4,6-trimethylbenzoyl) phosphine		Proprietary	<5
Vinylcaprolactam		Proprietary	<5
Substituted Phosphine Oxide		Proprietary	<1
Vinylester resin	Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester		<1
1-butanol		71-36-3	<0.1
4-Methoxyphenol		150-76-5	<0.1
Genorad 16 Proprietary Stabilizer		Proprietary	<0.1
Octyl decyl acrylate		Proprietary	<0.1
Non-hazardous components			
Chemical name	Common name and synonyms	CAS number	%
Carbon Black Test		Mixture	<7.5

#### Section 4: First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

Not available.

Not available

Indication of immediate medical attention and special

treatment needed

### Section 5: Fire-fighting measures

Suitable extinguishing media

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Unsuitable extinguishing media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Material name: TestATNseries SDS MALAYSIA Specific hazards arising from

the chemical

None known.

Special protective equipment

and precautions for firefighters

Not available.

Fire fighting

equipment/instructions

Avoid runoff into storm sewers and ditches which lead to waterways.

None. **HAZCHEM** code

#### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Not available

Methods and materials for containment and cleaning up

#### Section 7: Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

## Section 8: Exposure controls and personal protection

## Occupational exposure limits

Malaysia. OELs. (Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health)

Regulations)

Components **Type** Value 1-butanol (CAS 71-36-3) Ceiling 152 mg/m3 50 ppm 4-Methoxyphenol (CAS **TWA** 5 mg/m3 150-76-5) **US. ACGIH Threshold Limit Values** Components Value **Type** 1-butanol (CAS 71-36-3) **TWA** 20 ppm 4-Methoxyphenol (CAS **TWA** 5 mg/m3 150-76-5)

**Biological limit values** No biological exposure limits noted for the ingredient(s). **Exposure guidelines** Exposure limits have not been established for this product.

Malaysia OELs: Skin designation

1-butanol (CAS 71-36-3) Can be absorbed through the skin.

Appropriate engineering

controls

Additional area ventilation or local exhaust may be required to maintain air concentrations below

recommended exposure limits.

Individual protection measures, such as personal protective equipment

Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and Eye/face protection

emergency showers are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum Hand protection

thickness.

Wear appropriate chemical resistant clothing Other

Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Respiratory protection

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

### Section 9: Physical and chemical properties

### **Appearance**

Liquid. Physical state Liquid. Form Color Black.

Material name: TestATNseries SDS MALAYSIA Odor Characteristic. **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

> 212.0 °F (> 100.0 °C) Closed Cup EPA Method 1020 Flash point

Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

VOC < 95 g/L Method 24/ASTM D5409-93

## Section 10: Stability and reactivity

Not available. Reactivity

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

Conditions to avoid Exposure to sunlight.

Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

Hazardous decomposition Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons

# **Section 11: Toxicological information**

#### Information on likely routes of exposure

Inhalation Not available. Not available. Skin contact Eye contact Not available. Ingestion Not available.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Material name: TestATNseries SDS MALAYSIA

#### Carcinogenicity

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

US NTP Report on Carcinogens: Anticipated carcinogen

Not available.

US NTP Report on Carcinogens: Known carcinogen

Not available.

Reproductive toxicity May damage fertility. May damage the unborn child.

Specific target organ toxicity -

single exposure

May cause irritation to the respiratory system.

Specific target organ toxicity -

repeated exposure

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation

## **Section 12: Ecological information**

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This

product has not been tested for ecological effects.

**Ecotoxicity** No ecotoxicity data noted for the ingredient(s).

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

1-butanol 0.88 4-Methoxyphenol 1.58

Mobility in soilNot available.Other adverse effectsNot available.

### **Section 13: Disposal information**

**Disposal instructions** Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available

#### **Section 14: Transportation information**

#### DOT

Not regulated as dangerous goods.

**DOT Supplemental Information** 

DOT Classification only applies to shipments within the US and Puerto Rico.

**IATA** 

UN number UN3082

UN proper shipping name En

Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

**IMDG** 

UN number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative),

MARINE POLLUTANT

Transport hazard class(es)

Class 9

Material name: TestATNseries SDS MALAYSIA

Subsidiary risk Ш Packing group Transport hazard class(es)

Marine pollutant Yes F-A, S-F **EmS** Special precautions for user Not available.

**IMDG Supplemental Information** When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

**ADR** 

**UN** number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)

Transport hazard class(es)

Class 9 Subsidiary risk

Hazard No. (ADR) Not available. Tunnel restriction code Not available.

Ш **Packing group** Yes **Environmental hazards** 

Special precautions for user Not available.

**ADR Supplemental Information** When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



## Marine pollutant



**HAZCHEM** code None.

## **Section 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004)

Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5, 2007)

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated.

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999]

Not regulated.

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

Material name: TestATNseries SDS MALAYSIA

12099 Version #: 01 Issue date: 03-Mar-2018

#### **Montreal Protocol**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### **Section 16: Other information**

Issue date 03-Mar-2018

Version # 01

References Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: TestATNseries SDS MALAYSIA