

# SAFETY DATA SHEET

# 1. Product and company identification

Product name SL-PMK006Series

Company identification HP New Zealand

Level 4, 22 Viaduct Harbour Avenue

Auckland

New Zealand 1010

**Telephone** +64 9918 9134

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

**Recommended use** This product is a toner mixture that is used in printing systems.

**Limitations on use** Do not use with non compatible printer.

### 2. Hazards identification

**GHS** classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Symbols None.
Signal word None.
Hazard statement None.

**Precautionary statement** 

PreventionNone.ResponseNone.StorageNone.DisposalNone.

Other hazards Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Supplemental information None.

## 3. Composition/information on ingredients

Substance or mixture Mixture

Chemical propertyCAS NumberConcentration (%)Carbon black1333-86-4<5</td>

## 4. First aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Material name: SL-PMK006Series SDS NEW ZEALAND

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical Ingestion

attention immediately.

Potential delayed effects

Difficulty in breathing. Coughing.

Personal protection for first-aid responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Notes to physician Treat symptomatically.

# 5. Fire-fighting measures

Dry chemical, foam, carbon dioxide, water fog. **Extinguishing media** 

Extinguishing media to avoid Do not use water jet as an extinguisher, as this will spread the fire.

**HAZCHEM Code Number** 

Specific hazards during fire

fighting

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

**Protection of fire-fighters** 

Hazards from combustion

products

Firefighters should wear full protective clothing including self contained breathing apparatus. Carbon monoxide and carbon dioxide.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

Spill cleanup methods

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

### 7. Handling and storage

Handling

**Precautions** Not available Safe handling advice Not available Prevention of fire and Not available. explosion

Storage

Suitable storage conditions

Store in tightly closed original container. Store in a well-ventilated place. Store away from

Value

incompatible materials (see Section 10 of the SDS).

Incompatible materials Not available.

## 8. Exposure controls/personal protection

### **Exposure limits**

New Zealand. WES. (Workplace Exposure Standards)

Components Value Type Carbon black (CAS TWA 3 mg/m3 1333-86-4)

**US. ACGIH Threshold Limit Values** Components

Type Carbon black (CAS **TWA** Inhalable fraction. 3 mg/m3 1333-86-4)

**UK. EH40 Workplace Exposure Limits (WELs)** 

Components Value Type Carbon black (CAS STEL 7 mg/m3 1333-86-4) **TWA** 3.5 mg/m3

Material name: SL-PMK006Series 14637 Version #: 01 Issue date: 09-Jan-2019 **Form** 

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components **Type** Value

**TWA** 

1333-86-4)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

**Environment)** 

Carbon black (CAS

Components Type Value Carbon black (CAS TWA 3 mg/m3

1333-86-4)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If **Engineering controls** 

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

3 mg/m3

Personal protective equipment

No personal respiratory protective equipment required under normal conditions of use. Respiratory protection

Hand protection Rubber gloves are recommended. Wash hands after handling.

Skin protection Protection suit must be worn.

Eye/face protection Wear safety glasses with side shields (or goggles).

Radioactive or thermal

hazards

Not available.

Hygiene measures Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product.

# 9. Physical and chemical properties

**Appearance** 

Physical state Not available. Form Solid. Fine powder

Color Black. Odorless Odor **Odor threshold** Not available. Not available. Not available. Melting point/freezing point Not available. Boiling point, initial boiling

point, and boiling range

Not available. Flash point **Auto-ignition temperature** Not available Not available. Flammability (solid, gas) Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Not available. **Evaporation rate** 

Solubility(ies)

Insoluble in water. Solubility (water)

Partially soluble in toluene, chloroform and tetrahydrofuran Solubility (other)

Partition coefficient Not available.

(n-octanol/water)

**Decomposition temperature** > 392 °F (> 200 °C)

Other data

No information available. Oxidizing properties

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Stable under normal storage conditions.

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible Conditions to avoid

materials.

Incompatible materials This product may react with strong oxidizing agents.

Hazardous decomposition

Possibility of hazardous

products

Carbon monoxide and carbon dioxide.

reactions

No dangerous reaction known under conditions of normal use.

# 11. Toxicological information

### Information on likely routes of exposure

Expected to be a low ingestion hazard. Ingestion

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Dust or powder may irritate the skin. Skin contact

Dust may irritate the eyes. Eye contact

Based on available data, the classification criteria are not met. Acute toxicity

LD50/oral/rat >5000 mg/kg.

Components **Species Test Results** 

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 10000 mg/kg

Not available. Routes of exposure Not available. **Symptoms** 

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory sensitizer Not a respiratory sensitizer.

Skin sensitizer This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Negative Ames Test (Test strains: Salmonella typhimurium).

Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

This product is not expected to cause reproductive or developmental effects. Toxic to reproduction

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

**Chronic effects** Not available Not available Relevant negative data

Material name: SL-PMK006Series SDS NEW ZEALAND

### Other information

Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture. Not available

Bioaccumulation Partition coefficient n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** Not available. Mobility Not available.

Other hazardous effects This product has not been tested for ecological effects.

# 13. Disposal considerations

Disposal methods/information

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

**Special precautions** 

Not available.

### 14. Transport information

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Carbon black (CAS 1333-86-4) **HSNO** Approved

**Regulatory information** 

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information

References Not available.

Issued by

Not available.

Material name: SL-PMK006Series SDS NEW ZEALAND

14637 Version #: 01 Issue date: 09-Jan-2019

### Prepared by

Not available.

#### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Issue date 09-Jan-2019

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: SL-PMK006Series 14637 Version #: 01 Issue date: 09-Jan-2019