



SAFETY DATA SHEET

1. Product and company identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***

Product name HP Color LaserJet W2000A-X-XC Black Print Cartridge

Company identification HP New Zealand
Level 4, 22 Viaduct Harbour Avenue
Auckland
New Zealand 1010

Telephone +64 9918 9134

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048

HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use This product is a black toner preparation that is used in HP Color LaserJet Enterprise M750n, M750dn, M750xh series printers.

2. Hazards identification

GHS classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Symbols None.
Signal word None.
Hazard statement None.

Precautionary statement

Prevention None.
Response None.
Storage None.
Disposal None.

Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Mixture

| Chemical property | CAS Number | Concentration (%) |
|----------------------------|---------------------|-------------------|
| Styrene acrylate copolymer | Trade Secret | <85 |
| Carbon black | 1333-86-4 | <10 |
| Wax | Wax Trade Secret | <10 |

| | Synonyms | CAS Number | Concentration (%) |
|------------------|------------------|------------|-------------------|
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Potential delayed effects | Not available. |
| Personal protection for first-aid responders | Not available. |
| Notes to physician | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Extinguishing media | CO2, water, or dry chemical |
| Extinguishing media to avoid | None known. |
| HAZCHEM Code Number | None. |
| Specific hazards during fire fighting | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. |
| Special fire fighting procedures | If fire occurs in the printer, treat as an electrical fire. |
| Protection of fire-fighters | Not available. |
| Hazards from combustion products | Carbon monoxide and carbon dioxide. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| Spill cleanup methods | Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. |

7. Handling and storage

| | |
|---|--|
| Handling | |
| Precautions | Not available. |
| Safe handling advice | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Prevention of fire and explosion | Not available. |
| Storage | |
| Suitable storage conditions | Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers. |
| Incompatible materials | Not available. |

8. Exposure controls/personal protection

Exposure limits

New Zealand. WES. (Workplace Exposure Standards)

| Components | Type | Value |
|------------------------------|------|---------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

UK. EH40 Workplace Exposure Limits (WELs)

| Components | Type | Value |
|---------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | STEL | 7 mg/m3 |
| | TWA | 3.5 mg/m3 |

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

| Components | Type | Value | Form |
|-------------------------------------|------|---------|------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 2 mg/m3 | Respirable dust. |
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | |

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

| Components | Type | Value | Form |
|-------------------------------------|------|---------|----------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 2 mg/m3 | Respirable fraction. |
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | |

| | |
|---------------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | , 5 mg/m3 (Respirable Fraction) , 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m3 TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) |
| Engineering controls | Use in a well ventilated area. |
| Personal protective equipment | |
| Respiratory protection | Not available. |
| Skin protection | Not available. |
| Eye/face protection | Not available. |
| Radioactive or thermal hazards | Not available. |
| Hygiene measures | Not available. |

9. Physical and chemical properties

| | |
|--|---------------------|
| Appearance | Fine powder |
| Physical state | Solid. |
| Form | solid |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Boiling point, initial boiling point, and boiling range | Not applicable |
| Flash point | Not applicable |
| Auto-ignition temperature | Not applicable |
| Flammability (solid, gas) | Not available. |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Evaporation rate | Not applicable |

| | |
|--|---|
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Percent volatile | Negligible |
| Other data | |
| Oxidizing properties | No information available. |
| Specific gravity | 1 - 1.2 |
| VOC | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Stability | Stable under normal storage conditions. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |
| Possibility of hazardous reactions | Will not occur. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|--|
| Ingestion | Ingestion is not a likely route of exposure. |
| Inhalation | Under normal conditions of intended use, this material is not expected to be an inhalation hazard. |
| Skin contact | Contact with skin may result in mild irritation. |
| Eye contact | Contact with eyes may result in mild irritation. |

Acute toxicity Based on available data, the classification criteria are not met.

| Product | Species | Test Results |
|--------------|---------|--------------|
| W2000A-X-XC | | |
| <u>Acute</u> | | |
| LD50 | | > 2000 mg/kg |

| Components | Species | Test Results |
|------------------------------|---------|---------------|
| Carbon black (CAS 1333-86-4) | | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Rat | > 10000 mg/kg |

| | |
|--|--|
| Routes of exposure | Not available. |
| Symptoms | Not available. |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. |
| Respiratory sensitizer | Based on available data, the classification criteria are not met. |
| Skin sensitizer | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

| | |
|----------------------------------|---|
| Amorphous silica (CAS 7631-86-9) | 3 Not classifiable as to carcinogenicity to humans. |
| Carbon black (CAS 1333-86-4) | 2B Possibly carcinogenic to humans. |

| | |
|---|---|
| Toxic to reproduction | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Chronic effects | Not available. |
| Relevant negative data | Not available. |
| Other information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

12. Ecological information

Ecotoxicological data

| Product | Species | Test Results |
|--|-------------------------------------|--------------------------------|
| W2000A-X-XC | | |
| Aquatic | | |
| Algae | ErC50 | Algae > 100 mg/l, 72 Hours |
| Crustacea | EC50 | Crustacea > 100 mg/l, 48 Hours |
| Fish | LC50 | Fish > 100 mg/l, 96 Hours |
| Ecotoxicity | LC50: > 100 mg/l, Fish, 96.00 Hours | |
| Persistence and degradability | Not available. | |
| Bioaccumulation | Not available. | |
| Partition coefficient n-octanol/water (log Kow) | Not available. | |
| Bioconcentration factor (BCF) | Not available. | |
| Mobility | Not available. | |
| Other hazardous effects | Not available. | |

13. Disposal considerations

| | |
|-------------------------------------|---|
| Disposal methods/information | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
| Special precautions | Not available. |

14. Transport information

| | |
|----------------------------|--|
| Further information | Not a dangerous good under DOT, IATA, ADR, IMDG, or RID. |
|----------------------------|--|

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

| | |
|----------------------------------|--|
| Amorphous silica (CAS 7631-86-9) | May be used as a single component chemical under an appropriate group standard |
| Carbon black (CAS 1333-86-4) | HSNO Approved |

| | |
|-------------------------------|--|
| Regulatory information | All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. |
|-------------------------------|--|

16. Other information

| | |
|-------------------|----------------|
| References | Not available. |
|-------------------|----------------|

Issued by
Not available.

Prepared by
Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Issue date

25-Apr-2019

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |