



SAFETY DATA SHEET

1. Product and company identification

Product name W9190MC
Company identification HP New Zealand
Level 4, 22 Viaduct Harbour Avenue
Auckland
New Zealand 1010
Telephone +64 9918 9134

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048

HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

Recommended use and Limitations on use

Recommended use This product is a black toner preparation that is used in HP Color LaserJet Managed MFP E77822, HP Color LaserJet Managed MFP E77825, HP Color LaserJet Managed MFP E77830 series printers.
Limitations on use Do not use with non compatible printer.

2. Hazards identification

GHS classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Symbols None.
Signal word None.
Hazard statement None.

Precautionary statement

Prevention None.
Response None.
Storage None.
Disposal None.

Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Mixture

| Chemical property | CAS Number | Concentration (%) |
|-----------------------|--------------|-------------------|
| Styrene-acrylic resin | Trade Secret | <85 |
| Paraffin wax | Trade Secret | <10 |
| Carbon black | 1333-86-4 | <6 |
| Silica | Trade Secret | <3 |

4. First aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical attention immediately. |
| Potential delayed effects | Difficulty in breathing. Coughing. |
| Personal protection for first-aid responders | Not available. |
| Notes to physician | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Extinguishing media | Water spray, dry chemical, carbon dioxide. |
| Extinguishing media to avoid | None known. |
| HAZCHEM Code Number | None. |
| Specific hazards during fire fighting | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. |
| Special fire fighting procedures | If fire occurs in the printer, treat as an electrical fire. |
| Protection of fire-fighters | Wear self-contained breathing apparatus and protective clothing. Wear full set of protective equipment including chemical goggles and gloves. |
| Hazards from combustion products | Carbon monoxide and carbon dioxide. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation. Remove victim immediately from source of exposure. Emergency personnel should wear self-contained breathing apparatus. |
| Environmental precautions | Avoid spreading dust or contaminated materials. Avoid discharge into drains, water courses or onto the ground. |
| Spill cleanup methods | Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. |

7. Handling and storage

| | |
|---|---|
| Handling | |
| Precautions | Not available. |
| Safe handling advice | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Wash thoroughly after handling. Keep away from excessive heat, sparks, and open flames. |
| Prevention of fire and explosion | Not available. |
| Storage | |
| Suitable storage conditions | Keep out of the reach of children. Wash hands after handling. When using, do not eat, drink or smoke. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Keep tightly closed and dry. Store at room temperature. |
| Incompatible materials | Not available. |

8. Exposure controls/personal protection

Exposure limits

New Zealand. WES. (Workplace Exposure Standards)

| Components | Type | Value | Form |
|------------------------------|------|---------------------|-------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m ³ | |
| Paraffin Wax | TWA | 2 mg/m ³ | Fume. |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |
| Paraffin Wax | TWA | 2 mg/m3 | Fume. |

UK. EH40 Workplace Exposure Limits (WELs)

| Components | Type | Value | Form |
|------------------------------|------|-----------|-------|
| Carbon black (CAS 1333-86-4) | STEL | 7 mg/m3 | |
| Paraffin Wax | TWA | 3.5 mg/m3 | |
| | STEL | 6 mg/m3 | Fume. |
| | TWA | 2 mg/m3 | Fume. |

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

| Components | Type | Value | Form |
|------------------------------|------|---------|-------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | |
| Paraffin Wax | TWA | 2 mg/m3 | Fume. |

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

| Components | Type | Value | Form |
|------------------------------|------|---------|-------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | |
| Paraffin Wax | TWA | 2 mg/m3 | Fume. |

| | |
|---------------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Engineering controls | Use in a well ventilated area. |
| Personal protective equipment | |
| Respiratory protection | No personal respiratory protective equipment required under normal conditions of use. |
| Hand protection | Rubber gloves are recommended. Wash hands after handling. |
| Skin protection | Protection suit must be worn. |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Radioactive or thermal hazards | Not available. |
| Hygiene measures | Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. |

9. Physical and chemical properties

| | |
|--|--------------------------|
| Appearance | Fine powder |
| Physical state | Solid. |
| Form | solid |
| Color | Black. |
| Odor | Odorless |
| Odor threshold | No information available |
| pH | Not applicable |
| Melting point/freezing point | No information available |
| Boiling point, initial boiling point, and boiling range | Not applicable |
| Flash point | Not applicable |
| Auto-ignition temperature | No data available |
| Flammability (solid, gas) | Not available. |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Evaporation rate | Not available. |

Relevant negative data Not available.
Other information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

12. Ecological information

Ecotoxicity Not available.
Persistence and degradability Not available.
Bioaccumulation Not available.
Partition coefficient n-octanol/water (log Kow) Not available.
Bioconcentration factor (BCF) Not available.
Mobility Not available.
Other hazardous effects This product has not been tested for ecological effects.

13. Disposal considerations

Disposal methods/information Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

Special precautions Not available.

14. Transport information

DOT
Not regulated as dangerous goods.
IATA
Not regulated as dangerous goods.
IMDG
Not regulated as dangerous goods.
ADR
Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

| | |
|---------------------------------|--|
| Carbon black (CAS 1333-86-4) | HSNO Approved |
| Paraffin wax (CAS Trade Secret) | May be used as a single component chemical under an appropriate group standard |
| Silica (CAS Trade Secret) | May be used as a single component chemical under an appropriate group standard |

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information

References Not available.
Issued by
Not available.
Prepared by
Not available.

Disclaimer

This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Issue date

20-Mar-2019

Revision information

1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |