



# SAFETY DATA SHEET

## 1. Product and company identification

**Product name** HP Z7Y69A Cyan Developer  
**Company identification** HP New Zealand  
Level 4, 22 Viaduct Harbour Avenue  
Auckland  
New Zealand 1010  
**Telephone** +64 9918 9134

**HP Inc. health effects line**  
**(Toll-free within the US)** 1-800-457-4209  
**(Direct)** 1-760-710-0048

**HP Inc. Customer Care Line**  
**(Toll-free within the US)** 1-800-474-6836  
**(Direct)** 1-208-323-2551  
**Email:** hpcustomer.inquiries@hp.com

### Recommended use and Limitations on use

**Recommended use** This product is a cyan developer preparation that is used in HP Color LaserJet Managed MFP E87640, HP Color LaserJet Managed MFP E87650, HP Color LaserJet Managed MFP E87660 series printers.

## 2. Hazards identification

### GHS classification

**Physical hazards** Not classified.  
**Health hazards** Not classified.  
**Environmental hazards** Not classified.

### Label elements

**Symbols** None.  
**Signal word** None.  
**Hazard statement** None.

### Precautionary statement

**Prevention** None.  
**Response** None.  
**Storage** None.  
**Disposal** None.

**Other hazards** This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Titanium dioxide is classified by IARC as a Group 2B carcinogen, meaning there is inadequate evidence in humans for the carcinogenicity of titanium dioxide, but there is sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide. Titanium dioxide in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**Supplemental information** None.

## 3. Composition/information on ingredients

**Substance or mixture** Mixture

Chemical property	CAS Number	Concentration (%)
Ceramic Materials And Wares, Chemicals	Trade Secret	<80%
Polyester resin	Polyester resin Trade Secret	<20%

	CAS Number	Concentration (%)
Paraffin waxes and Hydrocarbon waxes	Trade Secret	<5%
Amorphous silica	Trade Secret	<1%
Carbon black	1333-86-4	<1%
Titanium dioxide	13463-67-7	<1%

#### 4. First aid measures

<b>Inhalation</b>	Move person to fresh air immediately. If irritation persists, consult a physician.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
<b>Ingestion</b>	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
<b>Potential delayed effects</b>	Difficulty in breathing. Coughing.
<b>Personal protection for first-aid responders</b>	Not available.
<b>Notes to physician</b>	Not available.

#### 5. Fire-fighting measures

<b>Extinguishing media</b>	Dry chemical, CO2, water spray or regular foam.
<b>Extinguishing media to avoid</b>	None known.
<b>HAZCHEM Code Number</b>	None.
<b>Specific hazards during fire fighting</b>	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
<b>Special fire fighting procedures</b>	If fire occurs in the printer, treat as an electrical fire.
<b>Protection of fire-fighters</b>	Wear self-contained breathing apparatus and protective clothing. Wear full set of protective equipment including chemical goggles and gloves.
<b>Hazards from combustion products</b>	Carbon monoxide and carbon dioxide.
<b>Specific methods</b>	None established.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation.
<b>Environmental precautions</b>	Avoid spreading dust or contaminated materials. Avoid discharge into drains, water courses or onto the ground.
<b>Spill cleanup methods</b>	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

#### 7. Handling and storage

<b>Handling</b>	
<b>Precautions</b>	Not available.
<b>Safe handling advice</b>	Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Wash thoroughly after handling. Keep away from excessive heat, sparks, and open flames.
<b>Prevention of fire and explosion</b>	Not available.
<b>Storage</b>	
<b>Suitable storage conditions</b>	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
<b>Incompatible materials</b>	Not available.

#### 8. Exposure controls/personal protection

##### Exposure limits

##### New Zealand. WES. (Workplace Exposure Standards)

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	

**New Zealand. WES. (Workplace Exposure Standards)**

Components	Type	Value	Form
Paraffin waxes and Hydrocarbon waxes	TWA	2 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Paraffin waxes and Hydrocarbon waxes	TWA	2 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
Paraffin waxes and Hydrocarbon waxes	TWA	3.5 mg/m3	
	STEL	6 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	2 mg/m3	Fume.
	TWA	4 mg/m3	Respirable.
		10 mg/m3	Inhalable

**Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)**

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Paraffin waxes and Hydrocarbon waxes	TWA	2 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Inhalable dust.

**Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)**

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Paraffin waxes and Hydrocarbon waxes	TWA	2 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Inspirable dust.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 5 mg/m3 (Respirable Fraction)

3 mg/m3 (Respirable Particulate)

**Engineering controls** Use in a well ventilated area.

**Personal protective equipment**

**Respiratory protection** No personal respiratory protective equipment required under normal conditions of use.

**Hand protection** Rubber gloves are recommended. Wash hands after handling.

**Skin protection** Protection suit must be worn.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Radioactive or thermal hazards** Not available.

**Hygiene measures** Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

**9. Physical and chemical properties**

**Appearance** Fine powder

<b>Physical state</b>	Solid.
<b>Form</b>	solid
<b>Color</b>	Blue
<b>Odor</b>	Odorless
<b>Odor threshold</b>	No information available
<b>pH</b>	Not applicable
<b>Melting point/freezing point</b>	No information available
<b>Boiling point, initial boiling point, and boiling range</b>	Not applicable
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	No data available
<b>Flammability (solid, gas)</b>	Not available.
<b>Flammability limit - lower (%)</b>	Not flammable
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not applicable
<b>Vapor density</b>	Not applicable
<b>Evaporation rate</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Decomposition temperature</b>	> 392 °F (> 200 °C)
<b>Viscosity</b>	Not applicable
<b>Other data</b>	
<b>Oxidizing properties</b>	No information available.
<b>Specific gravity</b>	4.4 g/ml (20C, 68F)

## 10. Stability and reactivity

<b>Reactivity</b>	Not available.
<b>Stability</b>	Stable under normal storage conditions.
<b>Conditions to avoid</b>	Heat, sparks, flames. Sunlight. Avoid dust close to ignition sources.
<b>Incompatible materials</b>	This product may react with strong oxidizing agents. This product may react with strong acids.
<b>Hazardous decomposition products</b>	Carbon monoxide and carbon dioxide. Hydrogen.
<b>Possibility of hazardous reactions</b>	Stable

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	Ingestion is not a likely route of exposure.
<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	Contact with skin may result in mild irritation.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.

**Acute toxicity** Based on available data, the classification criteria are not met. LD50/oral/rat >5000 mg/kg

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Carbon black (CAS 1333-86-4)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	> 10000 mg/kg
Ceramic Materials And Wares, Chemicals		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2500 mg/kg

Components	Species	Test Results
<b>Inhalation</b>		
LC50	Rat	> 2.3 mg/l, 4 Hours > 0.888 mg/l
<b>Oral</b>		
LD50	Rat	> 2000 mg/kg
<b>Routes of exposure</b>	Not available.	
<b>Symptoms</b>	Not available.	
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met. Not a known irritant. (OECD 404)	
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met. Not a known irritant. (OECD 405)	
<b>Respiratory sensitizer</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitizer</b>	Based on available data, the classification criteria are not met.	
<b>Germ cell mutagenicity</b>	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.	
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
	Carbon black (CAS 1333-86-4)	2B Possibly carcinogenic to humans.
	Titanium dioxide (CAS 13463-67-7)	2B Possibly carcinogenic to humans.
<b>Toxic to reproduction</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Chronic effects</b>	Not available.	
<b>Relevant negative data</b>	Not available.	
<b>Other information</b>	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.	

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

## 12. Ecological information

### Ecotoxicological data

Components	Species	Test Results	
Ceramic Materials And Wares, Chemicals (CAS Trade Secret)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	ErC50	Algae	184.6 mg/l, 72 h
Crustacea	EC50	Invertebrates (Invertebrates)	1.9 mg/l, 48 h
Fish	LC50	Fish	457 mg/l, 96 h
<i>Chronic</i>			
Fish	EC50	Fish	0.151 mg/l, 7 d
	LC50	Fish	1.94 mg/l, 16 d
<b>Ecotoxicity</b>	Not available.		

<b>Persistence and degradability</b>	Not available.
<b>Bioaccumulation</b>	Not available.
<b>Partition coefficient n-octanol/water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>Mobility</b>	Not available.
<b>Other hazardous effects</b>	This product has not been tested for ecological effects.

---

### 13. Disposal considerations

**Disposal methods/information** Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

**Special precautions** Not available.

---

### 14. Transport information

**DOT**  
Not regulated as dangerous goods.

**IATA**  
Not regulated as dangerous goods.

**IMDG**  
Not regulated as dangerous goods.

**ADR**  
Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

---

### 15. Regulatory information

#### Applicable regulations

##### New Zealand Inventory of Chemicals (NZIoC): Registration status

Amorphous silica (CAS Trade Secret)	May be used as a single component chemical under an appropriate group standard
Carbon black (CAS 1333-86-4)	HSNO Approved
Ceramic Materials And Wares, Chemicals (CAS Trade Secret)	May be used as a single component chemical under an appropriate group standard
Paraffin waxes and Hydrocarbon waxes (CAS Trade Secret)	May be used as a single component chemical under an appropriate group standard
Titanium dioxide (CAS 13463-67-7)	May be used as a single component chemical under an appropriate group standard

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

---

### 16. Other information

**References** Not available.

**Issued by**  
Not available.

**Prepared by**  
Not available.

**Disclaimer**

This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

**Issue date**

22-Apr-2017

**Revision date**

29-Jan-2019

**Revision information**

Hazards identification: Other hazards  
3. Composition / Information on Ingredients: Ingredients  
Exposure controls/personal protection: Exposure guidelines  
Toxicological information: Carcinogenicity

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds