

SAFETY DATA SHEET

1. Identification of the chemical and information about the manufacturer or supplier

1.1 Identification of the chemical products

1.1.1 Technical name HP Color LaserJet Q2671A Cyan Print Cartridge

Other means of identification None

1.1.2 Recommended use of the chemical and restrictions on use

Recommended use This product is a cyan toner preparation that is used in HP Color LaserJet 3500/3550 series

printers.

Limitations on use None known.

1.2 Manufacturer/Importer/Supplier/Distributor information

1.2.1 Manufacturer

ZAO Hewlett-Packard A.O.

Highway Leningradskoe, House 16A, Building 3,

125171, Moscow

Telephone 7 495 797-3500

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

2.1. Hazard identification of chemical product as a whole (classification according to GOST 12.1.007-76 and GHS)

Classification according to Not available.

GOST 12.1.007-76

GHS classification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

2.2 Labeling elements in compliance with GOST 31340-2013

2.2.1 Signal word None.2.2.2 Symbols None.

2.2.3 Hazard statement Not available.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

3. Composition/information on ingredients

3.1 Information on product as a whole

3.1.1 Chemical name

Q2671A

(IUPAC)

3.1.2 Chemical formula O2Si (7631-86-9), O2Si (7631-86-9)

Material name: Q2671A SDS RUSSIA

3.1.3 General description of the composition (taking into account the brand assortment; preparation method)

Not applicable.

3.2 Components

| | Hygienic standards in the working area | | | | | |
|----------------------------|--|------------|-------------|-----------------------|--------------|-----------|
| Components | Concentration by weight (%) | MAC, mg/m3 | TSEL, mg/m3 | Hazard classification | CAS-No. | EC No. |
| Styrene acrylate copolymer | <85 | | | | Trade Secret | - |
| Wax | <10 | | | | Trade Secret | - |
| Copper compound | <5 | | | | Trade Secret | - |
| Amorphous silica | <2 | 3 | 1 | 3 | 7631-86-9 | 231-545-4 |

4. First-aid measures

4.1. Observed symptoms

4.1.1 In case of exposure via inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

4.1.2 In contact with skin 4.1.3 In contact with eyes Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation.

4.1.4 In case of exposure via ingestion

Ingestion is not a likely route of exposure.

4.2 First-aid measures to be provided to victims

4.2.1 In case of exposure via inhalation

Move person to fresh air immediately. If irritation persists, consult a physician.

4.2.2 In contact with skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

4.2.3 In contact with eyes

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

5. Fire-fighting and explosion safety measures and means

4.2.4 In case of exposure

via ingestion

physician.

4.2.5 Contraindications Not available.

5.1 General characteristics of

fire-explosion properties

Not available.

5.2 Fire-explosion indicators

Not available.

5.3 Combustion and/or thermal destruction products and hazards arising from these

dispersed in air.

5.4 Recommended

CO2, water, or dry chemical

extinguishing media 5.5 Forbidden extinguishing

None known.

media

5.6 Special protective equipment for firefighters Not available.

5.7 Specific extinguishing

None established.

methods Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

6. Accident and emergency prevention and response measures and their consequences

6.1 Measures to prevent harmful effects on people, environment, buildings, constructions, etc. in case of accidents and emergencies

6.1.1 General required actions in case of an accident or emergency Minimize dust generation and accumulation.

6.1.2 Personal protection equipment in case of the accident

Not available.

Material name: Q2671A SDS RUSSIA

6.2 Procedures for the elimination of accidents and emergencies

6.2.1 Procedures in case of Not available.

leaks, spills, splashes

6.2.2 Actions in case of fire

Not available.

Methods and materials for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

7. Storage and handling requirements of chemicals during loading and unloading

7.1 Safety precautions when handling chemical products

7.1.1 Technical safety

Not available.

measures

7.1.2 Environmental protection measures Not available.

7.1.3 Recommended safe

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

handling and transportation advice

7.2 Chemical storage requirements

7.2.1 Terms and conditions

Not available.

for safe storage

7.2.2 Packaging

Not available.

7.3 Safety measures and storage requirements at

domestic use

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

8. Equipment for monitoring exposure and personal protective equipment

8.1 Parameters of the working area that require monitoring

No exposure limits noted for ingredient(s).

Occupational exposure limits

Russian Federation. Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.

| Components | Туре | Value | Form |
|----------------------------------|---------|---------|----------|
| Amorphous silica (CAS 7631-86-9) | Ceiling | 3 mg/m3 | Aerosol. |
| | TWA | 1 mg/m3 | Aerosol. |

8.2 Measures to ensure the content of harmful substances in the working area below the exposure level concentration

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

3/7

Appropriate engineering

controls

Use in a well ventilated area.

8.3 Worker personal protective equipment

8.3.1 General recommendations No personal respiratory protective equipment required under normal conditions of use.

8.3.2 Respiratory protection

Not available

8.3.3 Protective equipment

Eye/face protection Not available. Hand protection Not available. Not available. Other Not available. Thermal hazards 8.3.4 Personal protection Not applicable.

equipment in case of domestic use

Material name: Q2671A SDS RUSSIA

9. Physical and chemical properties

9.1 Physical appearance Fine powder

Physical stateSolid.FormsolidColorCyan

Odor Slight plastic odor
Odor threshold Not available.

9.2 Parameters characterizing basic properties of the product

pH Not applicableMelting point/freezing point Not available.Initial boiling point and boiling Not applicable

range

Flash point Not applicable

Auto-ignition temperature Not applicable

Decomposition temperature > 392 °F (> 200 °C)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressureNot applicableVapor densityNot applicableViscosityNot applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Other data

Evaporation rate Not applicable

Oxidizing properties No information available.

Percent volatile 0 % estimated

Softening point 212 - 302 °F (100 - 150 °C)

Specific gravity 1 - 1.2

10. Stability and reactivity

10.1 Chemical stability Stable under normal storage conditions.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

10.2 Reactivity Not available.

10.3 Conditions to avoid Imaging Drum: Exposure to light

Possibility of hazardous

reactions

Will not occur.

Incompatible materials Strong oxidizers

11. Toxicological information

11.1 General exposure

Not available.

characteristics

11.2 Routes of exposure Not available.

11.3 Affected/target organs, tissues and systems of humans

Specific target organBased on available data, the classification criteria are not met.

toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated

exposure

based on available data, the classification chiefla are not met

11.4 Information on health hazards in case of direct exposure to the product and its effect

Effect on upper respiratory Not available.

tract irritation

Material name: Q2671A SDS RUSSIA

Respiratory or skin sensitization

Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.

Not listed.

Respiratory sensitization

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Skin sensitization

irritation

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.5 Information on long-term hazardous health effects

CarcinogenicityBased on available data, the classification criteria are not met. **Reproductive toxicity**Based on available data, the classification criteria are not met.

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Cumulativeness Not available.

Chronic effects Not available.

11.6 Acute toxicity data Based on available data, the classification criteria are not met.Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Environmental impact information

12.1 General description of the

Not available.

impact on the environment

12.2 Routes of exposure to

Not available.

environment

12.3 The most important characteristics of the environmental impact

12.3.1 Hygienic standards Not available.

12.3.2 Ecotoxicity LL50: > 1000 mg/l, Rainbow Trout, 96.00 Hours

Product Species Test Results

Q2671A

Aquatic

Fish LL50 Rainbow Trout > 1000 mg/l, 96 Hours

12.3.3 Biomigration and transformation of the environment due to the biodegradation or other processes

Persistence and

degradability

Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Recommendations for waste (residues) disposal

13.1 Safety precautions when handling the waste generated during use, storage, transportation

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

13.2 Information on the location and disposal methods, recycling or disposal of product waste, including

Not available.

13.3 Recommendation on the waste disposal generated during its domestic use

packaging

Not available.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Material name: Q2671A SDS RUSSIA

15. National and international regulatory information

15.1 National legislation

15.1.1 Laws of the Russian Not available.

Federation

15.1.2 Information about the documentation, regulatory requirements for the protection of human health and environment

Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008

Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.

15.2 International Conventions and Agreements

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

16.1 Information on revision of the SDS

Issue date 24-Jun-2015 07-Feb-2019 **Revision date**

Version #

Previous SDS number Not applicable. 16.2 List of references used in compiling the safety data sheet

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: Q2671A SDS RUSSIA

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: Q2671A SDS RUSSIA