



SAFETY DATA SHEET

1. Identification

| | | |
|--|---|--|
| Important information | *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. *** | |
| Product identifier | 3UB53Series | |
| Other means of identification | | |
| Synonyms | HP 2590 | |
| Recommended use of the chemical and restrictions on use | | |
| Recommended use | Inkjet printing | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | HP Singapore (Private) Limited 1 Depot Close Singapore, 109841 | |
| Telephone | 62753888 | |
| HP Inc. health effects line | | |
| (Toll-free within the US) | 1-800-457-4209 | |
| (Direct) | 1-760-710-0048 | |
| HP Inc. Customer Care Line | | |
| (Toll-free within the US) | 1-800-474-6836 | |
| (Direct) | 1-208-323-2551 | |
| Email: | hpcustomer.inquiries@hp.com | |

2. Hazards identification

| | | |
|------------------------------|--|------------|
| GHS classification | | |
| Physical hazards | Flammable liquids | Category 2 |
| Health hazards | Not classified. | |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard | Category 1 |
| | Hazardous to the aquatic environment, long-term hazard | Category 1 |

GHS label elements, including precautionary statements

Pictograms



| | |
|--------------------------|--|
| Signal word | Danger |
| Hazard statements | Highly flammable liquid and vapor. Very toxic to aquatic life with long lasting effects. |

Precautionary statement

| | |
|--|--|
| Prevention | Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Keep cool. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. |
| Response | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish. Collect spillage. |
| Storage | Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards which do not result in classification | Prolonged or repeated skin contact may cause drying, cracking, or irritation. |
| Supplemental information | None. |

3. Composition/information on ingredients

| Substance or mixture | Mixture | | |
|---|--------------------------|--------------|-------------------|
| Chemical name | Common name and synonyms | CAS Number | Concentration (%) |
| Ethyl Alcohol | | 64-17-5 | <90 |
| Ethyl Acetate | | 141-78-6 | <7.5 |
| Chromium, 1-[2-[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]diazanyl]-2-naphthalenol 1-[2-[2-hydroxy-4(or 5)-nitrophenyl]diazanyl]-2-naphthalenol Ammonium Sodium Complexes | | 1029600-34-7 | <6 |

4. First-aid measures

| | |
|---|---|
| Inhalation | Move person to fresh air immediately. If symptoms persist, get immediate medical attention. |
| Skin contact | In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. Get medical attention, if needed. |
| Eye contact | In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately. |
| Ingestion | Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately. |
| Most important symptoms/effects, acute and delayed | Not available. |
| Indication of immediate medical attention and special treatment needed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Suitable extinguishing media: sand, carbon dioxide (CO ₂) or dry chemical. |
| Unsuitable extinguishing media | Not available. |
| Specific hazards arising from the chemical | Not available. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do it without risk. |
| Special protective equipment and precautions for firefighters | Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid runoff into storm sewers and ditches which lead to waterways. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. |
| Methods and materials for containment and cleaning up | Not available. |

7. Handling and storage

| | |
|---|---|
| Precautions for safe handling | Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment. |
| Conditions for safe storage, including any incompatibilities | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. |

8. Exposure controls/personal protection

Occupational exposure limits

Singapore. PELs. (Workplace Safety and Health (Permissible Exposure Levels of Toxic Substances) Order)

| Components | Type | Value |
|------------------------------|------|------------------------|
| Ethyl Acetate (CAS 141-78-6) | TWA | 1440 mg/m3 400 ppm |
| Ethyl Alcohol (CAS 64-17-5) | TWA | 1880 mg/m3 1000 ppm |

Control parameters/Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Type | Value |
|------------------------------|------|----------|
| Ethyl Acetate (CAS 141-78-6) | TWA | 400 ppm |
| Ethyl Alcohol (CAS 64-17-5) | STEL | 1000 ppm |

Appropriate engineering control measures Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Recommended gloves: Nitrile 6 mil minimum thickness.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

General hygiene considerations Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing.
When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state Not available.

Form Liquid.

Color Black.

Odor Solvent.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point 37.4 °F (3.0 °C) Setafash Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

| | |
|------------|--------------------------|
| Viscosity | Not available. |
| Other data | |
| VOC | 745 g/l US EPA Method 24 |

10. Stability and reactivity

| | |
|------------------------------------|------------------------------|
| Reactivity | Not available. |
| Chemical stability | Stable at normal conditions. |
| Possibility of hazardous reactions | None known. |
| Conditions to avoid | Heat, flames and sparks. |
| Incompatible materials | Not available. |
| Hazardous decomposition products | Not available. |

11. Toxicological information

Information on likely routes of exposure

| | |
|--------------|---|
| Inhalation | Inhalation may result in mild irritation to the respiratory system. |
| Skin contact | Contact with skin may result in mild irritation. |
| Eye contact | Contact with eyes may result in mild irritation. |
| Ingestion | Ingestion is not a likely route of exposure. |

Acute toxicity Based on available data, the classification criteria are not met.

Symptoms Not available.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects Not available.

Other information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Aquatic toxicity Very toxic to aquatic life with long lasting effects.
Static acute toxicity (trout), survival (10 mg/L) = 0%.

Ecotoxicity

| Components | Species | | Test Results |
|-----------------------------|---------|---------|-----------------|
| Ethyl Alcohol (CAS 64-17-5) | | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia | 9268, 48 Hours |
| Fish | LC50 | Fish | 12900, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

| | |
|--|-------|
| Octanol/water partition coefficient log Kow | |
| Ethyl Acetate | 0.73 |
| Ethyl Alcohol | -0.31 |

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

| | |
|-------------------------------------|--|
| Disposal methods/information | Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor. |
| Special precautions | Not available. |

14. Transport information

DOT

| | |
|-------------------------------------|----------------|
| UN number | UN1210 |
| UN proper shipping name | Printing ink |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | II |
| Environmental hazards | |
| Marine pollutant | No |
| Special precautions for user | Not available. |

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

| | |
|-------------------------------------|----------------|
| UN number | UN1210 |
| UN proper shipping name | Printing ink |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | II |
| Environmental hazards | No. |
| Special precautions for user | Not available. |

IMDG

| | |
|-------------------------------------|----------------|
| UN number | UN1210 |
| UN proper shipping name | Printing ink |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | II |
| Transport hazard class(es) | |
| Marine pollutant | No. |
| EmS | Not available. |
| Special precautions for user | Not available. |

ADR

| | |
|-------------------------------------|----------------|
| UN number | UN1210 |
| UN proper shipping name | Printing ink |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Hazard No. (ADR) | Not available. |
| Tunnel restriction code | Not available. |
| Packing group | II |
| Environmental hazards | No. |
| Special precautions for user | Not available. |

ADR; IATA; IMDG





Further information Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.
 Not a marine pollutant or environmental hazard when shipping ≤ 5L containers.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Chemical Weapons Prohibition (Act)

Not applicable.

Controlled Narcotic Drugs (Misuse of Drugs Act, First Schedule, Part I, II & III)

Not regulated.

Controlled Specified Drugs (Misuse of Drugs Act, Fourth Schedule)

Not regulated.

Environmental Protection and Management (Hazardous Substances) Regulations

Not applicable.

Environmental Public Health Act

Not applicable.

Prior Informed Consent (PIC) Substances (Environment Protection and Management Act, 2nd Schedule, Part 1, Jul. 1, 2013)

Not regulated.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

References Not available.

Issued by

Company name

HP Inc.

Prepared by

HP Inc.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 17-Sep-2020

Revision date 22-Sep-2020

Key/legend Not applicable.

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |