

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Product identifier C6602R Other means of identification None.

Recommended use of the chemical and restrictions on use

Inkjet printing Recommended use **Recommended restrictions** None known

Manufacturer/Importer/Supplier/Distributor information

HP Singapore (Private) Limited

1 Depot Close Singapore, 109841

Telephone 62753888

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards identification

GHS classification

Physical hazards Not classified.

Health hazards Reproductive toxicity (fertility, the unborn Category 1B

Specific target organ toxicity, repeated

exposure

Environmental hazards Not classified.

GHS label elements, including precautionary statements

Pictograms

Signal word Danger

Hazard statements May damage fertility or the unborn child. May cause damage to organs (kidney) through

prolonged or repeated exposure.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection. Do not handle until all safety

precautions have been read and understood. Obtain special instructions before use. Do not

Category 2 (kidney)

breathe mist or vapor.

Get medical attention/advice if you feel unwell. IF exposed or concerned: Get medical Response

advice/attention.

Store locked up. **Storage**

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not

result in classification

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Material name: C6602R SDS SINGAPORE

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

3. Composition/information on ingredients

Substance or mixture

Mixture

Chemical name	Common name and synonyms	CAS Number	Concentration (%)
Water		7732-18-5	40-50
2-pyrrolidone		616-45-5	<30
Ethylene glycol		107-21-1	<30
Alkyldiol		Proprietary	<7.5
Acid Yellow 23 Tetramethylammonium Salt		Proprietary	<2.5

Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

4. First-aid measures

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Not available.

Indication of immediate medical attention and special

treatment needed

Not available.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

None known.

Specific hazards arising from

the chemical

Not available.

Special protective equipment and precautions for firefighters

Not available.

Specific methods

None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Environmental precautions

Methods and materials for
containment and cleaning up

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold.

Material name: C6602R SDS SINGAPORE

8. Exposure controls/personal protection

Occupational exposure limits

Singapore. PELs. (Workplace Safety and Health (Permissible Exposure Levels of Toxic Substances) Order)

Components **Type** Value

Ethylene glycol (CAS **STEL** 127 mg/m3

107-21-1)

50 ppm

Control parameters/Occupational exposure limits

US. ACGIH Threshold Limit Values

Form Components Type Value Ethylene glycol (CAS Ceiling 100 mg/m3 Aerosol. 107-21-1)

Exposure guidelines Exposure limits have not been established for this product.

Appropriate engineering

control measures

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Not available. Eye/face protection

Skin protection

Recommended gloves: Nitrile 4 mil minimum thickness. **Hand protection**

Use personal protective equipment to minimize exposure to skin and eye. Other

Respiratory protection Not available. Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

liquid **Appearance** Physical state Liquid.

Form Not available. Color Red, Magenta Odor Not available. **Odor threshold** Not available. 7 - 7.4

Not available. Melting point/freezing point Initial boiling point and boiling Not determined

range

338.0 - 347.0 °F (170.0 - 175.0 °C) Closed Cup EPA Method 1020 Flash point

Not determined **Evaporation rate** Not available. Flammability (solid, gas) Not determined Flammability limit - lower (%) Flammability limit - upper (%) Not available. Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not determined Vapor pressure Vapor density >= 1 (air = 1.0)

Solubility(ies)

Solubility (water) Soluble in water Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. >= 2 cp **Viscosity**

Other data

Oxidizing properties Not determined Percent volatile 25 % estimated

Material name: C6602R SDS SINGAPORE

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation may result in mild irritation to the respiratory system.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >2500 mg/kg (OECD 401).

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

<u>Acute</u>

Oral

LD50 Rat > 5000 mg/kg

Acid Yellow 23 Tetramethylammonium Salt

<u>Acute</u>

Dermal

LD50 Rabbit 2000 mg/kg

Oral

LD50 Rat 81 mg/kg

Chronic

Oral

NOAEL Rat 1 mg/kg

Ethylene glycol (CAS 107-21-1)

Acute

Dermal

LD50 Rabbit 9530 mg/kg

Inhalation

Aerosol

LC50 Rat > 2.5 mg/l, 6 Hours

Other

LD50 Rat 2800 mg/kg

Symptoms Not available.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation Not classified as an irritant according to, OECD 405.

Respiratory or skin sensitization

Respiratory sensitization
Skin sensitization
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.

Material name: C6602R SDS SINGAPORE

Reproductive toxicity May damage fertility or the unborn child.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity

Product		Species	Test Results	
C6602R				
Aquatic				
Acute				
Fish	LC50	Fathead minnow (Pimephales pro	Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours	
Components		Species	Test Results	
2-pyrrolidone (CAS 6	16-45-5)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
Acid Yellow 23 Tetran	methylammonium Sa	alt		
Aquatic				
Algae	IC50	Algae	<= 100 mg/l, 72 Hours	
Crustacea	EC50	Daphnia	30 mg/l, 48 Hours	
Fish	LC50	Fish	1000 mg/l, 96 Hours	

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85 Ethylene glycol -1.36

Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal methods/information Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

Special precautions Not available.

14. Transport information

DOT

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.

Material name: C6602R SDS SINGAPORE

UN proper shipping name

Transport hazard class(es)

Not Regulated Not available.

Class Subsidiary risk

Not available. Packing group

Environmental hazards None

Special precautions for user Not available.

IMDG

UN number Not available. Not Regulated **UN proper shipping name**

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

Not available. **UN** number **UN** proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available. Tunnel restriction code Not available. Not available. Packing group **Environmental hazards** None

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Chemical Weapons Prohibition (Act)

Not applicable.

Controlled Narcotic Drugs (Misuse of Drugs Act, First Schedule, Part I, II & III)

Not regulated.

Controlled Specified Drugs (Misuse of Drugs Act, Fourth Schedule)

Not regulated.

Environmental Protection and Management (Hazardous Substances) Regulations

Not applicable.

Environmental Public Health Act

Not applicable.

Prior Informed Consent (PIC) Substances (Environment Protection and Management Act, 2nd Schedule, Part 1, Jul. 1,

2013)

Not regulated.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Material name: C6602R SDS SINGAPORE 6/7

16. Other information

References Not available.

Issued by

Company name HP Inc.

Prepared by HP Inc.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

Issue date22-May-2015Revision date29-May-2020Key/legendNot applicable.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

compatible supplies in our recycling programs.

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C6602R SDS SINGAPORE