

# SAFETY DATA SHEET

# 1. Identification of the substance or mixture and of the supplier

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1 GHS product identifier

MLT-D709Series Not available.

1.2 Other means of

identification

1.3 Recommendations and restrictions on the use of substances or mixtures

**Recommended use** This product is a toner mixture that is used in printing systems.

Recommended restrictions Not available.

1.4 Supplier's details

HP Inc (Thailand) Ltd.

968 U Chu Liang Building, 3rd Floor, Rama IV Rd., Silom, Bangrak, BKK 10500

Bangkok, Bangkok, Thailand 10500

 Telephone
 66 2353 0888

 Main Fax
 66 2353 9555

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

## 2. Hazards identification

2.1 GHS classification of substance or mixture, and national or regional information

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

2.2 GHS label elements

Hazard symbol(s) None.
Signal word None.

Hazard statement(s) Not available.

Precautionary statement(s)

Not available.

2.3 Other hazards which do not result in GHS classification

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

# 3. Composition/information on ingredients

## 3.2 Mixture

Chemical identity	Common name and synonym	CAS number and other unique identifiers	Concentration or concentration range
Styrene acrylic resin		Proprietary	<85%
Wax		Proprietary	<10%
Amorphous silica	Amorphous silica	Proprietary	<5%

Material name: MLT-D709Series SDS THAILAND

14596 Version #: 04 Issue date: 18-Mar-2018 Revision date: 17-Oct-2020

Chemical identity

Common name and synonym

CAS number and other unique identifiers

Concentration or concentration range

Black Pigment\*

Proprietary\*

<5%

#### 4. First-aid measures

### 4.1 Description of first-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical

attention immediately

4.2 Most important

symptoms/effects, acute and delayed

Difficulty in breathing. Coughing.

4.3 Indication of immediate medical considerations and important specific treatment that should be performed

Treat symptomatically.

General advice Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

#### 5.1 Prohibited extinguishing media and suitable extinguishing media

Suitable extinguishing

media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Specific hazards arising

from chemicals

During fire, gases hazardous to health may be formed.

5.3 Special protective equipment and precautions for

equipment and precautions for fire-fighters

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards

No unusual fire or explosion hazards noted.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

## 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

Firefighters should wear full protective clothing including self contained breathing apparatus.

6.2 Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3 Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Other issues relating to spills and releases

Fine powder can form explosive dust-air mixtures. Take up mechanically and collect in suitable container for disposal. Dispose of in compliance with federal, state, and local regulations.

## 7. Handling and storage

7.1 Precautions for safe handling, use and storage

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### 8.1 Control parameters

Material name: MLT-D709Series SDS THAILAND

### Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Black Pigment	TWA	3 mg/m3	Inhalable fraction.
Wax	TWA	2 mg/m3	Fume.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

8.2 Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

8.3 Personal protective measures

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Rubber gloves are recommended. Wash hands after handling.

Other Protection suit must be worn.

No personal respiratory protective equipment required under normal conditions of use. Respiratory protection

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately

after handling the product.

# 9. Physical and chemical properties

Physical state Not available. **Form** Solid. Fine powder

Color Black. 9.2 Odor Odorless 9.3 Odor threshold limit Not available. 9.4 pH Not applicable

No information available 9.5 Melting point/freezing point

9.6 Initial boiling point and

boiling range

Not applicable

9.7 Flash point Not applicable 9.8 Evaporation rate Not available. Not available. 9.9 Flammability (solid, gas) 9.10 Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) 9.11 Vapor pressure Not applicable

9.12 Vapor density Not applicable

9.14 Solubility(ies)

Insoluble in water. Solubility (water)

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofurane

9.15 Partition coefficient:

n-octanol/water

Not available.

No data available 9.16 Auto-ignition temperature 9.17 Decomposition

temperature

> 392 °F (> 200 °C)

9.18 Viscosity Not applicable Not available. Other information

**Oxidizing properties** No information available.

Material name: MLT-D709Series SDS THAILAND 10. Stability and reactivity

**10.1 Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2 Chemical stability** Stable under normal storage conditions.

10.3 Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials

**10.5 Incompatible materials** This product may react with strong oxidizing agents.

10.6 Hazardous decomposition C

products

Carbon monoxide and carbon dioxide.

## 11. Toxicological information

# 11.1 Information on likely routes of exposure

**Inhalation** Dust may irritate respiratory system. Prolonged inhalation may be harmful.

**Skin contact** Dust or powder may irritate the skin.

**Eye contact** Dust may irritate the eyes.

**Ingestion** Expected to be a low ingestion hazard.

11.2 Symptoms related to physical, chemical and toxicological characteristics

Not available.

11.3 Delayed and immediate effects, including chronic effects from short- and long-term exposure

Not available.

#### 11.4 Numerical values of toxicity

Acute toxicity Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Components Species Test Results

**Black Pigment** 

Acute Oral

LD50 Rat > 10000 mg/kg

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

\_ .. . .. .. ..

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Negative Ames Test (Test strains: Salmonella typhimurium).

**Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

**ACGIH Carcinogens** 

Black Pigment (CAS Proprietary)

A3 Confirmed animal carcinogen with unknown relevance to

humans.

IARC. Monographs on the evaluation of carcinogenic risks to humans

Amorphous silica (CAS Proprietary) 3 Not classifiable as to carcinogenicity to humans.

Black Pigment (CAS Proprietary) 2B Possibly carcinogenic to humans.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Material name: MLT-D709Series SDS THAILAND

Specific target organ toxicity repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** 

**Further information** 

Based on available data, the classification criteria are not met.

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

# 12. Ecological information

12.1 Ecological toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2 Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3 Bioaccumulative potential Not available. 12.4 Mobility in soil Not available.

12.5 Other adverse effects This product has not been tested for ecological effects.

## 13. Disposal considerations

**Disposal instructions** 

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations

Waste from residues / unused

products

Not available. Not available.

Not available.

# Contaminated packaging 14. Transport information

# DOT

Not regulated as dangerous goods.

### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory information

Safety, health and environmental regulation/legislation specific for the substance or mixture

Hazardous substances in the work place (DLPW Notification Re: List of Hazardous Chemicals, Royal Gazette, Vol. 130 Part 185 Ngor, issued December 20, B.E.2556 (2013))

Not listed

Thailand. Explosive Substances & Precursors (Ministry of Defense Notification Re: Arms Subject to Imports License) Not regulated.

Thailand. Reportable Hazardous Substances (Notification of Ministry of Industry Re: Bases respecting report of quantity of hazardous materials under Department of Industrial Works, B.E. 2547)

Not regulated.

Material name: MLT-D709Series SDS THAILAND

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

## 16. Other information, including date of preparation or last revision

Issue date 18-Mar-2018
Revision date 17-Oct-2020

Version # 04

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

compatible supplies in our recycling programs.

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: MLT-D709Series SDS THAILAND