



# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
1 / 8

## 1. Identification of the substance/mixture and of the company/undertaking

**Important information** \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. \*\*\*

### 1.1. Substance/Mixture identifier

MLT-R116

**Other means of identification** None.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is an imaging drum that is used in LaserJet MFP M436n, LaserJet MFP M436nda series printers.

**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

HP Computer and Printing Technologies Limited Liability Company  
Saray Mahallesi Dr. Adan Buyukdeniz Caddesi No:4 Umraniye, Pt. 8th Floor  
Istanbul, TURKEY 34752

**Telephone** +90 212 224 5925

### HP Inc. health effects line

**(Toll-free within the US)** 1-800-457-4209

**(Direct)** 1-760-710-0048

### HP Inc. Customer Care Line

**(Toll-free within the US)** 1-800-474-6836

**(Direct)** 1-208-323-2551

**Email:** hpcustomer.inquiries@hp.com

### 1.4. Emergency Telephone Number

**National Poison** 114

**Information Center (UZEM)**

**Emergency Health** 112

**Services**

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

### 2.2. Label elements

**Labeling in accordance with Regulation 28848 regarding the Classification, Packaging and Labeling of Substances and Preparations 11/12/2013**

**Contains:** Black Pigment, Ceramic materials, Coating materials, Polyester resin

**Hazard pictograms** None.

**Signal word** None.

**Hazard statements** The mixture does not meet the criteria for classification.

### Precautionary statements

**Prevention** Not available.

**Response** Not available.

# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
2 / 8

<b>Storage</b>	Not available.
<b>Disposal</b>	Not available.
<b>2.3. Other hazards</b>	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
<b>Supplemental information</b>	None.

## 3. Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	Notes
Ceramic materials	<95	66402-68-4 266-340-9	
<b>Classification:</b>	-		
Polyester resin	<10	Trade Secret	
<b>Classification:</b>	-		
Coating materials	<3	Trade Secret	
<b>Classification:</b>	-		
Black Pigment	<1	Proprietary	
<b>Classification:</b>	-		

## 4. First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move person to fresh air immediately. If irritation persists, consult a physician.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
<b>Ingestion</b>	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

**4.2. Most important symptoms and effects, both acute and delayed** Difficulty in breathing. Coughing.

**4.3. Indication of any immediate medical attention and special treatment needed** Not available.

**General information** Not available.

## 5. Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	CO2, water, or dry chemical
<b>Unsuitable extinguishing media</b>	None known.

**5.2. Special hazards arising from the substance or mixture** Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear self-contained breathing apparatus and protective clothing. Wear full set of protective equipment including chemical goggles and gloves.

# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
3 / 8

---

<b>Special fire fighting procedures</b>	If fire occurs in the printer, treat as an electrical fire.
<b>Specific methods</b>	None established.
<b>General fire hazards</b>	Not available.

---

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Avoid inhalation of dust. Wash thoroughly after dealing with a spillage. See Section 8 of the SDS for Personal Protective Equipment. Ensure adequate ventilation.
<b>For emergency responders</b>	Not available.

**6.2. Environmental precautions** Not available.

**6.3. Methods and materials for containment and cleaning up** Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

**6.4. Reference to other sections** See Section 8 of the SDS for Personal Protective Equipment. See also section 13 Disposal considerations.

---

## 7. Handling and storage

<b>7.1. Precautions for safe handling</b>	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
<b>7.3. Specific end use(s)</b>	Not available.

---

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### US. ACGIH Threshold Limit Values Components

Type	Value	Form
TWA	3 mg/m3	Inhalable fraction.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Not available.

### 8.2. Exposure controls

**Appropriate engineering controls** Use in a well ventilated area.

#### Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

##### Skin protection

- **Hand protection** Rubber gloves are recommended. Wash hands after handling.

- **Other** Protection suit must be worn.

**Respiratory protection** No personal respiratory protective equipment required under normal conditions of use.

**Thermal hazards** Not available.

**Hygiene measures** Not available.

**Environmental exposure controls** Not available.

# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
4 / 8

---

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Fine powder
<b>Physical state</b>	Solid.
<b>Form</b>	solid
<b>Color</b>	Black.
<b>Odor</b>	Odorless
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not applicable
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash point</b>	Not applicable
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not flammable
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not applicable
<b>Vapor density</b>	Not applicable
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	> 392 °F (> 200 °C)
<b>Viscosity</b>	Not applicable
<b>Explosive properties</b>	Not available.
<b>Oxidizing properties</b>	No information available.
<b>9.2. Other information</b>	Not available.
<b>Percent volatile</b>	0 %
<b>Specific gravity</b>	4.4 g/ml

---

## 10. Stability and reactivity

<b>10.1. Reactivity</b>	Not available.
<b>10.2. Chemical stability</b>	Stable under normal storage conditions.
<b>10.3. Possibility of hazardous reactions</b>	Will occur.
<b>10.4. Conditions to avoid</b>	Heat, sparks, flames. Sunlight. Avoid dust close to ignition sources.
<b>10.5. Incompatible materials</b>	Strong oxidizers, Strong acids.
<b>10.6. Hazardous decomposition products</b>	Carbon monoxide and carbon dioxide.

---

## 11. Toxicological information

<b>General information</b>	Not available.
----------------------------	----------------

# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
5 / 8

## Information on likely routes of exposure

<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	Contact with skin may result in mild irritation.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Ingestion</b>	Ingestion is not a likely route of exposure.

**Symptoms** Not available.

## 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.  
LD50/oral/rat >5000 mg/kg

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Black Pigment		
<b><u>Acute</u></b>		
<b>Oral</b>		
LD50	Rat	> 10000 mg/kg
Ceramic materials (CAS 66402-68-4)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	> 2500 mg/kg
<b>Inhalation</b>		
LC50	Rat	> 2.3 mg/l, 4 Hours > 0.888 mg/l
<b>Oral</b>		
LD50	Rat	> 2000 mg/kg
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met. Not irritant in rabbit (OECD 404)	
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met. Not irritant in rabbit (OECD 405)	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Germ cell mutagenicity</b>	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.  Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.	
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Mixture versus substance information</b>	Not available.	

# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
6 / 8

**Other information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

## 12. Ecological information

**12.1. Toxicity** Not available.

Components	Species	Test Results
------------	---------	--------------

Ceramic materials (CAS 66402-68-4)

### Aquatic

#### Acute

Algae	ErC50	Algae	184.6 mg/l, 72 h
-------	-------	-------	------------------

Crustacea	EC50	Invertebrates (Invertebrates)	1.9 mg/l, 48 h
-----------	------	-------------------------------	----------------

Fish	LC50	Fish	457 mg/l, 96 h
------	------	------	----------------

#### Chronic

Fish	EC50	Fish	0.151 mg/l, 7 d
------	------	------	-----------------

	LC50	Fish	1.94 mg/l, 16 d
--	------	------	-----------------

**12.2. Persistence and degradability** Not available.

**12.3. Bioaccumulative potential** Not available.

**Partition coefficient n-octanol/water (log Kow)** Not available.

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** Not available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** This product has not been tested for ecological effects.

## 13. Disposal information

### 13.1. Waste treatment methods

**Residual waste** Not available.

**Contaminated packaging** Not available.

**Disposal methods/information** Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
7 / 8

## IMDG

Not regulated as dangerous goods.

## ADR

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### List of Priority Substances, By-Law on Inventory and Control of Chemicals, No 27092

Not listed.

#### Prohibited Chemicals at Work. Regulation on Protection of Health and Safety Measures from Risks related to Chemical Agents at Work, Annex III

Not listed.

**International regulations** The components of this product are reported in the following inventories: China.

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Montreal Protocol

Not applicable.

#### Kyoto protocol

Not applicable.

#### Basel Convention

Not applicable.

## 16. Other information

**References** Not available.

**Information on evaluation method leading to the classification of mixture** The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any H-statements not written out in full under Sections 2 to 15** None.

**Revision information** 1. Product and Company Identification: Alternate Trade Names

**Training information** Follow training instructions when handling this material.

**Compiler of the Safety Data Sheet** HP Inc.

**Competency certificate number** Not available.

**Competency certificate date** Not available.

# SAFETY DATA SHEET

Product name: MLT-R116

Revision number: 01  
Date of SDS: 02-May-2020

SDS TURKEY  
8 / 8

---

## Disclaimer

This [Material] Safety Data Sheet is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this (M)SDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds