



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

MATERIAL SAFETY DATA SHEET

Issued/Revised date :July, 30 2014

Document No. : HP140730001

1. Product and Company Identification

Product Identification :

Lithium-Ion Rechargeable Battery pack
Product information Reference to appendix
Made in China

Manufacturer :

Simple Technology Co., Ltd.

No.471, Sec.2, Pa Teh Rd., Hu Kou 303, Hsin Chu Hsien, Taiwan

Tel : +886-3-5695920 Fax : +886-3-5695931

Simple Technology (CHANGSHU) INC.

No.2 DongNan Avenue, ChangShu, JiangSu Province , China

Tel :+86-0512-52302255 Fax :+86- 0512-52302277

Simple Technology (CHONGQING) INC

NO.2 Zongbao Avenue, Shapingba District, Chongqing, China

Tel :023-61718899 Fax : 023-61710488

Huapu Technology(Changshu) Inc.

No.2 DongNan Avenue, ChangShu, JiangSu Province , China

Tel :+86-0512-52302255 Fax :+86- 0512-52302277

2. Hazards Identification

Primary routes of entry : Skin contact, Skin absorption; Eye contact, Inhalation and ingestion: No

Symptoms of exposure : Skin contact, No effect under routine handling and use.

Skin absorption : No effect under routine handling and use.

Eye contact : No effect under routine handling and use.

Inhalation : No effect under routine handling and use.

Reported as carcinogen : Not applicable

3. Composition / Identification on Ingredients

Substance : Lithium Ion Battery

CAS number : Reference 3-3

UN Class : Even classified as lithium batteries, they are exempted from dangerous goods.

UN-Recommendations on the Transport of Dangerous Goods Model Regulations.

* Lithium ion cells and batteries may be offered for transport if they meet the following :

* For cells, the Watt-hour rating should not be more than 20 Wh;

* For batteries, the Watt-hour rating should not be more than 100 Wh. The Watt-hour rating must be marked on the outside of the battery case .

* Each cell or battery of the type proved to meet the requirements of each test in the UN manual of tests and criteria, Part III, subsection 38.3.

* General requirements and additional requirements, Please see Section II or IB of Packing Instruction 965, 966, 967 accordingly or UN 3480 , UN3481.

Composition :



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

- 3-1. Cases: Plastic Not dangerous
- 3-2. Printed Circuit Board Assembly Not dangerous
- 3-3. Lithium Ion Cell :

| Hazardous Ingredients | % | CAS Number |
|--------------------------------|--------|------------|
| Aluminum Foil | 2-10 % | 7429-90-5 |
| Metal Oxide (proprietary) | 20-50% | N/A |
| Polyvinylidene Fluoride (PVDF) | <5 % | 24937-79-9 |
| Copper Foil | 20-10% | 7440-50-8 |
| Carbon (proprietary) | 10-30% | 7440-44-0 |

4. First Aid Measures

- Inhalation : Make the victim blow his/her nose, gargle. Seek medical attention if necessary.
- Skin contact : Remove contaminated clothes and shoes immediately. Wash extraneous matter or contact region with soap and plenty of water immediately.
- Eye contact : Do not rub one's eyes. Immediately flush eyes with water continuously for at least 15 minutes. Seek medical attention immediately.
- Ingestion : Make the victim vomit. When it is impossible or the feeling is not well after vomiting, seek medical attention.

5. Fire Fighting Measures

- Extinguishing Media : Use suitable extinguishing media.
- Firefighting Equipment : Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

6. Accidental Release Measures

- On Land : Place material into suitable containers and call local fire/police department.
- In Water : If possible, Remove from water and call local fire/police department.

7. Handling and Storage

- Handling : Do not expose the battery to excessive physical shock or vibration. Short-circuiting should be avoided. However, accidental short-circuiting for a few seconds will not seriously affect the battery. Prolonged short circuits will cause the battery to rapidly lose energy, could generate enough heat to burn skin. Sources of short circuits include jumbled batteries in bulk containers, coins, metal jewelry, metal covered tables, or metal belts used for assembly of batteries in devices. To minimize risk of short-circuiting, the protective case supplied with the battery should be used to cover the terminals when transporting or storing the battery. Do not disassemble or deform the battery. Should an individual cell within a battery become ruptured, do not allow contact with water.
- Storage : The lithium ion battery should be between 25% and 75% of full charge when stored for a long period of time. Store in a cool, dry, well ventilated area. And temperature above 100 Celsius degree can result in loss of battery performance, leakage, or rust. Do not expose the battery to open flames..

8. Exposure Controls / Personal Protection

- Engineering Controls : Keep away from heat and open flame. Store in a cool dry place
- Personal Protection :



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simple Technology Co., Ltd.
Simple Technology(Changshu)Inc.
Simple Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

Respirator : Not required during normal operations. SCBA required in the event of a fire.

Eye/Face Protection : Not required beyond safety practices of employer.

Gloves : Not required for handling of battery.

Foot Protection : Steel toed shoes recommended for large container handling.

9. Physical and Chemical Properties

| | |
|---------------------|-----------|
| State | Solid |
| Odor | N/A |
| PH | N/A |
| Vapor pressure | N/A |
| Vapor density | N/A |
| Boiling point | N/A |
| Solubility in water | Insoluble |
| Specific gravity | N/A |
| Density | N/A |

10. Stability and Reactivity

Reactivity : None

Incompatibilities : None during normal operation. Avoid exposure to heat, open flame, and corrosives.

Conditions to Avoid : Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

11. Toxicological Information

This product does not elicit toxicological properties during routine handling and use.

12. Ecological Information

Lithium ion battery pack can be disposable in accordance with appropriate federal, state and local regulations.

13. Disposal Consideration

Recommended methods for safe and environmentally preferred disposal:

Product(waste from residues)

Do not throw out a used battery cell. Recycle it through the recycling company.

Contaminated packaging

Neither a container nor packing is contaminated during normal use. When internal materials leaked from a battery cell contaminates, dispose as industrial wastes subject to special control.

14. Transport Information

Regulations specifically applicable to the product: International Air Transport Association (IATA) Dangerous Goods Regulations (55th Edition,2014).

Section IB or Section II of Packing Instruction 965 for Lithium Ion battery

Special Provisions A51, A88, A99, A154 , A164 and A183

Section II of Packing Instruction 966 for Lithium Ion battery packed with equipment

Special Provisions A88, A99, A154 , A164 , A181 and A185



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

Section II of Packing Instruction 967 for Lithium Ion battery contained in equipment
 Special Provisions A48, A99, A154 ,A164 , A181 and A185,
 UN 3480 (Lithium ion batteries) and UN3481 (Lithium ion batteries contained in equipment or
 Lithium ion batteries packed with equipment)
 US Department of Transportation (DOT) 49 code of Federal Regulations [USA]
 International Civil Aviation Organization (ICAO) Technical Instructions (2013-2014 Edition)
 Transport Regulations for Sea Transport IMDG Code (2012 Edition) Class 9 exemptions

Our products are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to all the applicable international and national governmental regulations, not limited to the above mentioned. We further certify that the enclosed products have been tested and fulfilled the requirements and conditions in accordance with UN Recommendations (T1 – T8) on the Transport of Dangerous Goods Model Regulations and the Manual of Testes and Criteria that can be treated as “Non-Dangerous Goods”.

Test results of the UN Recommendation on the Transport of Dangerous Goods

| No | Item | Result | Remark |
|----|------------------------|--------|---------------|
| 1 | Altitude simulation | PASS | |
| 2 | Thermal test | PASS | |
| 3 | Vibration | PASS | |
| 4 | Shock | PASS | |
| 5 | External short circuit | PASS | |
| 6 | Crush | PASS | |
| 7 | Overcharge | PASS | |
| 8 | Force discharge | N/A | For cell only |

15. Regulatory Information

Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria (ST/SG/AC.10/11/Rev.5)
 OSHA Hazard communication standard (29 CFR 1910.1200)

_____ Hazardous V Non-hazardous

16. Other Information

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation.
 This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.
 Chemical substances information: Japan Advanced Information center of Safety and Health International
 Chemical Safety Cards (ICSCs):
 International Occupational Safety and Health Information Centre (CIS)
 1999 TLVs and BEIs: American Conference of Governmental Industrial Hygienists (ACGIH)
 Wastes Disposal and Public Cleaning Law [Japan]
 Law for Promotion of Effective Utilization of resources [Japan]



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

17. Appendix

| Model name | SCQ PN | STC PN | HP PN | Description | Battery Agency# |
|------------|--------------------------|--------------------------|------------|------------------------|-----------------|
| OD06044XL | G96QA005H G96QA005HA | G96TA005H G96TA005HA | 698750-1C1 | Coslight- 2000mAh,3S2P | HSTNN-IB4F |
| | G96QA006H G96QA0096HA | G96TA006H G96TAS006HA | 698750-171 | ATL-1980mAh,3S2P | |
| AJ02021XL | G96QA001H G96QA001HA | G96TA001H G96TA001HA | 687518-1C1 | Coslight 2960mAh; 2S1P | HSTNN-IB3Y |
| | G96QA002H G96QA002HA | G96TA002H G96TA002HA | 687518-1B1 | Lishen 2960mAh; 2S1P | |
| AO02030XL | G96QA021H G96QA021HA | G96QA021H G96QA021HA | 728250-1C1 | Coslight 4100mah;2S1P | HSTNN-IB5O |
| | G96QA022H G96QA022HA | G96TA022H G96TA022HA | 728250-121 | LGC4100mah ;2S1P | |
| AR08075XL | 996Q2239H 996Q2239HA | 996T2239H 996T2239HA | 707614-121 | LGC 2800(C2) ; 4S2P | HSTNN-IB4H |
| | 996Q2238H 996Q2238HA | 996T2238H 996T2238HA | | LGC 2800(C3) ; 4S2P | |
| | 996Q2231H 996Q2231HA | 996T2231H 996T2231HA | 707614-141 | SDI-2800 (A) ; 4S2P | |
| | 996Q2235H 996Q2235HA | 996T2235H 996T2235HA | 707614-151 | Sanyo-2800 (ZT) ; 4S2P | |
| AR08083 | 996Q2243H 996Q2243HA | 996T2243H 996T2243HA | 707615-121 | LGC 2800(C2) ; 4S2P | HSTNN-IB4I |
| | 996Q2242H 996Q2242HA | 996Q2242H 996Q2242HA | | LGC 2800(C3) ; 4S2P | |
| | 996Q2232H 996Q2232HA | 996T2232H 996T2232HA | 707615-141 | SDI-2800 (A) ; 4S2P | |
| | 996Q2233H 996Q2233HA | 996T2233H 996T2233HA | 707615-151 | Sanyo-2800 (ZT) ; 4S2P | |
| AT02025XL | 996QA025H 996QA025HA | 996TA025H 996TA025HA | 685368-1C1 | Coslight 3380mAh; 2S1P | HSTNN-IB3U |
| | 996QA026H 996QA026HA | 996TA026H 996TA026HA | 685368-1B1 | Lishen 3380mAh;2S1P | |
| BL06042XL | 996QA054H 996QA054HA | 996TA054H 996TA054HA | 722236-171 | ATL1945mah/3S2P | HSTNN-IB5D |
| | 996QA055H 996QA055HA | 996TA055H 996TA055HA | 722236-1C1 | Coslight 1930mah/3S2P | |
| BO03032XL | 996QA066H 996QA066HA | 996TA066H 996TA066HA | 751895-1B1 | Lishen 2960/mAh/3S1P | HSTNN-IB6C |
| | 996QA067H 996QA067HA | 996TA067H 996TA067HA | 751895-1C1 | Coslight 2960/mAh/3S1P | |
| BO03037XL | 996QA077H 996QA077HA | 996TA077H 996TA077HA | 773836-1B1 | Lishen-3280mAh,3S2P | HSTNN-IB6P |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|-------------------------|-------------------------|------------|-------------------------|--------------|
| | 996QA078H 996QA078HA | 996TA078H 996TA078HA | 773836-1C1 | Coslight-3280mAh,3S2P | |
| BT04052XL | 996QA029H 996QA029HA | 996TA029H 996TA029HA | 687517-1C1 | Coslight 3550mAh;4S1P | HSTNN-IB3Z |
| | 996QA031H 996QA031HA | 996TA031H 996TA031HA | 687517-171 | ATL 3550mAh; 4S1P | |
| | 996QA062H 996QA062HA | 996TA062H 996TA062HA | 687517-121 | LGC 3550mAh; 4S1P | |
| BY02021 | G96QA027H G96QA027HA | G96TA027H G96TA027HA | | Coslight 2940mAh; 1S2P; | HSTNH-C12C-S |
| | G96QA028H G96QA028HA | G96TA028H G96TA028HA | | ATL 2940mAh; 1S2P | |
| CA03033 | 996Q2253H 996Q2253HA | 996T2253H 996T2253HA | 718675-121 | LGC/3000mAh/3S/1P | HSTNN-IB4W |
| | 996Q2252H 996Q2252HA | 996T2252H 996T2252HA | 718675-141 | SDI/2950 mAh/3S/1P | |
| CA06055 | 996Q2254H 996Q2254HA | 996T2254H 996T2254HA | 718676-141 | SDI 2600mAh;3S2P | HSTNN-IB4X |
| | 996Q2251H 996Q2251HA | 996T2251H 996T2251HA | 718676-121 | LG 2600mAh; 3S2P | |
| CA06055XL | 996Q2249H 996Q2249HA | 996T2249 996T2249HA | 718677-141 | SDI 2800mAh;3S2P | HSTNN-IB4Y |
| | 996Q2255H 996Q2255HA | 996T2255H 996T2255HA | | LGC 2800 C3mAh;3S2P | |
| | 996Q2248H 996Q2248HA | 996T2248H 996T2248HA | 718677-121 | LGC 2800 C2mAh;3S2 | |
| CM03050XL | 996QA048H 996QA048HA | 996TA048H 996TA048HA | 716724-1C1 | Coslight 4520mAh;3S1P | HSTNN-IB4R |
| | 996QA049H 996QA049HA | 996TA049H 996TA049HA | 716724-1C1 | ATL 4520mAh;3S1P | |
| | 996Q2245H 996Q2245HA | 996T2245H 996T2245HA | 716724-141 | SDI 4452mAh;3S1P | |
| DA02021XL | 996QA040H 996QA040HA | 996TA040H 996TA040HA | 694399-1C1 | Coslight 2960mAh; 2S1P | HSTNN-IB4C |
| | 996QA042H 996QA042HA | 996TA042H 996TA042HA | 694399-1B1 | Lishen 2960mAh;2S1P | |
| DW02025XL | 996QA038H 996QA038HA | 996TA038H 996TA038HA | 694398-1C1 | Coslight 3380mAh; 1S2P | HSTNN-IB4B |
| | 996QA036H 996QA036HA | 996TA036H 996TA036HA | 694398-1B1 | Lishen 3380mAh; 1S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|-------------------------|-------------------------|------------|--------------------------------------|------------|
| EG04060XL | 996QA023H 996QA023HA | 996TA023H 996TA023HA | 681881-171 | ATL 4050mAh;4S1P | HSTNN-IB3T |
| | 996QA024H 996QA024HA | 996TA024H 996TA024HA | 681881-1B1 | Lishen 4050mAh;4S1P | |
| | 996QA044H 996QA044HA | 996TA044H 996TA044HA | 681881-121 | LGC 4050mAh;4S1P | |
| EL04052XL | 996QA021H 996QA021HA | 996TA021H 996TA021HA | 681879-171 | ATL 3550mAh; 4S1P | HSTNN-IB3R |
| | 996QA022H 996QA022HA | 996TA022H 996TA022HA | 681879-1C1 | Coslight 3550mAh; 4S1P | |
| | 996QA043H 996QA043HA | 996TA043H 996TA043HA | 681879-121 | LGC 3550mAh; 4S1P | |
| FP06047 | 996Q2229H 996Q2229HA | 996T2229H 996T2229HA | 707616-141 | SDI-2200(F)mAh; 3S2P | HSTNN-IB4J |
| | 996Q2256H 996Q2256HA | 996T2229H 996T2229HA | 707616-142 | SDI-2200(FM)mAh; 3S2P | |
| | 996Q2234H 996Q2234HA | 996T2234H 996T2234HA | 707616-151 | SANYO 2200 (AY) mAh;3S2P日本廠 | |
| | 996Q2275H 996Q2275HA | 996T2275H 996T2275HA | 707616-152 | SANYO 2200 (AY) mAh;3S2P蘇州廠 | |
| FP06051XL | 996Q2276H 996Q2276HA | 996T2276H 996T2276HA | 757435-141 | SDI2600mAh; 3S2P | HSTNN-IB6M |
| HD04045XL | 996QA028H 996QA028HA | 996TA028H 996TA028HA | 685866-1B1 | Lishen 3050mAh; 4S1P | HSTNN-IB3V |
| | 996QA027H 996QA027HA | 996TA027H 996TA027HA | 685866-171 | Lishen 3050mAh; 4S1P | |
| JN04041 | 996Q2118H 996Q2118HA | 996T2118H 996T2118HA | 633731-141 | SDI-2800 (A)mAh ; 4S1P | HSTNN-IB2U |
| | 996Q2154H 996Q2154HA | 996T2154H 996T2154H | | SDI-2800 (A)mAh ; 4S1P | |
| | 996Q2119H 996Q2119HA | 996T2119H 996T2119HA | 633731-151 | Sanyo-2800 (ZT)mAh ; 4S1P | |
| JN06062 | 996Q2121H 996Q2121HA | 996T2121H 996T2121HA | 633732-141 | SDI-2800 (A)mAh ; 3S2P | HSTNN-IB2V |
| | 996Q2153H 996Q2153HA | 996T2153H 996T2153HA | 633732-141 | SDI-2800 (A)mAh ; 3S2 ,Maxim17892 | |
| | 996Q2122H 996Q2122HA | 996T2122H 996T2122HA | 633732-151 | Sanyo-2800 (ZT)mAh ; 3S2P | |
| KK04029XL | 996QA068H 996QA068HA | 996TA068H 996TA068HA | 753329-1C1 | Coslight 2000mAh; 2S2P | HSTNN-IB6E |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|--------------------|-------------------------|-------------------------|------------|------------------------------|------------|
| | 996QA069H 996QA069HA | 996TA069H 996TA069HA | 753329-171 | ATL1980mAh; 2S2P | |
| KP06066 | 996Q2278H 996Q2278HA | 996T2278H 996T2278HA | 759916-121 | LGC 3000mAh; 3S2P | HSTNN-IB6N |
| KT02025XL | 996QA070H 996QA070HA | 996TA070H 996TA070HA | 753330-1C1 | Coslight 3380mAh; 2S1P | HSTNN-IB6F |
| | 996QA072H 996QA072HA | 996TA072H 996TA072HA | 753330-1B1 | Lishen 3380mAh;2S1P | |
| LA04041 | 996Q2261H 996Q2261HA | 996T2261H 996T2261HA | 728248-121 | LGC-2800(C2)mAh;4S1P | HSTNN-IB5M |
| | 996Q2262H 996Q2262HA | 996T2262H 996T2262HA | 728248-141 | SDI-2800(A)mAh;4S1P | |
| LA04041DF (咬花版) | 996Q2273H 996Q2273HA | 996T2273H 996T2273HA | 751906-121 | LGC-2800(C2)mAh;4S1P | HSTNN-IB5M |
| | 996Q2274H 996Q2274HA | 996T2274H 996T2274HA | 751906-141 | SDI-2800(A)mAh;4S1P | |
| MA02025XL | G96QA007H G96QA007HA | G96TA007H G96TA007HA | 721895-1C1 | Coslight 3380mAh; 2S1P | HSTNN-IB5B |
| | G96QA008H G96QA008HA | G96TA008H G96TA008HA | 721895-1C1 | LGC 3380mAh;2S1P | |
| HP MC 96 | A96Q2004H A96Q2004HA | A96T2004H A96T2004HA | 727260-001 | LGC-1500(B2)mAh; 2S1P | HSTNN-IS6A |
| HP MFC 12 | A96QA002H A96QA002HA | A96TA002H A96TA002HA | 727263-001 | Coslight-550mAh; 2S1P | HSTNN-IS6D |
| MO06062 | 996Q2205H 996Q2205HA | 996T2205H 996T2205HA | 671567-141 | SDI-2800 (A) mAh; 3S2P | HSTNN-IB3N |
| | 996Q2206H 996Q2206HA | 996T2206H 996T2206HA | 671567-121 | LGC-2800 (C2)mAh ; 3S2P | |
| | 996Q2207H 996Q2207HA | 996T2207H 996T2207HA | 671567-151 | Sanyo-2800 (ZT)mAh ; 3S2P | |
| MR03028 | 996Q2264H 996Q2264HA | 996T2264H 996T2264HA | 740005-121 | LGC-2600 (B4)mAh; 3S1P | HSTNN-IB5T |
| | 996Q2263H 996Q2263HA | 996T2263H 996T2263HA | 740005-141 | SDI-2600(H)mAh;3S1P | |
| MS06055XL | 996Q2045H 996Q2045HA | 996T2045H 996T2045HA | 586595-141 | SDI-2800 (A)mAh ; 3S2P | HSTNN-IB0V |
| | 996Q2047H 996Q2047HA | 996T2047H 996T2047HA | 586595-121 | LGC-2800 (C1)mAh ; 3S2P | |
| | 996Q2086H 996Q2086HA | 996T2086H 996T2086HA | 586595-122 | LGC-2800 (C2)mAh ; 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|---------|-------------------------|-------------------------|------------|---|------------|
| MS06062 | 996Q2017H 996Q2017HA | 996T2017H 996T2017HA | 581191-141 | SDI-2800 (A)mAh; 3S2P | HSTNN-IB0R |
| | 996Q2018H 996Q2018HA | 996T2018H 996T2018HA | 581191-121 | LGC-2800 (C1)mAh ; 3S2P | |
| | 996Q2085H 996Q2085HA | 996T2085H 996T2085HA | 581191-122 | LGC-2800 (C2)mAh ; 3S2P | |
| MU06047 | 996Q2021H 996Q2021HA | 996T2021H 996T2021HA | 586007-121 | LGC-2200(S3) ; 3S2P | HSTNN-IB0W |
| | 996Q2158H 996Q2158HA | 996T2158H 996T2158HA | 586007-122 | LGC-2200(S3) ; 3S2P ; new connector | |
| | 996Q2019H 996Q2019HA | 996T2019H 996T2019HA | 586007-1A1 | BAK-2200 (C4); 3S2P | |
| | 996Q2163H 996Q2163HA | 996T2163H 996T2163HA | 586007-1A2 | BAK-2200 (C4); 3S2P ; new connector | |
| | 996Q2183H 996Q2183HA | 996T2183H 996T2183HA | 586007-1A3 | BAK-2250 (CA) ; 3S2P ; new connector | |
| | 996Q2022H 996Q2022HA | 996T2022H 996T2022HA | 586007-161 | Sony-2200 (G6F) ; 3S2P | |
| | 996Q2159H 996Q2159HA | 996T2159H 996T2159HA | 586007-163 | Sony-2200 (G6F) ; 3S2P ; new connector | |
| | 996Q2023H 996Q2023HA | 996T2023H 996T2023HA | 586007-141 | SDI-2200 (F) ; 3S2P | |
| | 996Q2161H 996Q2161HA | 996T2161H 996T2161HA | 586007-142 | SDI-2200 (F) ; 3S2P ; new connector | |
| | 996Q2258H 996Q2258HA | 996T2258H 996T2258HA | 586007-143 | SDI-2200(FM);3S2P | |
| | 996Q2102H 996Q2102HA | 996T2102H 996T2102HA | 586007-151 | Sanyo-2200 (A) ; 3S2P | |
| | 996Q2162H 996Q2162HA | 996T2162H 996T2162HA | 586007-152 | Sanyo-2200 (A) ; 3S2P ; new connector | |
| | 996Q2197H 996Q2197HA | 996T2197H 996T2197HA | 586007-153 | Sanyo-2200 (AY) ; 3S2P | |
| | 996Q2061H 996Q2061HA | 996T2061H 996T2061HA | | SDI-2200 (F) ; 3S2P; Maxim 1789 IC | |
| MU06062 | 996Q2026H 996Q2026HA | 996T2026H 996T2026HA | 586028-141 | SDI-2800 (A) ; 3S2P | HSTNN-IB0Y |
| | 996Q2169H 996Q2169HA | 996T2169H 996T2169HA | 586028-142 | SDI-2800 (A) ; 3S2P ; new connector | |
| | 996Q2027H 996Q2027HA | 996T2027H 996T2027HA | 586028-121 | LGC-2800 (C1) ; 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|-------------------------|-------------------------|------------|---|------------|
| | 996Q2083H 996Q2083HA | 996T2083H 996T2083HA | 586028-122 | LGC-2800 (C2) ; 3S2P | |
| | 996Q2171H 996Q2171HA | 996T2171H 996T2171HA | 586028-123 | LGC-2800 (C2) ; 3S2P ; new connector | |
| | 996Q2073H 996Q2073HA | 996T2073H 996T2073HA | 586028-151 | Sanyo-2800 (ZT) ; 3S2P | |
| | 996Q2172H 996Q2172HA | 996T2172H 996T2172HA | 586028-152 | Sanyo-2800 (ZT) ; 3S2P ; new connector | |
| MU09083XL | 996Q2131H 996Q2131HA | 996T2131H 996T2131HA | 593015-141 | SDI-2800 (A) ; 3S3P ; LED | HSTNN-IB1G |
| | 996Q2175H 996Q2175HA | 996T2175H 996T2175HA | 593015-142 | SDI-2800 (A) ; 3S3P ; LED ; new connector | |
| | 996Q2125H 996Q2125HA | 996T2125H 996T2125HA | 593015-121 | LGC-2800 (C2) ; 3S3P ; LED | |
| | 996Q2176H 996Q2176HA | 996T2176H 996T2176HA | 593015-122 | LGC-2800 (C2) ; 3S3P ; LED ; new connector | |
| MU09100 | 996Q2151H 996Q2151HA | 996T2151H 996T2151HA | 633216-141 | SDI-3000 (A) ; 3S3P ; LED | HSTNN-IB2W |
| | 996Q2149H 996Q2149HA | 996T2149H 996T2149HA | 633216-151 | Sanyo-3000 (ZTA) ; 3S3P ; LED | |
| MY02021X | G96QA009H G96QA009HA | G96TA009H G96TA009HA | 721896-1C1 | Coslight 2960mAh;2S1P | HSTNN-IB5C |
| | G96QA010H G96QA010HA | G96TA010H G96TA010HA | 721896-1B1 | Lishen 2960mAh;2S1 | |
| OA03031 | 996Q2271H 996Q2271HA | 996T2271H 996T2271HA | 746458-14 | SDI-2800(A);3S1P | HSTNN-IB5Y |
| | 996Q2272H 996Q2272HA | 996T2272H 996T2272HA | 746458-121 | LGC-2800(C2);3S1P | |
| OA04041 | 996Q2265H 996Q2265HA | 996T2265H 996T2265HA | 740004-141 | SDI-2800(A);4S1P | HSTNN-IB5S |
| | 996Q2266H 996Q2266HA | 996T2266H 996T2266HA | 740004-121 | LGC-2800(C2);4S1P | |
| OS06046 | 996QA000F 996QA000FA | 996TA000F 996TA000FA | 436425-181 | SKC405497 2.1; 3S2P | HSTNN-IB43 |
| | 996QA010F 996QA010FA | 996TA010F 996TA010FA | 436425-171 | ATL 2000mAh; 3S2P | |
| | 996QA020F 996QA020FA | 996TA020F 996TA020FA | 436425-172 | ATL 2000mAh; 3S2P | |
| | 996QA020H 996QA020HA | 996TA020H 996TA020HA | 436425-173 | ATL 2000mAh; 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|-------------------------|-------------------------|------------|------------------------|------------|
| | 996QA006H 996QA006HA | 996TA006H 996TA006HA | 436425-173 | ATL 2000mAh; 3S2P | |
| OT06039XL | 996Q2185H 996Q2185HA | 996T2185H 996T2185HA | 586596-141 | SDI-2000mAh ; 3S2P | HSTNN-IB3E |
| OT06044 | 996Q2184H 996Q2184HA | 996T2184H 996T2184HA | 436426-141 | SDI-2000mAh ; 3S2P | HSTNN-IB3D |
| PH06047 | 996Q2034H 996Q2034HA | 996T2034H 996T2034HA | 587706-121 | LGC-2200(S3) ; 3S2P | HSTNN-IB1A |
| | 996Q2035H 996Q2035HA | 996T2035H 996T2035HA | 587706-131 | Pana-2200 ; 3S2P | |
| PR06047 | 996Q2123H 996Q2123HA | 996T2123H 996T2123HA | 633733-141 | SDI-2200 (F) ; 3S2P | HSTNN-IB2R |
| | 996Q2152H 996Q2152HA | 996T2152H 996T2152HA | 637332-1A1 | BAK-2200 (C4); 3S2P | |
| | 996Q2124H 996Q2124HA | 996T2124H 996T2124HA | 633733-151 | Sanyo-2200 (A) ; 3S2P | |
| | 996Q2259H 996Q2259HA | 996T2259H 996T2259HA | 633733-142 | SDI-2200(FM);3S2P | |
| | 996Q2198H 996Q2198HA | 996T2198H 996T2198HA | 633733-152 | Sanyo-2200 (AY) ; 3S2P | |
| PR08073 | 996Q2126H 996Q2126HA | 996T2126H 996T2126HA | 633734-141 | SDI-2550 (F) ; 4S2P | HSTNN-IB2S |
| | 996Q2218H 996Q2218HA | 996T2218H 996T2218HA | 633734-142 | SDI-2550 (H) ; 4S2P | |
| | 996Q2127H 996Q2127HA | 996T2127H 996T2127HA | 633734-151 | Sanyo-2550 (FM) ; 4S2P | |
| | 996Q2212H 996Q2212HA | 996T2212H 996T2212HA | 633734-152 | Sanyo-2550 (ZY) ; 4S2P | |
| PR09093 | 996Q2236H 996Q2236HA | 996T2236H 996T2236HA | 633735-121 | LGC-2800 (C2)3S3P | HSTNN-IB2T |
| | 996Q2237H 996Q2237HA | 996T2237H 996T2237HA | 633735-141 | SDI-2800 (A)3S3P | |
| PW04048XL | 996QA035H 996QA035HA | 996TA035H 996TA035HA | 697231-171 | ATL 3270mAh; 4S1P | HSTNN-IBPW |
| PX03050XL | 996QA045H 996QA045HA | 996TA045H 996TA045HA | 714762-1C1 | Coslight 4520mAh, 3S1P | HSTNN-IB4P |
| | 996Q2244H 996Q2244HA | 996T2244H 996T2244HA | 714762-141 | SDI 4520mAh, 3S1 | |
| | 996QA047 996QA047HA | 996TA047H 996TA047HA | 714762-171 | ATL 4520mAh, 3S1 | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|-------------------------|-------------------------|------------|------------------------|------------|
| RA04040XL | 996Q2269H 996Q2269HA | 996T2269H 996T2269HA | 745416-121 | LGC-2800 (D1) 4S1P | HSTNN-IB5X |
| RA04044 | 996Q2227H 996Q2227HA | 996T2227H 996T2227HA | 707618-121 | LGC-3000 (D1) 4S1P | HSTNN-IB4L |
| | 996Q2228H 996Q2228HA | 996T2228H 996T2228HA | 707618-141 | SDI-3000 (A) ; 4S1P | |
| SB03026XL | 996QA053H 996QA053HA | 996TA053H 996TA053HA | 716725-171 | ATL 2500mah; 3S1P | HSTNN-IB4S |
| | 996QA052H 996QA052HA | 996TA052H 996TA052HA | 716725-1C1 | Coslight 2500mah; 3S1P | |
| SB03046XL | 996QA051H 996QA051HA | 996TA051H 996TA051HA | 716726-171 | ATL 4150mah; 3S1P | HSTNN-IB4T |
| | 996QA050H 996QA050HA | 996TA050H 996TA050HA | 716726-1C1 | Coslight 4150mah; 3S1P | |
| SM03050 | 996QA073H 996QA073HA | 996TA073H 996TA073HA | 766802-1C1 | Coslight-4300mAh,3S1P | HSTNN-IB6O |
| | 996QA074H 996QA074HA | 996TA074H 996TA074HA | 766802-121 | LGC-4300mAh,3S1P | |
| TD06055 | 996Q3240F 996Q3240FA | 996T3240F 996T3240FA | 463310-141 | SDI-2550(C) ; 3S2P | HSTNN-IB69 |
| | 996Q4100F 996Q4100FA | 996T4100F 996T4100FA | 463310-142 | SDI-2550(C) ; 3S2P | |
| | 996Q2009F 996Q2009FA | 996T2009F 996T2009FA | 463310-143 | SDI-2550(C) ; 3S2P | |
| | 996Q2009H 996Q2009HA | 996T2009H 996T2009HA | 463310-144 | SDI-2550(C) ; 3S2P | |
| | 996Q2044H 996Q2044HA | 996T2044H 996T2044HA | 463310-145 | SDI-2550(C) ; 3S2P | |
| | 996Q3250F 996Q3250FA | 996T3250F 996T3250FA | 463310-121 | LGC-2550(B3) ; 3S2P | |
| | 996Q4120F 996Q4120FA | 996T4120F 996T4120FA | 463310-122 | LGC-2550(B3) ; 3S2P | |
| | 996Q2012F 996Q2012FA | 996T2012F 996T2012FA | 463310-123 | LGC-2550(B3) ; 3S2P | |
| | 996Q2012H 996Q2012HA | 996T2012H 996T2012HA | 463310-124 | LGC-2550(B3) ; 3S2P | |
| | 996Q2139H 996Q2139HA | 996T2139H 996T2139HA | 463310-125 | LGC-2550(B3) ; 3S2P | |
| | 996Q3570F 996Q3570FA | 996T3570F 996T3570FA | 463310-131 | Pana-2550 (EA); 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|--------------|-------------------------|-------------------------|------------|-----------------------|------------|
| | 996Q4110F 996Q4110FA | 996T4110F 996T4110FA | 463310-132 | Pana-2550 (EA); 3S2P | |
| | 996Q2011F 996Q2011FA | 996T2011F 996T2011FA | 463310-133 | Pana-2550 (EA); 3S2P | |
| | 996Q2011H 996Q2011HA | 996T2011H 996T2011HA | 463310-134 | Pana-2550 (EA); 3S2P | |
| TG03032XL | G96QA015H G96QA015HA | G96TA015H G96TA015HA | 723921-1B1 | Lishen 2960mAh;3S1P | HSTNN-IB5F |
| | G96QA014H G96QA014HA | G96TA014H G96TA014HA | 723921-1C1 | Coslight2960mAh;3S1P | |
| TP02018XL | G96QA025H G96QA025HA | G96TA025H G96TA025HA | | Coslight 2400mAh;2S1P | HSTNN-IB5U |
| | G96QA026H G96QA026HA | G96TA026H G96TA026HA | 741348-171 | ATL 2400mAh;2S1P | |
| TR03033XL | G96QA016H G96QA016HA | G96TA016H G96TA016HA | 723922-171 | ATL 3050mAh; 3S1P | HSTNN-IB5G |
| | G96QA013H G96QA013HA | G96TA013H G96TA013HA | 723922-1B1 | Lishen 3050mAh; 3S1P | |
| VH08075XL | 996Q2115H 996Q2115HA | 996T2115H 996T2115HA | 632114-141 | SDI 2800mAh; 4S2P | HSTNN-IB2Q |
| | 996Q2113H 996Q2113HA | 996T2113H 996T2113HA | 632114-151 | SANYO 2800mAh; 4S2P | |
| VH08083 | 996Q2112H 996Q2112HA | 996T2112H 996T2112HA | 632113-141 | SDI 2800mAh; 4S2P | HSTNN-IB2P |
| | 996Q2114H 996Q2114HA | 996T2114H 996T2114HA | 632113-151 | SANYO 2800mAh; 4S2P | |
| WR03032XL-P | G96QA019H G96QA019HA | G96TA019H G96TA019HA | 725497-1C1 | Coslight 2960mAh;3S1P | HSTNN-IB5J |
| | G96QA018H G96QA018HA | G96TA018H G96TA018HA | 725497-1B1 | Lishen 2960mAh;3S1P | |
| WO03033XL-PL | G96QA017H G96QA017HA | G96TA017H G96TA017HA | 725496-171 | ATL 3050mAh;3S1P | HSTNN-IB5I |
| | G96QA020H G96QA020HA | G96TA020H G96TA020HA | 725496-1B1 | Lishen 3050mAh;3S1P | |
| ZZ06047 | 996Q4360F 996Q4260FA | 996T4360F 996T4360FA | 513129-121 | LGC-2200(S3) ; 3S2P | HSTNN-IB88 |
| | 996Q4360H 996Q4360HA | 996T4360H 996T4360HA | | | |
| | 996Q4370F 996Q4370FA | 996T4370F 996T4370FA | 513129-141 | SDI-2200(F) ; 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simple Technology Co., Ltd.
 Simple Technology(Changshu)Inc.
 Simple Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|---------|-------------------------|-------------------------|------------|-----------------------|------------|
| | 996Q4370H 996Q4370HA | 996T4370H 996T4370HA | | | |
| | 996Q4380F 996Q4380FA | 996T4380F 996T4380FA | 513129-161 | Sony-2200(G6F) ; 3S2P | |
| | 996Q4380H 996Q4380HA | 996T4380H 996T4380HA | | | |
| ZZ08063 | 996Q4350F 996Q4350FA | 996T4350F 996T4350FA | 513130-161 | Sony-2200(G6F) ; 4S2P | HSTNN-IB89 |
| | 996Q4350H 996Q4350HA | 996T4350H 996T4350HA | | | |
| | 996Q4400F 996Q4400FA | 996T4400F 996T4400FA | 513130-141 | SDI-2200(F) ; 4S2P | |
| | 996Q4400H 996Q4400HA | 996T4400H 996T4400HA | | | |
| ZZ08073 | 996Q2049H 996Q2049HA | 996T2049H 996T2049HA | 591998-141 | SDI-2550(F) ; 4S2P | HSTNN-IB1D |
| | 996Q2053H 996Q2053HA | 996T2053H 996T2053HA | 591998-121 | LGC-2550(B3); 4S2P | |
| | 996Q2141H 996Q2141HA | 996T2141H 996T2141HA | 591998-122 | LGC-2550(B4); 4S2P | |