



新普科技股份有限公司  
新世電子(常熟)有限公司  
新普科技(重慶)有限公司  
華普電子(常熟)有限公司  
Simplo Technology Co., Ltd.  
Simplo Technology(Changshu)Inc.  
Simplo Technology(Chongqing)Inc.  
Huapu Technology(Changshu)Inc.

# MATERIAL SAFETY DATA SHEET

Issued/Revised date :April 06 2016

Document No. : HP16040601

## 1. Product and Company Identification

Product Identification :

Lithium-Ion Rechargeable Battery pack

Product information Reference to appendix 17

Made in China

Manufacturer :

Simplo Technology Co., Ltd.

No.471, Sec.2, Pa Teh Rd., Hu Kou 303, Hsin Chu Hsien, Taiwan

Tel : +886-3-5695920 Fax : +886-3-5695931

Simplo Technology (CHANGSHU) INC.

No.2 DongNan Avenue, ChangShu, JiangSu Province , China

Tel :+86-0512-52302255 Fax :+86- 0512-52302277

Simplo Technology (CHONGQING) INC

NO.2 Zongbao Avenue, Shapingba District, Chongqing, China

Tel :023-61718899 Fax : 023-61710488

Huapu Technology(Changshu) Inc.

No.2 DongNan Avenue, ChangShu, JiangSu Province , China

Tel :+86-0512-52302255 Fax :+86- 0512-52302277

## 2. Hazards Identification

Primary routes of entry : Skin contact, Skin absorption; Eye contact, Inhalation and ingestion: No

Symptoms of exposure : Skin contact, No effect under routine handling and use.

Skin absorption : No effect under routine handling and use.

Eye contact : No effect under routine handling and use.

Inhalation : No effect under routine handling and use.

Reported as carcinogen : Not applicable

## 3. Composition / Identification on Ingredients

Substance : Lithium Ion Battery

CAS number : Reference 3-3

UN Class : Even classified as lithium batteries, they are exempted from dangerous goods.

UN-Recommendations on the Transport of Dangerous Goods Model Regulations.

\* Lithium ion cells and batteries may be offered for transport if they meet the following :

\* For cells, the Watt-hour rating should not be more than 20 Wh;

\* For batteries, the Watt-hour rating should not be more than 100 Wh. The Watt-hour rating must be marked on the outside of the battery case .

\* Each cell or battery of the type proved to meet the requirements of each test in the UN manual of tests and criteria, Part III, subsection 38.3.

\* General requirements and additional requirements, Please see Section II or IB of Packing Instruction 965, 966, 967 accordingly or UN 3480 , UN3481.

Composition :

3-1. Cases: Plastic

Not dangerous



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

- 3-2. Printed Circuit Board Assembly                      Not dangerous
- 3-3. Lithium Ion Cell :

Hazardous Ingredients	%	CAS Number
Cobalt oxide	< 30 %	1307-96-6
Manganese dioxide	< 30 %	1313-13-9
Nickel oxide	< 30 %	1313-99-1
Carbon	< 30 %	7440-44-0
Electrolyte	< 20 %	N/A
Polyvinylidene fluoride (PVdF)	< 10 %	24937-79-9
Aluminium foil	2 - 10 %	7429-90-5
Copper foil	2 - 10 %	7440-50-8
Aluminium and inert materials	5 - 10 %	N/A

**4. First Aid Measures**

- Inhalation : Make the victim blow his/her nose, gargle. Seek medical attention if necessary.
- Skin contact : Remove contaminated clothes and shoes immediately. Wash extraneous matter or contact region with soap and plenty of water immediately.
- Eye contact : Do not rub one’s eyes. Immediately flush eyes with water continuously for at least 15 minutes. Seek medical attention immediately.
- Ingestion : Make the victim vomit. When it is impossible or the feeling is not well after vomiting, seek medical attention.

**5. Fire Fighting Measures**

- Extinguishing Media : Use suitable extinguishing media.
- Firefighting Equipment : Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

**6. Accidental Release Measures**

- On Land : Place material into suitable containers and call local fire/police department.
- In Water : If possible, Remove from water and call local fire/police department.

**7. Handling and Storage**

**Handling :**  
 Do not expose the battery to excessive physical shock or vibration. Short-circuiting should be avoided. However, accidental short-circuiting for a few seconds will not seriously affect the battery. Prolonged short circuits will cause the battery to rapidly lose energy, could generate enough heat to burn skin. Sources of short circuits include jumbled batteries in bulk containers, coins, metal jewelry, metal covered tables, or metal belts used for assembly of batteries in devices. To minimize risk of short-circuiting, the protective case supplied with the battery should be used to cover the terminals when transporting or storing the battery. Do not disassemble or deform the battery. Should an individual cell within a battery become ruptured, do not allow contact with water.

**Storage :**  
 The lithium ion battery should be between 25% and 75% of full charge when stored for a long period of time. Store in a cool, dry, well ventilated area. And temperature above 100 Celsius degree can result in loss of battery performance, leakage, or rust. Do not expose the battery to open flames..



新普科技股份有限公司  
新世電子(常熟)有限公司  
新普科技(重慶)有限公司  
華普電子(常熟)有限公司  
Simplo Technology Co., Ltd.  
Simplo Technology(Changshu)Inc.  
Simplo Technology(Chongqing)Inc.  
Huapu Technology(Changshu)Inc.

### 8. Exposure Controls / Personal Protection

Engineering Controls : Keep away from heat and open flame. Store in a cool dry place

Personal Protection :

Respirator : Not required during normal operations. SCBA required in the event of a fire.

Eye/Face Protection : Not required beyond safety practices of employer.

Gloves : Not required for handling of battery.

Foot Protection : Steel toed shoes recommended for large container handling.

### 9. Physical and Chemical Properties

State	Solid
Odor	N/A
PH	N/A
Vapor pressure	N/A
Vapor density	N/A
Boiling point	N/A
Solubility in water	Insoluble
Specific gravity	N/A
Density	N/A

### 10. Stability and Reactivity

Reactivity : None

Incompatibilities : None during normal operation. Avoid exposure to heat, open flame, and corrosives.

Conditions to Avoid : Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

### 11. Toxicological Information

This product does not elicit toxicological properties during routine handling and use.

### 12. Ecological Information

Lithium ion battery pack can be disposable in accordance with appropriate federal, state and local regulations.

### 13. Disposal Consideration

Recommended methods for safe and environmentally preferred disposal:

Product(waste from residues)

Do not throw out a used battery cell. Recycle it through the recycling company.

Contaminated packaging

Neither a container nor packing is contaminated during normal use. When internal materials leaked from a battery cell contaminates, dispose as industrial wastes subject to special control.

### 14. Transport Information

With regard to transport, the following regulations are cited and considered:

- UN No. 3480
- UN proper shipping name: Lithium Ion Batteries.
- Transport hazard class : 9



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

- The International Civil Aviation Organization (ICAO) Technical Instructions, Packing Instruction 965, Section IB or II
- The International Air Transport Association (IATA ) Dangerous Goods Regulations(57<sup>th</sup> Edition, 2016), Packing Instruction 965, Section IB or II
- The International Maritime Dangerous Goods (IMDG) Code [Special provision 188, 230]
- US Hazardous Materials Regulations 49 CFR(Code of Federal Regulations) Sections 173.185 Lithium batteries and cells,
- The UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria 38.3 Lithium batteries, Revision 3, Amendment 1 or any subsequent revision and amendment applicable at the date of the type

If those lithium-ion batteries are packed with or contained in an equipment, then it is the responsibility of the shipper to ensure that the consignment are packed in compliance to the latest edition of the IATA Dangerous Goods Regulations section II of either Packing Instruction 966 or 967 in order for that consignment to be declared as NOT RESTRICTED (non-hazardous/non-Dangerous). If those lithium-ion batteries are packed with or contained in an equipment, UN No. is UN3481

Our products are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to all the applicable international and national governmental regulations, not limited to the above mentioned. We further certify that the enclosed products have been tested and fulfilled the requirements and conditions in accordance with UN Recommendations (T1 – T8) on the Transport of Dangerous Goods Model Regulations and the Manual of Testes and Criteria.

**Test results of the UN Recommendation on the Transport of Dangerous Goods**

Manual of Test and Criteria (38.3 Lithium battery)		Test Results	Remark
No	Test item		
T1	Altitude Simulation	Pass	
T2	Thermal Test	Pass	
T3	Vibration	Pass	
T4	Shock	Pass	
T5	External Short Circuit	Pass	
T6	Impact/Crush	Pass	
T7	Overcharge	Pass	
T8	Forced Discharge	Pass	

**15. Regulatory Information**

Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria (ST/SG/AC.10/11/Rev.5)

OSHA Hazard communication standard (29 CFR 1910.1200)

\_\_\_\_\_ Hazardous                        V   Non-hazardous

**16. Other Information**

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation.

This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Chemical substances information: Japan Advanced Information center of Safety and Health International Chemical Safety Cards (ICSCs):

International Occupational Safety and Health Information Centre (CIS)



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

1999 TLVs and BEIs: American Conference of Governmental Industrial Hygienists (ACGIH)  
 Wastes Disposal and Public Cleaning Law [Japan]  
 Law for Promotion of Effective Utilization of resources [Japan]

## 17. Appendix

Model name	SCQ PN	STC PN	HP PN	Description	Battery Agency#
OD06044XL	G96QA005H G96QA005HA G96QA005HB	G96TA005H G96TA005HA G96TA005HB	698750-1C1	Coslight- 2000mAh,3S2P	HSTNN-IB4F
	G96QA006H G96QA006HA G96QA006HB	G96TA006H G96TA006HA G96TA006HB	698750-171	ATL-1980mAh,3S2P	
AJ02021XL	G96QA001H G96QA001HA G96QA001HB	G96TA001H G96TA001HA G96TA001HB	687518-1C1	Coslight 2960mAh; 2S1P	HSTNN-IB3Y
	G96QA002H G96QA002HA G96QA002HB	G96TA002H G96TA002HA G96TA002HB	687518-1B1	Lishen 2960mAh; 2S1P	
AO02030XL	G96QA021H G96QA021HA G96QA021HB	G96TA021H G96TA021HA G96TA021HB	728250-1C1	Coslight 4100mah;2S1P	HSTNN-IB50
	G96QA022H G96QA022HA G96QA022HB	G96TA022H G96TA022HA G96TA022HB	728250-121	LGC4100mah ;2S1P	
AR08075XL	996Q2239H 996Q2239HA 996Q2239HB	996T2239H 996T2239HA 996T2239HB	707614-121	LGC 2800(C2) ; 4S2P	HSTNN-IB4H
	996Q2231H 996Q2231HA 996Q2231HB	996T2231H 996T2231HA 996T2231HB	707614-141	SDI-2800 (A) ; 4S2P	
AR08083	996Q2243H 996Q2243HA 996Q2243HB	996T2243H 996T2243HA 996T2243HB	707615-121	LGC 2800(C2) ; 4S2P	HSTNN-IB4I
	996Q2242H 996Q2242HA 996Q2242HB	996T2242H 996T2242HA 996T2242HB		LGC 2800(C3) ; 4S2P	
	996Q2232H 996Q2232HA 996Q2232HB	996T2232H 996T2232HA 996T2232HB	707615-141	SDI-2800 (A) ; 4S2P	
	996Q2233H 996Q2233HA 996Q2233HB	996T2233H 996T2233HA 996T2233HB	707615-151	Sanyo-2800 (ZT) ; 4S2P	
AT02025XL	996QA025H 996QA025HA 996QA025HB	996TA025H 996TA025HA 996TA025HB	685368-1C1	Coslight 3380mAh; 2S1P	HSTNN-IB3U
	996QA026H 996QA026HA 996QA026HB	996TA026H 996TA026HA 996TA026HB	685368-1B1	Lishen 3380mAh;2S1P	
BG06045XL	996QA085H 996QA085HA 996QA085HB	996TA085H 996TA085HA 996TA085HB	804175-1C1	Coslight 2010mAh; 3S2P	HSTNN-IB6Z
	996QA086H 996QA086HA 996QA086HB	996TA086H 996TA086HA 996TA086HB	804175-1B1	Lishen 2010mAh; 3S2P	



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

BL06042XL	996QA054H 996QA054HA 996QA054HB	996TA054H 996TA054HA 996TA054HB	722236-171	ATL1945mah/3S2P	HSTNN-IB5D
	996QA055H 996QA055HA 996QA055HB	996TA055H 996TA055HA 996TA055HB	722236-1C1	Coslight 1930mah/3S2P	
BO03032XL	996QA066H 996QA066HA 996QA066HB	996TA066H 996TA066HA 996TA066HB	751895-1B1	Lishen 2960/mAh/3S1P	HSTNN-IB6C
	996QA067H 996QA067HA 996QA067HB	996TA067H 996TA067HA 996TA067HB	751895-1C1	Coslight 2960/mAh/3S1P	
BO03037XL	996QA077H 996QA077HA 996QA077HB	996TA077H 996TA077HA 996TA077HB	773836-1B1	Lishen-3280mAh,3S2P	HSTNN-IB6P
	996QA078H 996QA078HA 996QA078HB	996TA078H 996TA078HA 996TA078HB	773836-1C1	Coslight-3280mAh,3S2P	
BT04052XL	996QA029H 996QA029HA 996QA029HB	996TA029H 996TA029HA 996TA029HB	687517-1C1	Coslight 3550mAh;4S1P	HSTNN-IB3Z
	996QA031H 996QA031HA 996QA031HB	996TA031H 996TA031HA 996TA031HB	687517-171	ATL 3550mAh; 4S1P	
	996QA062H 996QA062HA 996QA062HB	996TA062H 996TA062HA 996TA062HB	687517-121	LGC 3550mAh; 4S1P	
BU03037XL	996QA090H 996QA090HA 996QA090HB	996TA090H 996TA090HA 996TA090HB	816498-1C1	Coslight 3280mAh;3S1P	HSTNN-IB7F
	996QA092H 996QA092HA 996QA092HB	996TA092H 996TA092HA 996TA062HB	816498-1B1	Lishen-3280mAh,3S1P	
BV02033XL	996QA079H 996QA079HA 996QA079HB	996TA079H 996TA079HA 996TA079HB	775621-121	LGC4380mAh;2S1P	HSTNN-IB6Q
	996QA080H 996QA080HA 996QA080HB	996TA080H 996TA080HA 996TA080HB	775624-1C1	Coslight4380mAh,21P	
BY02021	G96QA027H G96QA027HA G96QA027HB	G96TA027H G96TA027HA G96TA027HB		Coslight 2940mAh; 1S2P;	HSTNH-C12C-S
	G96QA028H G96QA028HA G96QA028HB	G96TA028H G96TA028HA G96TA028HB		ATL 2940mAh; 1S2P	
CA03033	996Q2253H 996Q2253HA 996Q2253HB	996T2253H 996T2253HA 996T2253HB	718675-121	LGC/3000mAh/3S/1P	HSTNN-IB4W
	996Q2252H 996Q2252HA 996Q2252HB	996T2252H 996T2252HA 996T2252HB	718675-141	SDI/2950 mAh/3S/1P	
CA06055	996Q2254H 996Q2254HA 996Q2254HB	996T2254H 996T2254HA 996T2254HB	718676-141	SDI 2600mAh;3S2P	HSTNN-IB4X
	996Q2251H 996Q2251HA 996Q2251HB	996T2251H 996T2251HA 996T2251HB	718676-121	LG 2600mAh; 3S2P	





新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

CA06055XL	996Q2249H 996Q2249HA 996Q2249HB	996T2249 996T2249HA 996T2249HB	718677-141	SDI 2800mAh;3S2P	HSTNN-IB4Y
	996Q2255H 996Q2255HA 996Q2255HB	996T2255H 996T2255HA 996T2255HB		LGC 2800 C3mAh;3S2P	
	996Q2248H 996Q2248HA 996Q2248HB	996T2248H 996T2248HA 996T2248HB	718677-121	LGC 2800 C2mAh;3S2	
	996Q2301H 996Q2301HA 996Q2301HB	996T2301H 996T2301HA 996T2301HB	718677-122	LGC 2800 C4mAh;3S2	
CS03046XL	996QA083H 996QA083HA 996QA83HB	996TA083H 996TA083HA 996TA83HB	800231-1C1	Coslight 4075Ah;3S1P	HSTNN-IB6Y
	996QA084H 996QA084HA 996QA084HB	996TA084H 996TA084HA 996TA084HB	800231-141	SDI 4075; 3S1P	
CM03050XL	996QA048H 996QA048HA 996QA048HB	996TA048H 996TA048HA 996TA048HB	716724-1C1	Coslight 4520mAh;3S1P	HSTNN-IB4R
	996QA049H 996QA049HA 996QA049HB	996TA049H 996TA049HA 996TA049HB	716724-1C1	ATL 4520mAh;3S1P	
	996Q2245H 996Q2245HA 996Q2245HB	996T2245H 996T2245HA 996T2245HB	716724-141	SDI 4452mAh;3S1P	
DA02021XL	996QA040H 996QA040HA 996QA040HB	996TA040H 996TA040HA 996TA040HB	694399-1C1	Coslight 2960mAh; 2S1P	HSTNN-IB4C
	996QA042H 996QA042HA 996QA042HB	996TA042H 996TA042HA 996TA042HB	694399-1B1	Lishen 2960mAh;2S1P	
DB03036	996Q2286H 996Q2286HA 996Q2286HB	996T2286H 996T2286HA 996T2286HB	796930-141	SDI3200mAh; 3S1P	HSTNN-IB6V
	996Q2288H 996Q2288HA 996Q2288HB	996T2288H 996T2288HA 996T2288HB	796930-121	LGC3200mAh; 3S1P	
DR02043XL	996QA105H 996QA105HA 996QA105HB	996TA105H 996TA105HA 996TA105HB	859027-1C1	Coslight 5680mAh; 2S1P	HSTNN-IB7M
	996Q106H 996Q106HA 996Q106HB	996TA106H 996TA106HA 996TA106HB	859027-121	LGC 5680mAh; 2S1P	
DW02025XL	996QA038H 996QA038HA 996QA038HB	996TA038H 996TA038HA 996TA038HB	694398-1C1	Coslight 3380mAh; 1S2P	HSTNN-IB4B
	996QA036H 996QA036HA 996QA036HB	996TA036H 996TA036HA 996TA036HB	694398-1B1	Lishen 3380mAh; 1S2P	
EG04060XL	996QA023H 996QA023HA 996QA023HB	996TA023H 996TA023HA 996TA023HB	681881-171	ATL 4050mAh;4S1P	HSTNN-IB3T
	996QA024H 996QA024HA 996QA024HB	996TA024H 996TA024HA 996TA024HB	681881-1B1	Lishen 4050mAh;4S1P	



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

	996QA044H 996QA044HA 996QA044HB	996TA044H 996TA044HA 996TA044HB	681881-121	LGC 4050mAh;4S1P	
EL04052XL	996QA021H 996QA021HA 996QA021HB	996TA021H 996TA021HA 996TA021HB	681879-171	ATL 3550mAh; 4S1P	HSTNN-IB3R
	996QA022H 996QA022HA 996QA022HB	996TA022H 996TA022HA 996TA022HB	681879-1C1	Coslight 3550mAh; 4S1P	
	996QA043H 996QA043HA 996QA043HB	996TA043H 996TA043HA 996TA043HB	681879-121	LGC 3550mAh; 4S1P	
EO04038XL	996QA094H 996QA094HA 996QA094HB	996TA094H 996TA094HA 996TA094HB	827927-1C1	Coslight3090mAh; 4S1P	HSTNN-IB7I
	996QA095H 996QA095HA 996QA095HB	996TA095H 996TA095HA 996TA095HB	827927-1B1	Lishen3090mAh; 4S1P	
FP06047	996Q2229H 996Q2229HA 996Q2229HB	996T2229H 996T2229HA 996T2229HB	707616-141	SDI-2200(F)mAh; 3S2P	HSTNN-IB4J
	996Q2256H 996Q2256HA 996Q2256HB	996T2229H 996T2229HA 996T2256HB	707616-142	SDI-2200(FM)mAh; 3S2P	
	996Q2234H 996Q2234HA 996Q2234HB	996T2234H 996T2234HA 996T2234HB	707616-151	SANYO 2200 (AY) mAh;3S2P日本廠	
	996Q2275H 996Q2275HA 996Q2275HB	996T2275H 996T2275HA 996T2275HB	707616-152	SANYO 2200 (AY) mAh;3S2P蘇州廠	
FP06051XL	996Q2276H 996Q2276HA 996Q2276HB	996T2276H 996T2276HA 996T2276HB	757435-141	SDI2600mAh; 3S2P	HSTNN-IB6M
	996Q2302H 996Q2302HA 996Q2302HB	996T2302H 996T2302HA 996T2302HB	757435-142	SDI2600mAh; 3S2P	
HD04045XL	996QA028H 996QA028HA 996QA028HB	996TA028H 996TA028HA 996TA028HB	685866-1B1	Lishen 3050mAh; 4S1P	HSTNN-IB3V
	996QA027H 996QA027HA 996QA027HB	996TA027H 996TA027HA 996TA027HB	685866-171	Lishen 3050mAh; 4S1P	
HS03031	996Q2296H 996Q2296HA 996Q2296HB	996T2296H 996T2296HA 996T2296HB	807611-131	Sanyo-2800 (ZT) ; 3S1P	HSTNN-IB7A
	996Q2298H 996Q2298HA 996Q2298HB	996T2298H 996T2298HA 996T2298HB	807611-141	SDI-2800(A);3S1P	
HS04041	996Q2295H 996Q2295HA 996Q2295HB	996T2295H 996T2295HA 996T2295HB	807612-131	Sanyo-2800 (ZT) ; 4S1P	HSTNN-IB7B
	996Q2297H 996Q2297HA 996Q2297HB	996T2297H 996T2297HA 996T2297HB	807612-141	SDI-2800(A);4S1P	
JN04041	996Q2118H 996Q2118HA 996Q2118HB	996T2118H 996T2118HA 996T2118HB	633731-141	SDI-2800 (A)mAh ; 4S1P	HSTNN-IB2U





新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

	996Q2154H 996Q2154HA 996Q2154HB	996T2154H 996T2154HA 996T2154HB		SDI-2800 (A)mAh ; 4S1P	
	996Q2119H 996Q2119HA 996Q2119HB	996T2119H 996T2119HA 996T2119HB	633731-151	Sanyo-2800 (ZT)mAh ; 4S1P	
JN06062	996Q2121H 996Q2121HA 996Q2121HB	996T2121H 996T2121HA 996T2121HB	633732-141	SDI-2800 (A)mAh ; 3S2P	HSTNN-IB2V
	996Q2153H 996Q2153HA 996Q2153HB	996T2153H 996T2153HA 996T2153HB	633732-141	SDI-2800 (A)mAh ; 3S2 ,Maxim17892	
	996Q2122H 996Q2122HA 996Q2122HB	996T2122H 996T2122HA 996T2122HB	633732-151	Sanyo-2800 (ZT)mAh ; 3S2P	
KK04029XL	996QA068H 996QA068HA 996QA068HB	996TA068H 996TA068HA 996TA068HB	753329-1C1	Coslight 2000mAh; 2S2P	HSTNN-IB6E
	996QA069H 996QA069HA 996QA069HB	996TA069H 996TA069HA 996TA069HB	753329-171	ATL1980mAh; 2S2P	
KP06066	996Q2278H 996Q2278HA 996Q2278HB	996T2278H 996T2278HA 996T2278HB	759916-121	LGC 3000mAh; 3S2P	HSTNN-IB6N
KT02025XL	996QA070H 996QA070HA 996QA070HB	996TA070H 996TA070HA 996TA070HB	753330-1C1	Coslight 3380mAh; 2S1P	HSTNN-IB6F
	996QA072H 996QA072HA 996QA072HB	996TA072H 996TA072HA 996TA072HB	753330-1B1	Lishen 3380mAh;2S1P	
KI04041	996Q2293H 996Q2293HA 996Q2293HB	996T2293H 996T2293HA 996T2293HB	800009-141	SDI-2800(A);4S1P	HSTNN-IB6X
	996Q2294H 996Q2294HA 996Q2294HB	996T2294H 996T2294HA 996T2294HB	800009-121	LGC-2800(C4);4S1P	
KP06060XL	996Q2282H 996Q2282HA 996Q2282HB	996T2282H 996T2282HA 996T2282HB	794309-121	LGC 3000mAh (D1) ;3S2P	HSTNN-IB6T
LA03031DF	996Q2279H 996Q2279HA 996Q2279HB	996T2279H 996T2279HA 996T2279HB	775625-121	LGC-2800(C2);3S1P	HSTNN-IB6R
	996Q2281H 996Q2281HA 996Q2281HB	996T2281H 996T2281HA 996T2281HB	775625-141	SDI-2800(A);3S1P	
LA04041	996Q2261H 996Q2261HA 996Q2261HB	996T2261H 996T2261HA 996T2261HB	728248-121	LGC-2800(C2)mAh;4S1P	HSTNN-IB5M
	996Q2262H 996Q2262HA 996Q2262HB	996T2262H 996T2262HA 996T2262HB	728248-141	SDI-2800(A)mAh;4S1P	
LA04041DF (咬花版)	996Q2273H 996Q2273HA 996Q2273HB	996T2273H 996T2273HA 996T2273HB	751906-121	LGC-2800(C2)mAh;4S1P	HSTNN-IB5M
	996Q2274H 996Q2274HA 996Q2274HB	996T2274H 996T2274HA 996T2274HB	751906-141	SDI-2800(A)mAh;4S1P	



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

LA06047DF	996Q2284H 996Q2284HA 996Q2284HB	996T2284H 996T2284HA 996T2284HB	796047-141	SDI2200mAh; 3S2P	HSTNN-IB6U
ML03042XL	996QA089H 996QA089HA 996QA089HB	996TA089H 996TA089HA 996TA089HB	813999-1C1	Coslight 3690mAh;3S1P	HSTNN-IB7D
MA02025XL	G96QA007H G96QA007HA G96QA007HB	G96TA007H G96TA007HA G96TA007HB	721895-1C1	Coslight 3380mAh; 2S1P	HSTNN-IB5B
	G96QA008H G96QA008HA G96QA008HB	G96TA008H G96TA008HA G96TA008HB	721895-1C1	LGC 3380mAh;2S1P	
MT06055	996Q2189H 996Q2189HA 996Q2189HB	996T2189H 996T2189HA 996T2189HB	646657-121	LGC2550mAh; 3S2P	HSTNN-IB3
HP MC 96	A96Q2004H A96Q2004HA A96Q2004HB	A96T2004H A96T2004HA A96T2004HB	727260-001	LGC-1500(B2)mAh; 2S1P	HSTNN-IS6A
HP MFC 12	A96QA002H A96QA002HA A96QA002HB	A96TA002H A96TA002HA A96TA002HB	727263-001	Coslight-550mAh; 2S1P	HSTNN-IS6D
MO06062	996Q2205H 996Q2205HA 996Q2205HB	996T2205H 996T2205HA 996T2205HB	671567-141	SDI-2800 (A) mAh; 3S2P	HSTNN-IB3N
	996Q2206H 996Q2206HA 996Q2206HB	996T2206H 996T2206HA 996T2206HB	671567-121	LGC-2800 (C2)mAh ; 3S2P	
	996Q2207H 996Q2207HA 996Q2207HB	996T2207H 996T2207HA 996T2207HB	671567-151	Sanyo-2800 (ZT)mAh ; 3S2P	
MR03028	996Q2264H 996Q2264HA 996Q2264HB	996T2264H 996T2264HA 996T2264HB	740005-121	LGC-2600 (B4)mAh; 3S1P	HSTNN-IB5T
	996Q2263H 996Q2263HA 996Q2263HB	996T2263H 996T2263HA 996T2263HB	740005-141	SDI-2600(H)mAh;3S1P	
MS06055XL	996Q2045H 996Q2045HA 996Q2045HB	996T2045H 996T2045HA 996T2045HB	586595-141	SDI-2800 (A)mAh ; 3S2P	HSTNN-IB0V
	996Q2047H 996Q2047HA 996Q2047HB	996T2047H 996T2047HA 996T2047HB	586595-121	LGC-2800 (C1)mAh ; 3S2P	
	996Q2086H 996Q2086HA 996Q2086HB	996T2086H 996T2086HA 996T2086HB	586595-122	LGC-2800 (C2)mAh ; 3S2P	
MS06062	996Q2017H 996Q2017HA 996Q2017HB	996T2017H 996T2017HA 996T2017HB	581191-141	SDI-2800 (A)mAh; 3S2P	HSTNN-IB0R
	996Q2018H 996Q2018HA 996Q2018HB	996T2018H 996T2018HA 996T2018HB	581191-121	LGC-2800 (C1)mAh ; 3S2P	
	996Q2085H 996Q2085HA 996Q2085HB	996T2085H 996T2085HA 996T2085HB	581191-122	LGC-2800 (C2)mAh ; 3S2P	
MU06047	996Q2021H 996Q2021HA	996T2021H 996T2021HA	586007-121	LGC-2200(S3) ; 3S2P	HSTNN-IB0W



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

	996Q2158H 996Q2158HA	996T2158H 996T2158HA	586007-122	LGC-2200(S3) ; 3S2P ; new connector	
	996Q2019H 996Q2019HA	996T2019H 996T2019HA	586007-1A1	BAK-2200 (C4); 3S2P	
	996Q2163H 996Q2163HA	996T2163H 996T2163HA	586007-1A2	BAK-2200 (C4); 3S2P ; new connector	
	996Q2183H 996Q2183HA	996T2183H 996T2183HA	586007-1A3	BAK-2250 (CA) ; 3S2P ; new connector	
	996Q2022H 996Q2022HA	996T2022H 996T2022HA	586007-161	Sony-2200 (G6F) ; 3S2P	
	996Q2159H 996Q2159HA	996T2159H 996T2159HA	586007-163	Sony-2200 (G6F) ; 3S2P ; new connector	
	996Q2023H 996Q2023HA	996T2023H 996T2023HA	586007-141	SDI-2200 (F) ; 3S2P	
	996Q2161H 996Q2161HA	996T2161H 996T2161HA	586007-142	SDI-2200 (F) ; 3S2P ; new connector	
	996Q2258H 996Q2258HA	996T2258H 996T2258HA	586007-143	SDI-2200(FM);3S2P	
	996Q2102H 996Q2102HA	996T2102H 996T2102HA	586007-151	Sanyo-2200 (A) ; 3S2P	
	996Q2162H 996Q2162HA	996T2162H 996T2162HA	586007-152	Sanyo-2200 (A) ; 3S2P ; new connector	
	996Q2197H 996Q2197HA	996T2197H 996T2197HA	586007-153	Sanyo-2200 (AY) ; 3S2P	
	996Q2061H 996Q2061HA	996T2061H 996T2061HA		SDI-2200 (F) ; 3S2P; Maxim 1789 IC	
MU06062	996Q2026H 996Q2026HA	996T2026H 996T2026HA	586028-141	SDI-2800 (A) ; 3S2P	HSTNN-IB0Y
	996Q2169H 996Q2169HA	996T2169H 996T2169HA	586028-142	SDI-2800 (A) ; 3S2P ; new connector	
	996Q2027H 996Q2027HA	996T2027H 996T2027HA	586028-121	LGC-2800 (C1) ; 3S2P	
	996Q2083H 996Q2083HA	996T2083H 996T2083HA	586028-122	LGC-2800 (C2) ; 3S2P	
	996Q2171H 996Q2171HA	996T2171H 996T2171HA	586028-123	LGC-2800 (C2) ; 3S2P ; new connector	
	996Q2073H 996Q2073HA	996T2073H 996T2073HA	586028-151	Sanyo-2800 (ZT) ; 3S2P	
	996Q2172H 996Q2172HA	996T2172H 996T2172HA	586028-152	Sanyo-2800 (ZT) ; 3S2P ; new connector	
MU09083XL	996Q2131H 996Q2131HA	996T2131H 996T2131HA	593015-141	SDI-2800 (A) ; 3S3P ; LED	HSTNN-IB1G



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

	996Q2175H 996Q2175HA	996T2175H 996T2175HA	593015-142	SDI-2800 (A) ; 3S3P ; LED ; new connector	
	996Q2125H 996Q2125HA	996T2125H 996T2125HA	593015-121	LGC-2800 (C2) ; 3S3P ; LED	
	996Q2176H 996Q2176HA	996T2176H 996T2176HA	593015-122	LGC-2800 (C2) ; 3S3P ; LED ; new connector	
MU09100	996Q2151H 996Q2151HA	996T2151H 996T2151HA	633216-141	SDI-3000 (A) ; 3S3P ; LED	HSTNN-IB2W
	996Q2149H 996Q2149HA	996T2149H 996T2149HA	633216-151	Sanyo-3000 (ZTA) ; 3S3P ; LED	
MY02021X	G96QA009H G96QA009HA	G96TA009H G96TA009HA	721896-1C1	Coslight 2960mAh;2S1P	HSTNN-IB5C
	G96QA010H G96QA010HA	G96TA010H G96TA010HA	721896-1B1	Lishen 2960mAh;2S1	
OA03031	996Q2271H 996Q2271HA	996T2271H 996T2271HA	746458-141	SDI-2800(A);3S1P	HSTNN-IB5Y
	996Q2272H 996Q2272HA	996T2272H 996T2272HA	746458-121	LGC-2800(C2);3S1P	
OA04041	996Q2265H 996Q2265HA	996T2265H 996T2265HA	740004-141	SDI-2800(A);4S1P	HSTNN-IB5S
	996Q2266H 996Q2266HA	996T2266H 996T2266HA	740004-121	LGC-2800(C2);4S1P	
OS06046	996QA000F 996QA000FA	996TA000F 996TA000FA	436425-181	SKC405497 2.1; 3S2P	HSTNN-IB43
	996QA010F 996QA010FA	996TA010F 996TA010FA	436425-171	ATL 2000mAh; 3S2P	
	996QA020F 996QA020FA	996TA020F 996TA020FA	436425-172	ATL 2000mAh; 3S2P	
	996QA020H 996QA020HA	996TA020H 996TA020HA	436425-173	ATL 2000mAh; 3S2P	
	996QA006H 996QA006HA 996QA006HB	996TA006H 996TA006HA 996TA006HB	436425-173	ATL 2000mAh; 3S2P	
OT06039XL	996Q2185H 996Q2185HA 996Q2185HB	996T2185H 996T2185HA 996T2185HB	586596-141	SDI-2000mAh ; 3S2P	HSTNN-IB3E
OT06044	996Q2184H 996Q2184HA 996Q2184HB	996T2184H 996T2184HA 996T2184HB	436426-141	SDI-2000mAh ; 3S2P	HSTNN-IB3D
PO02037XL	996QA093H 996QA093HA 996QA093HB	996TA093H 996TA093HA 996TA093HB	823908-1C1	Coslight 4960mAh;2S1P	HSTNN-IB7G
PP02037XL	996Q2305H 996Q2305HA 996Q2305HB	996T2305H 996T2305HA 996T2305HB	823909-141	SDI 4870mAh;2S1P	HSTNN-IB7H
PH06047	996Q2034H 996Q2034HA	996T2034H 996T2034HA	587706-121	LGC-2200(S3) ; 3S2P	HSTNN-IB1A



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

	996Q2034HB	996T2034HB			
	996Q2035H 996Q2035HA 996Q2035HA	996T2035H 996T2035HA 996T2035HB	587706-131	Pana-2200 ; 3S2P	
PR06047	996Q2123H 996Q2123HA 996Q2123HB	996T2123H 996T2123HA 996T2123HB	633733-141	SDI-2200 (F) ; 3S2P	HSTNN-IB2R
	996Q2152H 996Q2152HA 996Q2152HB	996T2152H 996T2152HA 996T2152HB	637332-1A1	BAK-2200 (C4); 3S2P	
	996Q2124H 996Q2124HA 996Q2124HB	996T2124H 996T2124HA 996T2124HB	633733-151	Sanyo-2200 (A) ; 3S2P	
	996Q2259H 996Q2259HA 996Q2259HB	996T2259H 996T2259HA 996T2259HB	633733-142	SDI-2200(FM);3S2P	
	996Q2198H 996Q2198HA 996Q2198HB	996T2198H 996T2198HA 996T2198HB	633733-152	Sanyo-2200 (AY) ; 3S2P	
RA04040XL	996Q2269H 996Q2269HA 996Q2269HB	996T2269H 996T2269HA 996T2269HB	745416-121	LGC-2800 (D1) 4S1P	HSTNN-IB5X
RA04044	996Q2227H 996Q2227HA 996Q2227HB	996T2227H 996T2227HA 996T2227HB	707618-121	LGC-3000 (D1) 4S1P	HSTNN-IB4L
	996Q2228H 996Q2228HA 996Q2228HB	996T2228H 996T2228HA 996T2228HB	707618-141	SDI-3000 (A) ; 4S1P	
SB03026XL	996QA053H 996QA053HA 996QA053HB	996TA053H 996TA053HA 996TA053HA	716725-171	ATL 2500mah; 3S1P	HSTNN-IB4S
	996QA052H 996QA052HA 996QA052HB	996TA052H 996TA052HA 996TA052HB	716725-1C1	Coslight 2500mah; 3S1P	
SB03046XL	996QA051H 996QA051HA 996QA051HB	996TA051H 996TA051HA 996TA051HB	716726-171	ATL 4150mah; 3S1P	HSTNN-IB4T
	996QA050H 996QA050HA 996QA050HB	996TA050H 996TA050HA 996TA050HB	716726-1C1	Coslight 4150mah; 3S1P	
SD03045X	996QA100H 996QA100HA 996QA100HB	996TA100H 996TA100HA 996TA100HB	847462-1C1	Coslight 3950mAh; 3S1P	HSTNN-IB7K
SO04038XL	996QA098H 996QA098HA 996QA098HB	996TA098H 996TA098HA 996TA098HB	843534-121	LGC4985mAh; 2S2P	HSTNN-IB7J
	996QA099H 996QA099HA 996QA099HB	996TA099H 996TA099HA 996TA099HB	843534-1C1	Coslight4985mAh; 2S2P	
SW02032XL	G96QA037H G96Q037HA G96QA037HB	G96TA037H G96T037HA G96TA037HB	859470-1B1	Lishen4230mAh;2S1P	HSTNN-IB7N
	G96QA038H G96Q038HA G96QA038HB	G96TA038H G96T038HA G96TA038HB	859470-121	LGC4230mAh;2S1P	



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

TA03051XL	996QA101H 996QA101HA 996QA101HB	996TA101H 996TA101HA 996TA101HB	854047-1C1	Coslight4560mAh; 3S1P	HSTNN-IB7L
	996QA102H 996QA102HA 996QA102HB	996TA102H 996TA102HA 996TA102HB	854047-141	SDI4560mAh; 3S1P	
	996QA103H 996QA103HA 996QA103HB	996TA103H 996TA103HA 996TA103HB	854047-171	LGC4650mAh; 3S1P	
TD06055	996Q2139H 996Q2139HA 996Q2139HB	996T2139H 996T2139HA 996T2139HB	463310-125	LGC-2550(B3) ; 3S2P	HSTNN-IB69
TG03032XL	G96QA015H G96QA015HA G96QA015HB	G96TA015H G96TA015HA G96TA015HB	723921-1B1	Lishen 2960mAh;3S1P	HSTNN-IB5F
	G96QA014H G96QA014HA G96QA014HB	G96TA014H G96TA014HA G96TA014HB	723921-1C1	Coslight2960mAh;3S1P	
TP02018XL	G96QA025H G96QA025HA G96QA025HB	G96TA025H G96TA025HA G96TA025HA		Coslight 2400mAh;2S1P	HSTNN-IB5U
	G96QA026H G96QA026HA G96QA026HB	G96TA026H G96TA026HA G96TA026HB	741348-171	ATL 2400mAh;2S1P	
TR03033XL	G96QA016H G96QA016HA G96QA016HB	G96TA016H G96TA016HA G96TA016HB	723922-171	ATL 3050mAh; 3S1P	HSTNN-IB5G
	G96QA013H G96QA013HA G96QA013HB	G96TA013H G96TA013HA G96TA013HB	723922-1B1	Lishen 3050mAh; 3S1P	
VC04032	996Q2650F 996Q2650FA 996Q2650FB	996T2650F 996T2650FA 996T2650FB	440267-ABC	Pana 2200mAh; 4S1P	HSTNN-IB44
	996Q2660F 996Q2660FA 996Q2660FB	996T2660F 996T2660FA 996T2660FB	440266-ABC	SDI2200mAh; 4S1P	
	996Q2002F 996Q2002FA 996Q2002FB	996T2002F 996T2002FA 996T2002FB	532396-ABC	SDI2200mAh;4S1P	
	996Q3750F 996Q3750FA 996Q3750FB	996T3750F 996T3750FA 996T3750FB	440266-ABC	SDI2200mAh;4S1P	
VC08063	996Q2590F 996Q2590FA 996Q2590FB	996T2590F 996T2590FA 996T2590FB	440269-ABC	Pana 2200mAh; 4S2P	HSTNN-IB45
	996Q2600F 996Q2600FA 996Q2600FB	996T2600F 996T2600FA 996T2600FB	440268-ABC	SDI2200mAh; 4S2P	
	996Q4530F 996Q4530FA 996Q4530FB	996T4530F 996T4530FA 996T4530FB	513855-ABC	SDI2200mAh; 4S2P	
VE06043	996Q2120F 996Q2120FA 996Q2120FB	996T2120F 996T2120FA 996T2120FB	411462-121	LGC2000mAh; 3S2P	HSTNN-IB31
	996Q2130F 996Q2130FA 996Q2130FB	996T2130F 996T2130FA 996T2130FB	411462-141	SDI2000mAh; 3S2P	





新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

VE06047	996Q2450F 996Q2450FA 996Q2450FB	996T2450F 996T2450FA 996T2450FB	436281-141	SDI 2200mAh; 3S2P	HSTNN-IB42
	996Q2460F 996Q2460FA 996Q2460FB	996T2460F 996T2460FA 996T2460FB	436281-131	Pana 2200mAh; 3S2P	
	996Q2960F 996Q2960FA 996Q2960FB	996T2960F 996T2960FA 996T2960FB	436281-151	Sanyo 2200mAh; 3S2P	
	996Q3720F 996Q3720FA 996Q3720FB	996T3720F 996T3720FA 996T3720FB	436281-141	SDI 2200mAh; 3S2P	
	996Q4340F 996Q4340FA 996Q4340FB	996T4340F 996T4340FA 996T4340FB	436281-142	SDI 2200mAh; 3S2P	
VE06055	996Q3180F 996Q3180FA 996Q3180FB	996T3180F 996T3180FA 996T3180FB	441243-141	SDI 2550mAh; 3s2p	HSTNN-IB46
	996Q3190F 996Q3190FA 996Q3190FB	996T3190F 996T3190FA 996T3190FB	441243-121	LGC 2550mAh; 3S2P	
	996Q2148F 996Q2148FA 996Q3148FB	996T2148F 996T2148FA 996T2148FB	441243-143	SDI-2550mAh; 3S2P	
	996Q4330F 996Q4330FA 996Q4330FB	996T4330F 996T4330FA 996T4330FB	441243-142	SDI-2550mAh; 3S2P	
VE12095	996Q2140F 996Q2140FA 996Q2140FB	996T2140F 996T2140FA 996T2140FB	411463-141	SDI 2200mAh; 3S4P	HSTNN-IB32
	996Q2150F 996Q2150FA 996Q2150FB	996T2150F 996T2150FA 996T2150FB	411463-161	Sony 2200mAh; 3S4P	
	996Q3860F 996Q3860FA 996Q3860FB	996T3860F 996T3860FA 996T3860FB	411463-141	DI 2200mAh; 3S4P	
	996Q4320F 996Q4320FA 996Q4320FB	996T4320F 996T4320FA 996T4320FB	411463-142	DI 2200mAh; 3S4P	
Venturi	996QA012H 996QA012HA 996QA012HB	996TA012H 996TA012HA 996TA012HB	671277-171	ATL 2700mAh; 3S2P	BATAZ60L59S
	996QA014H 996QA014HA 996QA014HB	996TA014H 996TA014HA 996TA014KHB	671278-171	ATL 2300mAh; 3S2P	BATAZ60L53S
	996Q2115H 996Q2115HA 996Q2115HB	996T2115H 996T2115HA 996T2115HB	632114-141	SDI 2800mAh; 4S2P	HSTNN-IB2Q
996Q2113H 996Q2113HA 996Q2113HB	996T2113H 996T2113HA 996T2113HB	632114-151	SANYO 2800mAh; 4S2P		
VH08083	996Q2112H 996Q2112HA 996Q2112HB	996T2112H 996T2112HA 996T2112HB	632113-141	SDI 2800mAh; 4S2P	HSTNN-IB2P



新普科技股份有限公司  
 新世電子(常熟)有限公司  
 新普科技(重慶)有限公司  
 華普電子(常熟)有限公司  
 Simplo Technology Co., Ltd.  
 Simplo Technology(Changshu)Inc.  
 Simplo Technology(Chongqing)Inc.  
 Huapu Technology(Changshu)Inc.

	996Q2114H 996Q2114HA 996Q2114HB	996T2114H 996T2114HA 996T2114HB	632113-151	SANYO 2800mAh; 4S2P	
VL04032	996Q2510F 996Q2510FA 996Q2510FB	996T2510F 996T2510FA 996T2510FB	434045-141	SDI 2.2 ; 4S1P	HSTNN-IB39
	996Q2520F 996Q2520FA 996Q2520FB	996T2520F 996T2520FA 996T2520FB	434045-161	Sony 2.2 ; 4S1P	
	996Q2003F 996Q2003FA 996Q2003FB	996T2003F 996T2003FA 996T2003FB	571978-ABC	Sony 2.2 (G6F) ; 4S1P	
	996Q2096F 996Q2096FA 996Q2096FB	996T2096F 996T2096FA 996T2096FB		Sony 2.2 (G6G) ; 4S1P	
	996Q3760F 996Q3760FA 996Q3760FB	996T3760F 996T3760FA 996T3760FB	434045-161	Sony 2.2 (G6F) ; 4S1P	
VR03045XL	996QA091H 996QA091HA 996QA091HB	996TA091H 996TA091HA 996TA091HB	816497-1C1	Coslight 3950mAh; 3S1P	HSTNN-IB7E