



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simplo Technology Co., Ltd.
Simplo Technology(Changshu)Inc.
Simplo Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

MATERIAL SAFETY DATA SHEET

Issued/Revised date :April 06 2016

Document No. : HP16040601

1. Product and Company Identification

Product Identification :

Lithium-Ion Rechargeable Battery pack

Product information Reference to appendix 17

Made in China

Manufacturer :

Simplo Technology Co., Ltd.

No.471, Sec.2, Pa Teh Rd., Hu Kou 303, Hsin Chu Hsien, Taiwan

Tel : +886-3-5695920 Fax : +886-3-5695931

Simplo Technology (CHANGSHU) INC.

No.2 DongNan Avenue,ChangShu,JiangSu Province , China

Tel :+86-0512-52302255 Fax :+86- 0512-52302277

Simplo Technology (CHONGQING) INC

NO.2 Zongbao Avenue, Shapingba District,Chongqing,China

Tel :023-61718899 Fax : 023-61710488

Huapu Technology(Changshu) Inc.

No.2 DongNan Avenue,ChangShu,JiangSu Province , China

Tel :+86-0512-52302255 Fax :+86- 0512-52302277

2. Hazards Identification

Primary routes of entry : Skin contact, Skin absorption; Eye contact, Inhalation and ingestion: No

Symptoms of exposure : Skin contact, No effect under routine handling and use.

Skin absorption : No effect under routine handling and use.

Eye contact : No effect under routine handling and use.

Inhalation : No effect under routine handling and use.

Reported as carcinogen : Not applicable

3. Composition / Identification on Ingredients

Substance : Lithium Ion Battery

CAS number : Reference 3-3

UN Class : Even classified as lithium batteries, they are exempted from dangerous goods.

UN-Recommendations on the Transport of Dangerous Goods Model Regulations.

* Lithium ion cells and batteries may be offered for transport if they meet the following :

* For cells, the Watt-hour rating should not be more than 20 Wh;

* For batteries, the Watt-hour rating should not be more than 100 Wh. The Watt-hour rating must be marked on the outside of the battery case .

* Each cell or battery of the type proved to meet the requirements of each test in the UN manual of tests and criteria, Part III, subsection 38.3.

* General requirements and additional requirements, Please see Section II or IB of Packing Instruction 965, 966, 967 accordingly or UN 3480 , UN3481.

Composition :

3-1. Cases: Plastic

Not dangerous



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

- 3-2. Printed Circuit Board Assembly Not dangerous
 3-3. Lithium Ion Cell :

| Hazardous Ingredients | % | CAS Number |
|--------------------------------|----------|------------|
| Cobalt oxide | < 30 % | 1307-96-6 |
| Manganese dioxide | < 30 % | 1313-13-9 |
| Nickel oxide | < 30 % | 1313-99-1 |
| Carbon | < 30 % | 7440-44-0 |
| Electrolyte | < 20 % | N/A |
| Polyvinylidene fluoride (PVdF) | < 10 % | 24937-79-9 |
| Aluminium foil | 2 - 10 % | 7429-90-5 |
| Copper foil | 2 - 10 % | 7440-50-8 |
| Aluminium and inert materials | 5 - 10 % | N/A |

4. First Aid Measures

- Inhalation : Make the victim blow his/her nose, gargle. Seek medical attention if necessary.
Skin contact : Remove contaminated clothes and shoes immediately. Wash extraneous matter or contact region with soap and plenty of water immediately.
Eye contact : Do not rub one's eyes. Immediately flush eyes with water continuously for at least 15 minutes. Seek medical attention immediately.
Ingestion : Make the victim vomit. When it is impossible or the feeling is not well after vomiting, seek medical attention.

5. Fire Fighting Measures

- Extinguishing Media : Use suitable extinguishing media.
Firefighting Equipment : Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

6. Accidental Release Measures

- On Land : Place material into suitable containers and call local fire/police department.
In Water : If possible, Remove from water and call local fire/police department.

7. Handling and Storage

Handling :
 Do not expose the battery to excessive physical shock or vibration. Short-circuiting should be avoided. However, accidental short-circuiting for a few seconds will not seriously affect the battery. Prolonged short circuits will cause the battery to rapidly lose energy, could generate enough heat to burn skin. Sources of short circuits include jumbled batteries in bulk containers, coins, metal jewelry, metal covered tables, or metal belts used for assembly of batteries in devices. To minimize risk of short-circuiting, the protective case supplied with the battery should be used to cover the terminals when transporting or storing the battery. Do not disassemble or deform the battery. Should an individual cell within a battery become ruptured, do not allow contact with water.

Storage :

The lithium ion battery should be between 25% and 75% of full charge when stored for a long period of time. Store in a cool, dry, well ventilated area. And temperature above 100 Celsius degree can result in loss of battery performance, leakage, or rust. Do not expose the battery to open flames..



新普科技股份有限公司
新世電子(常熟)有限公司
新普科技(重慶)有限公司
華普電子(常熟)有限公司
Simplo Technology Co., Ltd.
Simplo Technology(Changshu)Inc.
Simplo Technology(Chongqing)Inc.
Huapu Technology(Changshu)Inc.

8. Exposure Controls / Personal Protection

Engineering Controls : Keep away from heat and open flame. Store in a cool dry place

Personal Protection :

Respirator : Not required during normal operations. SCBA required in the event of a fire.

Eye/Face Protection : Not required beyond safety practices of employer.

Gloves : Not required for handling of battery.

Foot Protection : Steel toed shoes recommended for large container handling.

9. Physical and Chemical Properties

| | |
|---------------------|-----------|
| State | Solid |
| Odor | N/A |
| PH | N/A |
| Vapor pressure | N/A |
| Vapor density | N/A |
| Boiling point | N/A |
| Solubility in water | Insoluble |
| Specific gravity | N/A |
| Density | N/A |

10. Stability and Reactivity

Reactivity : None

Incompatibilities : None during normal operation. Avoid exposure to heat, open flame, and corrosives.

Conditions to Avoid : Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

11. Toxicological Information

This product does not elicit toxicological properties during routine handling and use.

12. Ecological Information

Lithium ion battery pack can be disposable in accordance with appropriate federal, state and local regulations.

13. Disposal Consideration

Recommended methods for safe and environmentally preferred disposal:

Product(waste from residues)

Do not throw out a used battery cell. Recycle it through the recycling company.

Contaminated packaging

Neither a container nor packing is contaminated during normal use. When internal materials leaked from a battery cell contaminates, dispose as industrial wastes subject to special control.

14. Transport Information

With regard to transport, the following regulations are cited and considered:

- UN No. 3480
- UN proper shipping name: Lithium Ion Batteries.
- Transport hazard class : 9



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

- The International Civil Aviation Organization (ICAO) Technical Instructions, Packing Instruction 965, Section IB or II
- The International Air Transport Association (IATA) Dangerous Goods Regulations(57th Edition, 2016), Packing Instruction 965, Section IB or II
- The International Maritime Dangerous Goods (IMDG) Code [Special provision 188, 230]
- US Hazardous Materials Regulations 49 CFR(Code of Federal Regulations) Sections 173.185 Lithium batteries and cells,
- The UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria 38.3 Lithium batteries, Revision 3, Amendment 1 or any subsequent revision and amendment applicable at the date of the type

If those lithium-ion batteries are packed with or contained in an equipment, then it is the responsibility of the shipper to ensure that the consignment are packed in compliance to the latest edition of the IATA Dangerous Goods Regulations section II of either Packing Instruction 966 or 967 in order for that consignment to be declared as NOT RESTRICTED (non-hazardous/non-Dangerous). If those lithium-ion batteries are packed with or contained in an equipment, UN No. is UN3481

Our products are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to all the applicable international and national governmental regulations, not limited to the above mentioned. We further certify that the enclosed products have been tested and fulfilled the requirements and conditions in accordance with UN Recommendations (T1 – T8) on the Transport of Dangerous Goods Model Regulations and the Manual of Testes and Criteria.

Test results of the UN Recommendation on the Transport of Dangerous Goods

| Manual of Test and Criteria (38.3 Lithium battery) | | Test Results | Remark |
|--|------------------------|--------------|--------|
| No | Test item | | |
| T1 | Altitude Simulation | Pass | |
| T2 | Thermal Test | Pass | |
| T3 | Vibration | Pass | |
| T4 | Shock | Pass | |
| T5 | External Short Circuit | Pass | |
| T6 | Impact/Crush | Pass | |
| T7 | Overcharge | Pass | |
| T8 | Forced Discharge | Pass | |

15. Regulatory Information

Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria (ST/SG/AC.10/11/Rev.5)

OSHA Hazard communication standard (29 CFR 1910.1200)

_____ Hazardous V Non-hazardous

16. Other Information

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation.

This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Chemical substances information: Japan Advanced Information center of Safety and Health International Chemical Safety Cards (ICSCs):

International Occupational Safety and Health Information Centre (CIS)



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

1999 TLVs and BEIs: American Conference of Governmental Industrial Hygienists (ACGIH)
 Wastes Disposal and Public Cleaning Law [Japan]
 Law for Promotion of Effective Utilization of resources [Japan]

17. Appendix

| Model name | SCQ PN | STC PN | HP PN | Description | Battery Agency# |
|------------|---------------------------------------|---------------------------------------|------------|------------------------|-----------------|
| OD06044XL | G96QA005H G96QA005HA G96QA005HB | G96TA005H G96TA005HA G96TA005HB | 698750-1C1 | Coslight- 2000mAh,3S2P | HSTNN-IB4F |
| | G96QA006H G96QA006HA G96QA006HB | G96TA006H G96TA006HA G96TA006HB | 698750-171 | ATL-1980mAh,3S2P | |
| AJ02021XL | G96QA001H G96QA001HA G96QA001HB | G96TA001H G96TA001HA G96TA001HB | 687518-1C1 | Coslight 2960mAh; 2S1P | HSTNN-IB3Y |
| | G96QA002H G96QA002HA G96QA002HB | G96TA002H G96TA002HA G96TA002HB | 687518-1B1 | Lishen 2960mAh; 2S1P | |
| AO02030XL | G96QA021H G96QA021HA G96QA021HB | G96TA021H G96TA021HA G96TA021HB | 728250-1C1 | Coslight 4100mah;2S1P | HSTNN-IB50 |
| | G96QA022H G96QA022HA G96QA022HB | G96TA022H G96TA022HA G96TA022HB | 728250-121 | LGC4100mah ;2S1P | |
| AR08075XL | 996Q2239H 996Q2239HA 996Q2239HB | 996T2239H 996T2239HA 996T2239HB | 707614-121 | LGC 2800(C2) ; 4S2P | HSTNN-IB4H |
| | 996Q2231H 996Q2231HA 996Q2231HB | 996T2231H 996T2231HA 996T2231HB | 707614-141 | SDI-2800 (A) ; 4S2P | |
| AR08083 | 996Q2243H 996Q2243HA 996Q2243HB | 996T2243H 996T2243HA 996T2243HB | 707615-121 | LGC 2800(C2) ; 4S2P | HSTNN-IB4I |
| | 996Q2242H 996Q2242HA 996Q2242HB | 996T2242H 996T2242HA 996T2242HB | | LGC 2800(C3) ; 4S2P | |
| | 996Q2232H 996Q2232HA 996Q2232HB | 996T2232H 996T2232HA 996T2232HB | 707615-141 | SDI-2800 (A) ; 4S2P | |
| | 996Q2233H 996Q2233HA 996Q2233HB | 996T2233H 996T2233HA 996T2233HB | 707615-151 | Sanyo-2800 (ZT) ; 4S2P | |
| AT02025XL | 996QA025H 996QA025HA 996QA025HB | 996TA025H 996TA025HA 996TA025HB | 685368-1C1 | Coslight 3380mAh; 2S1P | HSTNN-IB3U |
| | 996QA026H 996QA026HA 996QA026HB | 996TA026H 996TA026HA 996TA026HB | 685368-1B1 | Lishen 3380mAh;2S1P | |
| BG06045XL | 996QA085H 996QA085HA 996QA085HB | 996TA085H 996TA085HA 996TA085HB | 804175-1C1 | Coslight 2010mAh; 3S2P | HSTNN-IB6Z |
| | 996QA086H 996QA086HA 996QA086HB | 996TA086H 996TA086HA 996TA086HB | 804175-1B1 | Lishen 2010mAh; 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|-------------------------|--------------|
| BL06042XL | 996QA054H 996QA054HA 996QA054HB | 996TA054H 996TA054HA 996TA054HB | 722236-171 | ATL1945mah/3S2P | HSTNN-IB5D |
| | 996QA055H 996QA055HA 996QA055HB | 996TA055H 996TA055HA 996TA055HB | 722236-1C1 | Coslight 1930mah/3S2P | |
| BO03032XL | 996QA066H 996QA066HA 996QA066HB | 996TA066H 996TA066HA 996TA066HB | 751895-1B1 | Lishen 2960/mAh/3S1P | HSTNN-IB6C |
| | 996QA067H 996QA067HA 996QA067HB | 996TA067H 996TA067HA 996TA067HB | 751895-1C1 | Coslight 2960/mAh/3S1P | |
| BO03037XL | 996QA077H 996QA077HA 996QA077HB | 996TA077H 996TA077HA 996TA077HB | 773836-1B1 | Lishen-3280mAh,3S2P | HSTNN-IB6P |
| | 996QA078H 996QA078HA 996QA078HB | 996TA078H 996TA078HA 996TA078HB | 773836-1C1 | Coslight-3280mAh,3S2P | |
| BT04052XL | 996QA029H 996QA029HA 996QA029HB | 996TA029H 996TA029HA 996TA029HB | 687517-1C1 | Coslight 3550mAh;4S1P | HSTNN-IB3Z |
| | 996QA031H 996QA031HA 996QA031HB | 996TA031H 996TA031HA 996TA031HB | 687517-171 | ATL 3550mAh; 4S1P | |
| | 996QA062H 996QA062HA 996QA062HB | 996TA062H 996TA062HA 996TA062HB | 687517-121 | LGC 3550mAh; 4S1P | |
| BU03037XL | 996QA090H 996QA090HA 996QA090HB | 996TA090H 996TA090HA 996TA090HB | 816498-1C1 | Coslight 3280mAh;3S1P | HSTNN-IB7F |
| | 996QA092H 996QA092HA 996QA092HB | 996TA092H 996TA092HA 996TA062HB | 816498-1B1 | Lishen-3280mAh,3S1P | |
| BV02033XL | 996QA079H 996QA079HA 996QA079HB | 996TA079H 996TA079HA 996TA079HB | 775621-121 | LGC4380mAh;2S1P | HSTNN-IB6Q |
| | 996QA080H 996QA080HA 996QA080HB | 996TA080H 996TA080HA 996TA080HB | 775624-1C1 | Coslight4380mAh,21P | |
| BY02021 | G96QA027H G96QA027HA G96QA027HB | G96TA027H G96TA027HA G96TA027HB | | Coslight 2940mAh; 1S2P; | HSTNH-C12C-S |
| | G96QA028H G96QA028HA G96QA028HB | G96TA028H G96TA028HA G96TA028HB | | ATL 2940mAh; 1S2P | |
| CA03033 | 996Q2253H 996Q2253HA 996Q2253HB | 996T2253H 996T2253HA 996T2253HB | 718675-121 | LGC/3000mAh/3S/1P | HSTNN-IB4W |
| | 996Q2252H 996Q2252HA 996Q2252HB | 996T2252H 996T2252HA 996T2252HB | 718675-141 | SDI/2950 mAh/3S/1P | |
| CA06055 | 996Q2254H 996Q2254HA 996Q2254HB | 996T2254H 996T2254HA 996T2254HB | 718676-141 | SDI 2600mAh;3S2P | HSTNN-IB4X |
| | 996Q2251H 996Q2251HA 996Q2251HB | 996T2251H 996T2251HA 996T2251HB | 718676-121 | LG 2600mAh; 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|------------------------|------------|
| CA06055XL | 996Q2249H 996Q2249HA 996Q2249HB | 996T2249 996T2249HA 996T2249HB | 718677-141 | SDI 2800mAh;3S2P | HSTNN-IB4Y |
| | 996Q2255H 996Q2255HA 996Q2255HB | 996T2255H 996T2255HA 996T2255HB | | LGC 2800 C3mAh;3S2P | |
| | 996Q2248H 996Q2248HA 996Q2248HB | 996T2248H 996T2248HA 996T2248HB | 718677-121 | LGC 2800 C2mAh;3S2 | |
| | 996Q2301H 996Q2301HA 996Q2301HB | 996T2301H 996T2301HA 996T2301HB | 718677-122 | LGC 2800 C4mAh;3S2 | |
| CS03046XL | 996QA083H 996QA083HA 996QA83HB | 996TA083H 996TA083HA 996TA83HB | 800231-1C1 | Coslight 4075Ah;3S1P | HSTNN-IB6Y |
| | 996QA084H 996QA084HA 996QA084HB | 996TA084H 996TA084HA 996TA084HB | 800231-141 | SDI 4075; 3S1P | |
| CM03050XL | 996QA048H 996QA048HA 996QA048HB | 996TA048H 996TA048HA 996TA048HB | 716724-1C1 | Coslight 4520mAh;3S1P | HSTNN-IB4R |
| | 996QA049H 996QA049HA 996QA049HB | 996TA049H 996TA049HA 996TA049HB | 716724-1C1 | ATL 4520mAh;3S1P | |
| | 996Q2245H 996Q2245HA 996Q2245HB | 996T2245H 996T2245HA 996T2245HB | 716724-141 | SDI 4452mAh;3S1P | |
| DA02021XL | 996QA040H 996QA040HA 996QA040HB | 996TA040H 996TA040HA 996TA040HB | 694399-1C1 | Coslight 2960mAh; 2S1P | HSTNN-IB4C |
| | 996QA042H 996QA042HA 996QA042HB | 996TA042H 996TA042HA 996TA042HB | 694399-1B1 | Lishen 2960mAh;2S1P | |
| DB03036 | 996Q2286H 996Q2286HA 996Q2286HB | 996T2286H 996T2286HA 996T2286HB | 796930-141 | SDI3200mAh; 3S1P | HSTNN-IB6V |
| | 996Q2288H 996Q2288HA 996Q2288HB | 996T2288H 996T2288HA 996T2288HB | 796930-121 | LGC3200mAh; 3S1P | |
| DR02043XL | 996QA105H 996QA105HA 996QA105HB | 996TA105H 996TA105HA 996TA105HB | 859027-1C1 | Coslight 5680mAh; 2S1P | HSTNN-IB7M |
| | 996Q106H 996Q106HA 996Q106HB | 996TA106H 996TA106HA 996TA106HB | 859027-121 | LGC 5680mAh; 2S1P | |
| DW02025XL | 996QA038H 996QA038HA 996QA038HB | 996TA038H 996TA038HA 996TA038HB | 694398-1C1 | Coslight 3380mAh; 1S2P | HSTNN-IB4B |
| | 996QA036H 996QA036HA 996QA036HB | 996TA036H 996TA036HA 996TA036HB | 694398-1B1 | Lishen 3380mAh; 1S2P | |
| EG04060XL | 996QA023H 996QA023HA 996QA023HB | 996TA023H 996TA023HA 996TA023HB | 681881-171 | ATL 4050mAh;4S1P | HSTNN-IB3T |
| | 996QA024H 996QA024HA 996QA024HB | 996TA024H 996TA024HA 996TA024HB | 681881-1B1 | Lishen 4050mAh;4S1P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|--------------------------------|------------|
| | 996QA044H 996QA044HA 996QA044HB | 996TA044H 996TA044HA 996TA044HB | 681881-121 | LGC 4050mAh;4S1P | |
| EL04052XL | 996QA021H 996QA021HA 996QA021HB | 996TA021H 996TA021HA 996TA021HB | 681879-171 | ATL 3550mAh; 4S1P | HSTNN-IB3R |
| | 996QA022H 996QA022HA 996QA022HB | 996TA022H 996TA022HA 996TA022HB | 681879-1C1 | Coslight 3550mAh; 4S1P | |
| | 996QA043H 996QA043HA 996QA043HB | 996TA043H 996TA043HA 996TA043HB | 681879-121 | LGC 3550mAh; 4S1P | |
| EO04038XL | 996QA094H 996QA094HA 996QA094HB | 996TA094H 996TA094HA 996TA094HB | 827927-1C1 | Coslight3090mAh; 4S1P | HSTNN-IB7I |
| | 996QA095H 996QA095HA 996QA095HB | 996TA095H 996TA095HA 996TA095HB | 827927-1B1 | Lishen3090mAh; 4S1P | |
| FP06047 | 996Q2229H 996Q2229HA 996Q2229HB | 996T2229H 996T2229HA 996T2229HB | 707616-141 | SDI-2200(F)mAh; 3S2P | HSTNN-IB4J |
| | 996Q2256H 996Q2256HA 996Q2256HB | 996T2229H 996T2229HA 996T2256HB | 707616-142 | SDI-2200(FM)mAh; 3S2P | |
| | 996Q2234H 996Q2234HA 996Q2234HB | 996T2234H 996T2234HA 996T2234HB | 707616-151 | SANYO 2200 (AY) mAh;3S2P日本廠 | |
| | 996Q2275H 996Q2275HA 996Q2275HB | 996T2275H 996T2275HA 996T2275HB | 707616-152 | SANYO 2200 (AY) mAh;3S2P蘇州廠 | |
| FP06051XL | 996Q2276H 996Q2276HA 996Q2276HB | 996T2276H 996T2276HA 996T2276HB | 757435-141 | SDI2600mAh; 3S2P | HSTNN-IB6M |
| | 996Q2302H 996Q2302HA 996Q2302HB | 996T2302H 996T2302HA 996T2302HB | 757435-142 | SDI2600mAh; 3S2P | |
| HD04045XL | 996QA028H 996QA028HA 996QA028HB | 996TA028H 996TA028HA 996TA028HB | 685866-1B1 | Lishen 3050mAh; 4S1P | HSTNN-IB3V |
| | 996QA027H 996QA027HA 996QA027HB | 996TA027H 996TA027HA 996TA027HB | 685866-171 | Lishen 3050mAh; 4S1P | |
| HS03031 | 996Q2296H 996Q2296HA 996Q2296HB | 996T2296H 996T2296HA 996T2296HB | 807611-131 | Sanyo-2800 (ZT) ; 3S1P | HSTNN-IB7A |
| | 996Q2298H 996Q2298HA 996Q2298HB | 996T2298H 996T2298HA 996T2298HB | 807611-141 | SDI-2800(A);3S1P | |
| HS04041 | 996Q2295H 996Q2295HA 996Q2295HB | 996T2295H 996T2295HA 996T2295HB | 807612-131 | Sanyo-2800 (ZT) ; 4S1P | HSTNN-IB7B |
| | 996Q2297H 996Q2297HA 996Q2297HB | 996T2297H 996T2297HA 996T2297HB | 807612-141 | SDI-2800(A);4S1P | |
| JN04041 | 996Q2118H 996Q2118HA 996Q2118HB | 996T2118H 996T2118HA 996T2118HB | 633731-141 | SDI-2800 (A)mAh ; 4S1P | HSTNN-IB2U |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Smplo Technology Co., Ltd.
 Smplo Technology(Changshu)Inc.
 Smplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|--------------------|---------------------------------------|---------------------------------------|------------|--------------------------------------|------------|
| | 996Q2154H 996Q2154HA 996Q2154HB | 996T2154H 996T2154HA 996T2154HB | | SDI-2800 (A)mAh ; 4S1P | |
| | 996Q2119H 996Q2119HA 996Q2119HB | 996T2119H 996T2119HA 996T2119HB | 633731-151 | Sanyo-2800 (ZT)mAh ; 4S1P | |
| JN06062 | 996Q2121H 996Q2121HA 996Q2121HB | 996T2121H 996T2121HA 996T2121HB | 633732-141 | SDI-2800 (A)mAh ; 3S2P | HSTNN-IB2V |
| | 996Q2153H 996Q2153HA 996Q2153HB | 996T2153H 996T2153HA 996T2153HB | 633732-141 | SDI-2800 (A)mAh ; 3S2 ,Maxim17892 | |
| | 996Q2122H 996Q2122HA 996Q2122HB | 996T2122H 996T2122HA 996T2122HB | 633732-151 | Sanyo-2800 (ZT)mAh ; 3S2P | |
| KK04029XL | 996QA068H 996QA068HA 996QA068HB | 996TA068H 996TA068HA 996TA068HB | 753329-1C1 | Coslight 2000mAh; 2S2P | HSTNN-IB6E |
| | 996QA069H 996QA069HA 996QA069HB | 996TA069H 996TA069HA 996TA069HB | 753329-171 | ATL1980mAh; 2S2P | |
| KP06066 | 996Q2278H 996Q2278HA 996Q2278HB | 996T2278H 996T2278HA 996T2278HB | 759916-121 | LGC 3000mAh; 3S2P | HSTNN-IB6N |
| KT02025XL | 996QA070H 996QA070HA 996QA070HB | 996TA070H 996TA070HA 996TA070HB | 753330-1C1 | Coslight 3380mAh; 2S1P | HSTNN-IB6F |
| | 996QA072H 996QA072HA 996QA072HB | 996TA072H 996TA072HA 996TA072HB | 753330-1B1 | Lishen 3380mAh;2S1P | |
| KI04041 | 996Q2293H 996Q2293HA 996Q2293HB | 996T2293H 996T2293HA 996T2293HB | 800009-141 | SDI-2800(A);4S1P | HSTNN-IB6X |
| | 996Q2294H 996Q2294HA 996Q2294HB | 996T2294H 996T2294HA 996T2294HB | 800009-121 | LGC-2800(C4);4S1P | |
| KP06060XL | 996Q2282H 996Q2282HA 996Q2282HB | 996T2282H 996T2282HA 996T2282HB | 794309-121 | LGC 3000mAh (D1) ;3S2P | HSTNN-IB6T |
| LA03031DF | 996Q2279H 996Q2279HA 996Q2279HB | 996T2279H 996T2279HA 996T2279HB | 775625-121 | LGC-2800(C2);3S1P | HSTNN-IB6R |
| | 996Q2281H 996Q2281HA 996Q2281HB | 996T2281H 996T2281HA 996T2281HB | 775625-141 | SDI-2800(A);3S1P | |
| LA04041 | 996Q2261H 996Q2261HA 996Q2261HB | 996T2261H 996T2261HA 996T2261HB | 728248-121 | LGC-2800(C2)mAh;4S1P | HSTNN-IB5M |
| | 996Q2262H 996Q2262HA 996Q2262HB | 996T2262H 996T2262HA 996T2262HB | 728248-141 | SDI-2800(A)mAh;4S1P | |
| LA04041DF (咬花版) | 996Q2273H 996Q2273HA 996Q2273HB | 996T2273H 996T2273HA 996T2273HB | 751906-121 | LGC-2800(C2)mAh;4S1P | HSTNN-IB5M |
| | 996Q2274H 996Q2274HA 996Q2274HB | 996T2274H 996T2274HA 996T2274HB | 751906-141 | SDI-2800(A)mAh;4S1P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|------------------------------|------------|
| LA06047DF | 996Q2284H 996Q2284HA 996Q2284HB | 996T2284H 996T2284HA 996T2284HB | 796047-141 | SDI2200mAh; 3S2P | HSTNN-IB6U |
| ML03042XL | 996QA089H 996QA089HA 996QA089HB | 996TA089H 996TA089HA 996TA089HB | 813999-1C1 | Coslight 3690mAh;3S1P | HSTNN-IB7D |
| MA02025XL | G96QA007H G96QA007HA G96QA007HB | G96TA007H G96TA007HA G96TA007HB | 721895-1C1 | Coslight 3380mAh; 2S1P | HSTNN-IB5B |
| | G96QA008H G96QA008HA G96QA008HB | G96TA008H G96TA008HA G96TA008HB | 721895-1C1 | LGC 3380mAh;2S1P | |
| MT06055 | 996Q2189H 996Q2189HA 996Q2189HB | 996T2189H 996T2189HA 996T2189HB | 646657-121 | LGC2550mAh; 3S2P | HSTNN-IB3 |
| HP MC 96 | A96Q2004H A96Q2004HA A96Q2004HB | A96T2004H A96T2004HA A96T2004HB | 727260-001 | LGC-1500(B2)mAh; 2S1P | HSTNN-IS6A |
| HP MFC 12 | A96QA002H A96QA002HA A96QA002HB | A96TA002H A96TA002HA A96TA002HB | 727263-001 | Coslight-550mAh; 2S1P | HSTNN-IS6D |
| MO06062 | 996Q2205H 996Q2205HA 996Q2205HB | 996T2205H 996T2205HA 996T2205HB | 671567-141 | SDI-2800 (A) mAh; 3S2P | HSTNN-IB3N |
| | 996Q2206H 996Q2206HA 996Q2206HB | 996T2206H 996T2206HA 996T2206HB | 671567-121 | LGC-2800 (C2)mAh ; 3S2P | |
| | 996Q2207H 996Q2207HA 996Q2207HB | 996T2207H 996T2207HA 996T2207HB | 671567-151 | Sanyo-2800 (ZT)mAh ; 3S2P | |
| MR03028 | 996Q2264H 996Q2264HA 996Q2264HB | 996T2264H 996T2264HA 996T2264HB | 740005-121 | LGC-2600 (B4)mAh; 3S1P | HSTNN-IB5T |
| | 996Q2263H 996Q2263HA 996Q2263HB | 996T2263H 996T2263HA 996T2263HB | 740005-141 | SDI-2600(H)mAh;3S1P | |
| MS06055XL | 996Q2045H 996Q2045HA 996Q2045HB | 996T2045H 996T2045HA 996T2045HB | 586595-141 | SDI-2800 (A)mAh ; 3S2P | HSTNN-IB0V |
| | 996Q2047H 996Q2047HA 996Q2047HB | 996T2047H 996T2047HA 996T2047HB | 586595-121 | LGC-2800 (C1)mAh ; 3S2P | |
| | 996Q2086H 996Q2086HA 996Q2086HB | 996T2086H 996T2086HA 996T2086HB | 586595-122 | LGC-2800 (C2)mAh ; 3S2P | |
| MS06062 | 996Q2017H 996Q2017HA 996Q2017HB | 996T2017H 996T2017HA 996T2017HB | 581191-141 | SDI-2800 (A)mAh; 3S2P | HSTNN-IB0R |
| | 996Q2018H 996Q2018HA 996Q2018HB | 996T2018H 996T2018HA 996T2018HB | 581191-121 | LGC-2800 (C1)mAh ; 3S2P | |
| | 996Q2085H 996Q2085HA 996Q2085HB | 996T2085H 996T2085HA 996T2085HB | 581191-122 | LGC-2800 (C2)mAh ; 3S2P | |
| MU06047 | 996Q2021H 996Q2021HA | 996T2021H 996T2021HA | 586007-121 | LGC-2200(S3) ; 3S2P | HSTNN-IB0W |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|-------------------------|-------------------------|------------|---|------------|
| | 996Q2158H 996Q2158HA | 996T2158H 996T2158HA | 586007-122 | LGC-2200(S3) ; 3S2P ; new connector | |
| | 996Q2019H 996Q2019HA | 996T2019H 996T2019HA | 586007-1A1 | BAK-2200 (C4); 3S2P | |
| | 996Q2163H 996Q2163HA | 996T2163H 996T2163HA | 586007-1A2 | BAK-2200 (C4); 3S2P ; new connector | |
| | 996Q2183H 996Q2183HA | 996T2183H 996T2183HA | 586007-1A3 | BAK-2250 (CA) ; 3S2P ; new connector | |
| | 996Q2022H 996Q2022HA | 996T2022H 996T2022HA | 586007-161 | Sony-2200 (G6F) ; 3S2P | |
| | 996Q2159H 996Q2159HA | 996T2159H 996T2159HA | 586007-163 | Sony-2200 (G6F) ; 3S2P ; new connector | |
| | 996Q2023H 996Q2023HA | 996T2023H 996T2023HA | 586007-141 | SDI-2200 (F) ; 3S2P | |
| | 996Q2161H 996Q2161HA | 996T2161H 996T2161HA | 586007-142 | SDI-2200 (F) ; 3S2P ; new connector | |
| | 996Q2258H 996Q2258HA | 996T2258H 996T2258HA | 586007-143 | SDI-2200(FM);3S2P | |
| | 996Q2102H 996Q2102HA | 996T2102H 996T2102HA | 586007-151 | Sanyo-2200 (A) ; 3S2P | |
| | 996Q2162H 996Q2162HA | 996T2162H 996T2162HA | 586007-152 | Sanyo-2200 (A) ; 3S2P ; new connector | |
| | 996Q2197H 996Q2197HA | 996T2197H 996T2197HA | 586007-153 | Sanyo-2200 (AY) ; 3S2P | |
| | 996Q2061H 996Q2061HA | 996T2061H 996T2061HA | | SDI-2200 (F) ; 3S2P; Maxim 1789 IC | |
| MU06062 | 996Q2026H 996Q2026HA | 996T2026H 996T2026HA | 586028-141 | SDI-2800 (A) ; 3S2P | HSTNN-IB0Y |
| | 996Q2169H 996Q2169HA | 996T2169H 996T2169HA | 586028-142 | SDI-2800 (A) ; 3S2P ; new connector | |
| | 996Q2027H 996Q2027HA | 996T2027H 996T2027HA | 586028-121 | LGC-2800 (C1) ; 3S2P | |
| | 996Q2083H 996Q2083HA | 996T2083H 996T2083HA | 586028-122 | LGC-2800 (C2) ; 3S2P | |
| | 996Q2171H 996Q2171HA | 996T2171H 996T2171HA | 586028-123 | LGC-2800 (C2) ; 3S2P ; new connector | |
| | 996Q2073H 996Q2073HA | 996T2073H 996T2073HA | 586028-151 | Sanyo-2800 (ZT) ; 3S2P | |
| | 996Q2172H 996Q2172HA | 996T2172H 996T2172HA | 586028-152 | Sanyo-2800 (ZT) ; 3S2P ; new connector | |
| MU09083XL | 996Q2131H 996Q2131HA | 996T2131H 996T2131HA | 593015-141 | SDI-2800 (A) ; 3S3P ; LED | HSTNN-IB1G |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|---|------------|
| | 996Q2175H 996Q2175HA | 996T2175H 996T2175HA | 593015-142 | SDI-2800 (A) ; 3S3P ; LED ; new connector | |
| | 996Q2125H 996Q2125HA | 996T2125H 996T2125HA | 593015-121 | LGC-2800 (C2) ; 3S3P ; LED | |
| | 996Q2176H 996Q2176HA | 996T2176H 996T2176HA | 593015-122 | LGC-2800 (C2) ; 3S3P ; LED ; new connector | |
| MU09100 | 996Q2151H 996Q2151HA | 996T2151H 996T2151HA | 633216-141 | SDI-3000 (A) ; 3S3P ; LED | HSTNN-IB2W |
| | 996Q2149H 996Q2149HA | 996T2149H 996T2149HA | 633216-151 | Sanyo-3000 (ZTA) ; 3S3P ; LED | |
| MY02021X | G96QA009H G96QA009HA | G96TA009H G96TA009HA | 721896-1C1 | Coslight 2960mAh;2S1P | HSTNN-IB5C |
| | G96QA010H G96QA010HA | G96TA010H G96TA010HA | 721896-1B1 | Lishen 2960mAh;2S1 | |
| OA03031 | 996Q2271H 996Q2271HA | 996T2271H 996T2271HA | 746458-141 | SDI-2800(A);3S1P | HSTNN-IB5Y |
| | 996Q2272H 996Q2272HA | 996T2272H 996T2272HA | 746458-121 | LGC-2800(C2);3S1P | |
| OA04041 | 996Q2265H 996Q2265HA | 996T2265H 996T2265HA | 740004-141 | SDI-2800(A);4S1P | HSTNN-IB5S |
| | 996Q2266H 996Q2266HA | 996T2266H 996T2266HA | 740004-121 | LGC-2800(C2);4S1P | |
| OS06046 | 996QA000F 996QA000FA | 996TA000F 996TA000FA | 436425-181 | SKC405497 2.1; 3S2P | HSTNN-IB43 |
| | 996QA010F 996QA010FA | 996TA010F 996TA010FA | 436425-171 | ATL 2000mAh; 3S2P | |
| | 996QA020F 996QA020FA | 996TA020F 996TA020FA | 436425-172 | ATL 2000mAh; 3S2P | |
| | 996QA020H 996QA020HA | 996TA020H 996TA020HA | 436425-173 | ATL 2000mAh; 3S2P | |
| | 996QA006H 996QA006HA 996QA006HB | 996TA006H 996TA006HA 996TA006HB | 436425-173 | ATL 2000mAh; 3S2P | |
| OT06039XL | 996Q2185H 996Q2185HA 996Q2185HB | 996T2185H 996T2185HA 996T2185HB | 586596-141 | SDI-2000mAh ; 3S2P | HSTNN-IB3E |
| OT06044 | 996Q2184H 996Q2184HA 996Q2184HB | 996T2184H 996T2184HA 996T2184HB | 436426-141 | SDI-2000mAh ; 3S2P | HSTNN-IB3D |
| PO02037XL | 996QA093H 996QA093HA 996QA093HB | 996TA093H 996TA093HA 996TA093HB | 823908-1C1 | Coslight 4960mAh;2S1P | HSTNN-IB7G |
| PP02037XL | 996Q2305H 996Q2305HA 996Q2305HB | 996T2305H 996T2305HA 996T2305HB | 823909-141 | SDI 4870mAh;2S1P | HSTNN-IB7H |
| PH06047 | 996Q2034H 996Q2034HA | 996T2034H 996T2034HA | 587706-121 | LGC-2200(S3) ; 3S2P | HSTNN-IB1A |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|------------------------|------------|
| | 996Q2034HB | 996T2034HB | | | |
| | 996Q2035H 996Q2035HA 996Q2035HA | 996T2035H 996T2035HA 996T2035HB | 587706-131 | Pana-2200 ; 3S2P | |
| PR06047 | 996Q2123H 996Q2123HA 996Q2123HB | 996T2123H 996T2123HA 996T2123HB | 633733-141 | SDI-2200 (F) ; 3S2P | HSTNN-IB2R |
| | 996Q2152H 996Q2152HA 996Q2152HB | 996T2152H 996T2152HA 996T2152HB | 637332-1A1 | BAK-2200 (C4); 3S2P | |
| | 996Q2124H 996Q2124HA 996Q2124HB | 996T2124H 996T2124HA 996T2124HB | 633733-151 | Sanyo-2200 (A) ; 3S2P | |
| | 996Q2259H 996Q2259HA 996Q2259HB | 996T2259H 996T2259HA 996T2259HB | 633733-142 | SDI-2200(FM);3S2P | |
| | 996Q2198H 996Q2198HA 996Q2198HB | 996T2198H 996T2198HA 996T2198HB | 633733-152 | Sanyo-2200 (AY) ; 3S2P | |
| RA04040XL | 996Q2269H 996Q2269HA 996Q2269HB | 996T2269H 996T2269HA 996T2269HB | 745416-121 | LGC-2800 (D1) 4S1P | HSTNN-IB5X |
| RA04044 | 996Q2227H 996Q2227HA 996Q2227HB | 996T2227H 996T2227HA 996T2227HB | 707618-121 | LGC-3000 (D1) 4S1P | HSTNN-IB4L |
| | 996Q2228H 996Q2228HA 996Q2228HB | 996T2228H 996T2228HA 996T2228HB | 707618-141 | SDI-3000 (A) ; 4S1P | |
| SB03026XL | 996QA053H 996QA053HA 996QA053HB | 996TA053H 996TA053HA 996TA053HA | 716725-171 | ATL 2500mah; 3S1P | HSTNN-IB4S |
| | 996QA052H 996QA052HA 996QA052HB | 996TA052H 996TA052HA 996TA052HB | 716725-1C1 | Coslight 2500mah; 3S1P | |
| SB03046XL | 996QA051H 996QA051HA 996QA051HB | 996TA051H 996TA051HA 996TA051HB | 716726-171 | ATL 4150mah; 3S1P | HSTNN-IB4T |
| | 996QA050H 996QA050HA 996QA050HB | 996TA050H 996TA050HA 996TA050HB | 716726-1C1 | Coslight 4150mah; 3S1P | |
| SD03045X | 996QA100H 996QA100HA 996QA100HB | 996TA100H 996TA100HA 996TA100HB | 847462-1C1 | Coslight 3950mAh; 3S1P | HSTNN-IB7K |
| SO04038XL | 996QA098H 996QA098HA 996QA098HB | 996TA098H 996TA098HA 996TA098HB | 843534-121 | LGC4985mAh; 2S2P | HSTNN-IB7J |
| | 996QA099H 996QA099HA 996QA099HB | 996TA099H 996TA099HA 996TA099HB | 843534-1C1 | Coslight4985mAh; 2S2P | |
| SW02032XL | G96QA037H G96Q037HA G96QA037HB | G96TA037H G96T037HA G96TA037HB | 859470-1B1 | Lishen4230mAh;2S1P | HSTNN-IB7N |
| | G96QA038H G96Q038HA G96QA038HB | G96TA038H G96T038HA G96TA038HB | 859470-121 | LGC4230mAh;2S1P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|-----------------------|------------|
| TA03051XL | 996QA101H 996QA101HA 996QA101HB | 996TA101H 996TA101HA 996TA101HB | 854047-1C1 | Coslight4560mAh; 3S1P | HSTNN-IB7L |
| | 996QA102H 996QA102HA 996QA102HB | 996TA102H 996TA102HA 996TA102HB | 854047-141 | SDI4560mAh; 3S1P | |
| | 996QA103H 996QA103HA 996QA103HB | 996TA103H 996TA103HA 996TA103HB | 854047-171 | LGC4650mAh; 3S1P | |
| TD06055 | 996Q2139H 996Q2139HA 996Q2139HB | 996T2139H 996T2139HA 996T2139HB | 463310-125 | LGC-2550(B3) ; 3S2P | HSTNN-IB69 |
| TG03032XL | G96QA015H G96QA015HA G96QA015HB | G96TA015H G96TA015HA G96TA015HB | 723921-1B1 | Lishen 2960mAh;3S1P | HSTNN-IB5F |
| | G96QA014H G96QA014HA G96QA014HB | G96TA014H G96TA014HA G96TA014HB | 723921-1C1 | Coslight2960mAh;3S1P | |
| TP02018XL | G96QA025H G96QA025HA G96QA025HB | G96TA025H G96TA025HA G96TA025HA | | Coslight 2400mAh;2S1P | HSTNN-IB5U |
| | G96QA026H G96QA026HA G96QA026HB | G96TA026H G96TA026HA G96TA026HB | 741348-171 | ATL 2400mAh;2S1P | |
| TR03033XL | G96QA016H G96QA016HA G96QA016HB | G96TA016H G96TA016HA G96TA016HB | 723922-171 | ATL 3050mAh; 3S1P | HSTNN-IB5G |
| | G96QA013H G96QA013HA G96QA013HB | G96TA013H G96TA013HA G96TA013HB | 723922-1B1 | Lishen 3050mAh; 3S1P | |
| VC04032 | 996Q2650F 996Q2650FA 996Q2650FB | 996T2650F 996T2650FA 996T2650FB | 440267-ABC | Pana 2200mAh; 4S1P | HSTNN-IB44 |
| | 996Q2660F 996Q2660FA 996Q2660FB | 996T2660F 996T2660FA 996T2660FB | 440266-ABC | SDI2200mAh; 4S1P | |
| | 996Q2002F 996Q2002FA 996Q2002FB | 996T2002F 996T2002FA 996T2002FB | 532396-ABC | SDI2200mAh;4S1P | |
| | 996Q3750F 996Q3750FA 996Q3750FB | 996T3750F 996T3750FA 996T3750FB | 440266-ABC | SDI2200mAh;4S1P | |
| VC08063 | 996Q2590F 996Q2590FA 996Q2590FB | 996T2590F 996T2590FA 996T2590FB | 440269-ABC | Pana 2200mAh; 4S2P | HSTNN-IB45 |
| | 996Q2600F 996Q2600FA 996Q2600FB | 996T2600F 996T2600FA 996T2600FB | 440268-ABC | SDI2200mAh; 4S2P | |
| | 996Q4530F 996Q4530FA 996Q4530FB | 996T4530F 996T4530FA 996T4530FB | 513855-ABC | SDI2200mAh; 4S2P | |
| VE06043 | 996Q2120F 996Q2120FA 996Q2120FB | 996T2120F 996T2120FA 996T2120FB | 411462-121 | LGC2000mAh; 3S2P | HSTNN-IB31 |
| | 996Q2130F 996Q2130FA 996Q2130FB | 996T2130F 996T2130FA 996T2130FB | 411462-141 | SDI2000mAh; 3S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|---------------------------------------|---------------------------------------|--|---------------------|---------------------|-------------|
| VE06047 | 996Q2450F 996Q2450FA 996Q2450FB | 996T2450F 996T2450FA 996T2450FB | 436281-141 | SDI 2200mAh; 3S2P | HSTNN-IB42 |
| | 996Q2460F 996Q2460FA 996Q2460FB | 996T2460F 996T2460FA 996T2460FB | 436281-131 | Pana 2200mAh; 3S2P | |
| | 996Q2960F 996Q2960FA 996Q2960FB | 996T2960F 996T2960FA 996T2960FB | 436281-151 | Sanyo 2200mAh; 3S2P | |
| | 996Q3720F 996Q3720FA 996Q3720FB | 996T3720F 996T3720FA 996T3720FB | 436281-141 | SDI 2200mAh; 3S2P | |
| | 996Q4340F 996Q4340FA 996Q4340FB | 996T4340F 996T4340FA 996T4340FB | 436281-142 | SDI 2200mAh; 3S2P | |
| VE06055 | 996Q3180F 996Q3180FA 996Q3180FB | 996T3180F 996T3180FA 996T3180FB | 441243-141 | SDI 2550mAh; 3s2p | HSTNN-IB46 |
| | 996Q3190F 996Q3190FA 996Q3190FB | 996T3190F 996T3190FA 996T3190FB | 441243-121 | LGC 2550mAh; 3S2P | |
| | 996Q2148F 996Q2148FA 996Q3148FB | 996T2148F 996T2148FA 996T2148FB | 441243-143 | SDI-2550mAh; 3S2P | |
| | 996Q4330F 996Q4330FA 996Q4330FB | 996T4330F 996T4330FA 996T4330FB | 441243-142 | SDI-2550mAh; 3S2P | |
| VE12095 | 996Q2140F 996Q2140FA 996Q2140FB | 996T2140F 996T2140FA 996T2140FB | 411463-141 | SDI 2200mAh; 3S4P | HSTNN-IB32 |
| | 996Q2150F 996Q2150FA 996Q2150FB | 996T2150F 996T2150FA 996T2150FB | 411463-161 | Sony 2200mAh; 3S4P | |
| | 996Q3860F 996Q3860FA 996Q3860FB | 996T3860F 996T3860FA 996T3860FB | 411463-141 | DI 2200mAh; 3S4P | |
| | 996Q4320F 996Q4320FA 996Q4320FB | 996T4320F 996T4320FA 996T4320FB | 411463-142 | DI 2200mAh; 3S4P | |
| Venturi | 996QA012H 996QA012HA 996QA012HB | 996TA012H 996TA012HA 996TA012HB | 671277-171 | ATL 2700mAh; 3S2P | BATAZ60L59S |
| | 996QA014H 996QA014HA 996QA014HB | 996TA014H 996TA014HA 996TA014KHB | 671278-171 | ATL 2300mAh; 3S2P | BATAZ60L53S |
| | 996Q2115H 996Q2115HA 996Q2115HB | 996T2115H 996T2115HA 996T2115HB | 632114-141 | SDI 2800mAh; 4S2P | HSTNN-IB2Q |
| 996Q2113H 996Q2113HA 996Q2113HB | 996T2113H 996T2113HA 996T2113HB | 632114-151 | SANYO 2800mAh; 4S2P | | |
| VH08083 | 996Q2112H 996Q2112HA 996Q2112HB | 996T2112H 996T2112HA 996T2112HB | 632113-141 | SDI 2800mAh; 4S2P | |



新普科技股份有限公司
 新世電子(常熟)有限公司
 新普科技(重慶)有限公司
 華普電子(常熟)有限公司
 Simplo Technology Co., Ltd.
 Simplo Technology(Changshu)Inc.
 Simplo Technology(Chongqing)Inc.
 Huapu Technology(Changshu)Inc.

| | | | | | |
|-----------|---------------------------------------|---------------------------------------|------------|------------------------|------------|
| | 996Q2114H 996Q2114HA 996Q2114HB | 996T2114H 996T2114HA 996T2114HB | 632113-151 | SANYO 2800mAh; 4S2P | |
| VL04032 | 996Q2510F 996Q2510FA 996Q2510FB | 996T2510F 996T2510FA 996T2510FB | 434045-141 | SDI 2.2 ; 4S1P | HSTNN-IB39 |
| | 996Q2520F 996Q2520FA 996Q2520FB | 996T2520F 996T2520FA 996T2520FB | 434045-161 | Sony 2.2 ; 4S1P | |
| | 996Q2003F 996Q2003FA 996Q2003FB | 996T2003F 996T2003FA 996T2003FB | 571978-ABC | Sony 2.2 (G6F) ; 4S1P | |
| | 996Q2096F 996Q2096FA 996Q2096FB | 996T2096F 996T2096FA 996T2096FB | | Sony 2.2 (G6G) ; 4S1P | |
| | 996Q3760F 996Q3760FA 996Q3760FB | 996T3760F 996T3760FA 996T3760FB | 434045-161 | Sony 2.2 (G6F) ; 4S1P | |
| VR03045XL | 996QA091H 996QA091HA 996QA091HB | 996TA091H 996TA091HA 996TA091HB | 816497-1C1 | Coslight 3950mAh; 3S1P | HSTNN-IB7E |