

C9407Series[LG]-MSDS_US-English-02.pdf

C9407Series[PB]-MSDS_US-English-02.pdf



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation C9407Series[LG]
Product use Inkjet printing
Version # 02
Revision date 28-Feb-2011
Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and diarrhea. May cause sensitization of susceptible persons.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone
Contact with skin may result in irritation.
Alkyldiol
Contact with skin may result in irritation.

Eye contact

2-pyrrolidone
Contact with eyes may result in irritation.
Alkyldiol
Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone
Inhalation may result in respiratory irritation.
Alkyldiol
Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone
Ingestion may result in nausea, vomiting and diarrhea.
Diethylene glycol
Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous system.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

Carcinogenicity

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Water	7732-18-5	80 - 90
Alkyldiol	Proprietary	5 - 7.5
2-pyrrolidone	616-45-5	2.5 - 5
Diethylene glycol	111-46-6	2.5 - 5
Carbon black	1333-86-4	0 - 1
Triethanolamine	102-71-6	0 - 1

Composition comments

This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First Aid Measures

First aid procedures

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Ingestion

If material is ingested, immediately contact a physician or poison control center.

5. Fire Fighting Measures

Flammable properties

Combustion generates toxic fumes of fluorides; fluorine compounds;.

Extinguishing media

Suitable extinguishing media

CO₂, water, dry chemical, or foam

Unsuitable extinguishing media

None known.

Specific methods

None established.

Hazardous combustion products

Refer to section 10.

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Storage

Keep in a dry place. Keep away from excessive heat or cold. Store away from strong oxidizers.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components	Type	Value
Carbon black (1333-86-4)	TWA	3.5000 mg/m ³
Triethanolamine (102-71-6)	TWA	5.0000 mg/m ³

U.S. - Tennessee

Components	Type	Value
Carbon black (1333-86-4)	TWA	3.5000 mg/m ³

U.S. - WEEL

Components	Type	Value
Diethylene glycol (111-46-6)	TWA	10.0000 mg/m ³

Exposure guidelines Exposure limits have not been established for this product.

Engineering controls Use in a well ventilated area.

Personal protective equipment

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance Not available.

Color Light Grey

Odor Not available.

Odor threshold Not available.

Physical state Liquid

Form Not available.

pH 9.4

Melting point Not available.

Freezing point Not available.

Boiling point Not determined

Flash point 200 °F (93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Not determined

Flammability limits in air, upper, % by volume Not available.

Flammability limits in air, lower, % by volume Not determined

Vapor pressure Not determined

Vapor density Not available.

Specific gravity 1

Relative density Not available.

Solubility (water) Soluble in water

Auto-ignition temperature Not determined

Decomposition temperature Not available.

VOC < 138 g/l

Other information VOC content (less water, less exempt compounds) = < 138 g/L (U.S. requirement, not for emissions)
VOC data based on formulation (Organic compounds minus solids)

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. hydrogen fluoride, fluorinated hydrocarbons
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Carcinogenicity	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.
Serious eye damage/eye irritation	Not available.
Skin sensitization	Not available.
Further information	This ink formulation has not been tested for toxicological effects. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity	LC50/96h/Fathead minnows => 750 mg/L
Persistence and degradability	Not available.

13. Disposal Considerations

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
------------------------------	---

14. Transport Information

Further information	Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.
----------------------------	--

DOT

Not regulated as dangerous goods.

IATA

Basic shipping requirements:

Proper shipping name	Not Applicable
Hazard class	Not applicable
UN number	None
Packing group	N/A

Additional information:

Packaging exceptions	None
-----------------------------	------

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations	US TSCA 12(b): Does not contain listed chemicals.
-------------------------------	---

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical	Yes
--	-----

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed.
Diethylene glycol (CAS 111-46-6) Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

HMIS® ratings Health: 1
Flammability: 2
Physical hazard: 0

NFPA ratings Health: 1
Flammability: 2
Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 28-Feb-2011

This data sheet contains changes from the previous version in section(s): Product and Company Identification: Product and Company Identification
Hazards Identification: Carcinogenicity
Composition / Information on Ingredients: Composition comments
9. Physical & Chemical Properties: Color
9. Physical & Chemical Properties: Other information
11. Toxicological Information: Carcinogenicity
11. Toxicological Information: Further information
14. Transport Information: Further information

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation C9407Series[PB]
Product use Inkjet printing
Version # 02
Revision date 28-Feb-2011
Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and diarrhea. May cause sensitization of susceptible persons.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone
Contact with skin may result in irritation.
Alkyldiol
Contact with skin may result in irritation.

Eye contact

2-pyrrolidone
Contact with eyes may result in irritation.
Alkyldiol
Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone
Inhalation may result in respiratory irritation.
Alkyldiol
Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone
Ingestion may result in nausea, vomiting and diarrhea.
Diethylene glycol
Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous system.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Carcinogenicity

Complete toxicity data are not available for this specific formulation

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.
None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Water	7732-18-5	70 - 80
2-pyrrolidone	616-45-5	5 - 7.5
Alkyldiol	Proprietary	2.5 - 5
Diethylene glycol	111-46-6	2.5 - 5
Carbon black	1333-86-4	1 - 2.5
Triethanolamine	102-71-6	0 - 1

Composition comments This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First Aid Measures

First aid procedures

Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Ingestion	If material is ingested, immediately contact a physician or poison control center.

5. Fire Fighting Measures

Flammable properties Combustion generates toxic fumes of fluoride/fluorine compounds; aldehydes; ketones; potential for acetylene.

Extinguishing media

Suitable extinguishing media	CO ₂ , water, dry chemical, or foam
Unsuitable extinguishing media	None known.

Specific methods None established.

Hazardous combustion products Refer to section 10.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Storage Keep out of the reach of children. Keep away from excessive heat or cold. Store away from strong oxidizers.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components	Type	Value
Carbon black (1333-86-4)	TWA	3.5000 mg/m ³
Triethanolamine (102-71-6)	TWA	5.0000 mg/m ³

U.S. - Tennessee**Components****Type****Value**

Components	Type	Value
Carbon black (1333-86-4)	TWA	3.5000 mg/m3

U.S. - WEEL**Components****Type****Value**

Components	Type	Value
Diethylene glycol (111-46-6)	TWA	10.0000 mg/m3

Exposure guidelines

Exposure limits have not been established for this product.

Engineering controls

Use in a well ventilated area.

Personal protective equipment**Eye / face protection**

Not required under intended use.

Skin protection

Protected gloves not required under intended use.

Respiratory protection

For use other than intended use (such as in the event of a large spill), goggles and respirators may be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General

Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties**Appearance**

Not available.

Color

Black.

Odor

Not available.

Odor threshold

Not available.

Physical state

Liquid

Form

Not available.

pH

9.3

Melting point

Not available.

Freezing point

Not available.

Boiling point

Not determined

Flash point

200 °F (93.3 °C) Pensky-Martens Closed Cup

Evaporation rate

Not determined

Flammability limits in air, upper, % by volume

Not available.

Flammability limits in air, lower, % by volume

Not determined

Vapor pressure

Not determined

Vapor density

Not available.

Specific gravity

1

Relative density

Not available.

Solubility (water)

Soluble in water

Auto-ignition temperature

Not determined

Decomposition temperature

Not available.

VOC

< 192 g/L

Other information

VOC content (less water, less exempt compounds) = < 863 g/L (U.S. requirement, not for emissions)

10. Chemical Stability & Reactivity Information**Chemical stability**

Stable under recommended storage conditions.

Incompatible materials

Incompatible with strong bases and oxidizing agents.

Hazardous decomposition products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride, fluorinated hydrocarbons

Possibility of hazardous reactions

Will not occur.

11. Toxicological Information

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

ACGIH Carcinogens

Carbon black (CAS 1333-86-4)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

IARC Monographs: Evidence of carcinogenicity in humans

Carbon black (CAS 1333-86-4)

Inadequate data.

Serious eye damage/eye irritation

Not available.

Skin sensitization

Not available.

Symptoms and target organs

Target Organs (NIOSH)

Carbon black (CAS 1333-86-4)

Eyes
Respiratory system

Further information

This ink formulation has not been tested for toxicological effects.
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity

LC50/96h/Fathead minnows => 750 mg/L

Persistence and degradability

Not available.

13. Disposal Considerations

Disposal instructions

Dispose of in compliance with federal, state, and local regulations.
HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport Information

Further information

Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Basic shipping requirements:

Proper shipping name

Not applicable

Hazard class

Not applicable

UN number

None

Packing group

N/A

Additional information:

Packaging exceptions

None

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 Yes
hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

State regulations**US - Pennsylvania RTK - Hazardous Substances: Listed substance**

2-pyrrolidone (CAS 616-45-5)	Listed.
Carbon black (CAS 1333-86-4)	Listed.
Diethylene glycol (CAS 111-46-6)	Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

HMIS® ratings Health: 1
Flammability: 2
Physical hazard: 0

NFPA ratings Health: 1
Flammability: 2
Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 28-Feb-2011

This data sheet contains changes from the previous version in section(s): Product and Company Identification: Product and Company Identification
Hazards Identification: Chronic health effects
Hazards Identification: Carcinogenicity
Composition / Information on Ingredients: Composition comments
9. Physical & Chemical Properties: Color
9. Physical & Chemical Properties: Other information
11. Toxicological Information: Carcinogenicity

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds