

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Product identifier W3S80Series

Other means of identification

Synonyms HP 2580 Black Solvent Ink

Recommended use Inkjet printing
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

United States

Telephone 650-857-1501

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 2Health hazardsSerious eye damage/eye irritationCategory 1Environmental hazardsHazardous to the aquatic environment,Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement Highly flammable liquid and vapor. Causes serious eye damage. Harmful to aquatic life with long

lasting effects.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid

release to the environment.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

In case of fire: Use CO2 to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Material name: W3S80Series sps us

Disposal

Hazard(s) not otherwise classified (HNOC)

Dispose of contents/container in accordance with local/regional/national/international regulations.

Prolonged or repeated skin contact may cause drying, cracking, or irritation. May produce an allergic reaction. Potential routes of exposure to this product are skin and eye contact, ingestion,

and inhalation.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethyl Alcohol		64-17-5	<80
Cyclohexanone		108-94-1	<10
Acetone		67-64-1	<7.5
Chromium, 1-[2-[5-(1,1-dimethylpropyl)-2-hydr xy-3-nitrophenyl]diazenyl]-2-naphtl alenol 1-[2-[2-hydroxy-4(or 5)-nitrophenyl]diazenyl]-2-naphtha nol Ammonium Sodium Complexe	n de	1029600-34-7	<5
C.I. Solvent Orange 11		61725-76-6	<1
Naphthalene		91-20-3	<0.1

4. First-aid measures

Inhalation Move person to fresh air immediately.

If symptoms persist, get immediate medical attention.

In case of contact, immediately remove contaminated clothing and flush skin with copious amounts Skin contact

of water. Wash clothing separately before reuse.

Get medical attention, if needed.

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under Eye contact

the eyelids, for at least 15 minutes. Get medical attention immediately.

Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice Ingestion

-- Do not induce vomiting. Never give anything by mouth to an unconscious person.

Suitable extinguishing media: sand, carbon dioxide (CO2) or dry chemical.

Get medical attention immediately.

Most important

symptoms/effects, acute and

delayed

Not available.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid

runoff into storm sewers and ditches which lead to waterways.

Fire fighting equipment/instructions Move containers from fire area if you can do it without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin. Avoid inhalation of vapors or mists.

Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of

Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.

Methods and materials for containment and cleaning up Not available.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Material name: W3S80Series SDS US

7. Handling and storage

Precautions for safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.

Use with adequate ventilation.

Wear personal protective equipment.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks and flame.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

8. Exposure controls/personal protection

	Occu	pational	l exposure	limits
--	------	----------	------------	--------

108-94-1)

Components	Туре	Value	
Acetone (CAS 67-64-1)	PEL	2400 mg/m3	
		1000 ppm	
Cyclohexanone (CAS	PEL	200 mg/m3	

50 ppm PEL 1900 mg/m3 Ethyl Alcohol (CAS 64-17-5)

1000 ppm PEL 50 mg/m3 Naphthalene (CAS 91-20-3) 10 ppm

US. ACGIH Threshold Limit Values

Components	Туре	Value
Acetone (CAS 67-64-1)	STEL	500 ppm
	TWA	250 ppm
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm
	TWA	20 ppm
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
Naphthalene (CAS 91-20-3)	STEL	15 ppm
	TWA	10 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Acetone (CAS 67-64-1)	TWA	590 mg/m3
		250 ppm
Cyclohexanone (CAS 108-94-1)	TWA	100 mg/m3
		25 ppm
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Naphthalene (CAS 91-20-3)	STEL	75 mg/m3
		15 ppm
	TWA	50 mg/m3
		10 ppm

Biological limit values

ACGIH Biological Expos	ure Indices			
Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	25 mg/l	Acetone	Urine	*
Cyclohexanone (CAS 108-94-1)	80 mg/l	1,2-Cyclohexan ediol, with hydrolysis	Urine	*

Material name: W3S80Series SDS US

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time	
	8 mg/l	Cyclohexanol,	Urine	*	

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin. Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Cyclohexanone (CAS 108-94-1) Skin designation applies.

US - Tennessee OELs: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin. Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Not available.

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

Appropriate engineering

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Recommended gloves: Nitrile 6 mil minimum thickness.

Other Wear appropriate chemical resistant clothing.

Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Respiratory protection

Thermal hazards Not available.

General hygiene considerations

Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after

handling the product.

Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Not available. **Physical state** Liquid. **Form** Black. Color Odor Solvent. Not available. **Odor threshold** Not available. pН Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

41.0 °F (5.0 °C) Setaflash Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Material name: W3S80Series SDS US

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information For other VOC regulatory data/information see Section 15.

VOC 743 g/I US EPA Method 24

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

None known.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Not available.

Hazardous decomposition Not available.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation may result in mild irritation to the respiratory system.

Skin contact Contact with skin may result in mild irritation.

Eye contact Causes serious eye damage.

Ingestion Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

Cyclohexanone (CAS 108-94-1)

Acute Inhalation

Vapor

LC50 Rat > 6.2 mg/l, 4 Hours

Naphthalene (CAS 91-20-3)

Acute Dermal

LD50 Rabbit > 2 g/kg

Rat > 20 g/kg

Oral

LD50 Guinea pig 1200 mg/kg

Rat 490 mg/kg

Other

LD50 Mouse 100 mg/kg

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Causes serious eye damage.

Material name: W3S80Series SDS US

Respiratory or skin sensitization

Respiratory sensitization
Skin sensitization
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cyclohexanone (CAS 108-94-1) 3 Not classifiable as to carcinogenicity to humans.

Naphthalene (CAS 91-20-3) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Naphthalene (CAS 91-20-3) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicityBased on available data, the classification criteria are not met. **Specific target organ toxicity -**Based on available data, the classification criteria are not met.

single exposure

single exposure

repeated exposure

Specific target organ toxicity - Based on ava

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Aquatic toxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

LC50/96h/rainbow trout = <100 mg/l and >10 mg/l.

Ecotoxicity

Components **Test Results Species** Ethyl Alcohol (CAS 64-17-5) Aquatic Crustacea EC50 Daphnia 9268, 48 Hours Fish LC50 Fish 12900, 96 Hours Naphthalene (CAS 91-20-3) Aquatic Crustacea EC50 Water flea (Daphnia magna) 1.09 - 3.4 mg/l, 48 hours LC50 Fish Pink salmon (Oncorhynchus gorbuscha) 1.11 - 1.68 mg/l, 96 hours

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Acetone-0.24Cyclohexanone0.81Ethyl Alcohol-0.31Naphthalene3.3

Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructions Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport information

DOT

UN number UN1210
UN proper shipping name Printing ink

Material name: W3S80Series

Transport hazard class(es)

Class 3 Subsidiary risk П Packing group

Special precautions for user Not available.

DOT Supplemental Information

DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN1210 **UN** number Printing ink **UN** proper shipping name

Transport hazard class(es)

3 Class Subsidiary risk **Packing group** Ш **Environmental hazards** No.

Special precautions for user Not available.

IMDG

UN number UN1210 Printing ink UN proper shipping name

Transport hazard class(es)

3 **Class** Subsidiary risk П Packing group Transport hazard class(es)

Marine pollutant No.

EmS Not available. Special precautions for user Not available.

ADR

UN1210 **UN** number **UN** proper shipping name Printing ink

Transport hazard class(es)

Class 3 Subsidiary risk

Not available. Hazard No. (ADR) Tunnel restriction code Not available.

Packing group Ш **Environmental hazards** No.

Special precautions for user Not available.

ADR; IATA; IMDG



DOT



Material name: W3S80Series SDS US 15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetone (CAS 67-64-1)

Cyclohexanone (CAS 108-94-1)

Naphthalene (CAS 91-20-3)

Listed.

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories Serious eye damage or eye irritation

Yes

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Naphthalene (CAS 91-20-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act N

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and

Chemical Code Number

Acetone (CAS 67-64-1) 6532

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Acetone (CAS 67-64-1) 35 %WV

DEA Exempt Chemical Mixtures Code Number

Acetone (CAS 67-64-1) 6532

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Acetone (CAS 67-64-1)

Cyclohexanone (CAS 108-94-1)

Ethyl Alcohol (CAS 64-17-5)

Low priority

Low priority

US state regulations

California Proposition 65

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Naphthalene (CAS 91-20-3) Listed: April 19, 2002

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Acetone (CAS 67-64-1) Naphthalene (CAS 91-20-3)

Other information VOC content (less water, less exempt compounds) = 755 g/L (U.S. requirement, not for emissions)

VOC data based on formulation (Organic compounds minus solids)

US EPA Method 24

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 29-Aug-2017

Material name: W3S80Series sps us

Revision date 15-Sep-2020

Version # 03

Other information This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Revision information 1. Product and Company Identification: Alternate Trade Names

Hazard(s) identification: Hazard(s) not otherwise classified (HNOC)

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Regulatory information: Other information

GHS: Classification

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: W3S80Series sps us