

# SAFETY DATA SHEET

## 1. Identification of the product

GHS product identifier HP Color LaserJet C8551A Cyan Print Cartridge

Other means of identification None

Recommended use of the chemical and restrictions on use

Recommended use This product is a cyan toner preparation that is used in HP Color LaserJet 9500/9500mfp series

printers.

Recommended restrictions None known.

Supplier's details

HP Inc Argentina S.R.L. Montaneses 2150, Piso 2 Buenos Aires, Argentina 1428

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

## 2. Hazard(s) identification

# Classification of the substance or mixture

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

### GHS label elements, including precautionary statements

Hazard symbols None.

Signal word None.

Hazard statement Not available.

**Precautionary statement** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Other hazards which do not result in classification

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Styrene acrylate copolymer		Trade Secret	<85
Wax	Wax	Trade Secret	<10
Pigment	Pigment	Trade Secret	<5

Material name: C8551A SDS URUGUAY

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Titanium dioxide		13463-67-7	<1

### 4. First-aid measures

Description of necessary first-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at **Eve contact** 

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

Most important

Ingestion

symptoms/effects, acute and

delayed

Not available.

# 5. Fire-fighting measures

Suitable (or unsuitable) extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special protective actions for

firefighters

Not available.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders

Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Methods and materials for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

# 7. Handling and storage

Precautions to ensure safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

## 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

**Uruquay. Occupational Exposure Limit Values** 

Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Material name: C8551A SDS URUGUAY

12540

2/6

**US. ACGIH Threshold Limit Values** Components Value Type Titanium dioxide (CAS TWA 10 mg/m3 13463-67-7) **Biological limit values** No biological exposure limits noted for the ingredient(s). , 5 mg/m3 (Respirable Fraction) **Exposure guidelines** , 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) Control banding approach Not available. Use in a well ventilated area. Appropriate engineering controls Individual protection measures, such as personal protective equipment Not available. Eye/face protection Skin protection Not available. **Hand protection** Not available. Other

### 9. Physical and chemical properties

Respiratory protection

Thermal hazards

Appearance Fine powder
Physical state Solid.
Form solid
Color Cyan

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Fig. 1914 Part Island

Flammability limit - lower

Not flammable

Not available.

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not applicable

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not applicable

Decomposition temperature Not available.

Viscosity Not applicable

Material name: C8551A SDS URUGUAY

Other information

Oxidizing properties No information available.

Percent volatile 0 % estimated

**Softening point** 212 - 302 °F (100 - 150 °C)

Specific gravity 1 - 1.2

## 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Symptoms Not available.

#### Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

**Respiratory sensitization**Based on available data, the classification criteria are not met. **Skin sensitization**Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**ACGIH Carcinogens** 

Titanium dioxide (CAS 13463-67-7)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

**Reproductive toxicity**Based on available data, the classification criteria are not met. **Specific target organ toxicity -**Based on available data, the classification criteria are not met.

single exposure

omgre empreeme

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

based off available data, the classification criteria are not met

Aspiration hazard Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# 12. Ecological information

**Ecotoxicity** LL50: > 1000 mg/l, Fish, 96.00 Hours

Product Species Test Results

C8551A

Aquatic

Fish LL50 Fish > 1000 mg/l, 96 Hours

Material name: C8551A SDS URUGUAY

12540

4/6

5/6

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Other adverse effects
Not available.
Not available.
Not available.

## 13. Disposal considerations

Disposal methods

**Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling

of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations

Waste from residues / unused products

Not available.

Contaminated packaging Not av

Not available

### 14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Narcotics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Psychotropics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Uruguay. Precursor and Chemical Products (Decree No. 391/002 of 10/10/2002, Annex I, Tables 1 & 2)

Not regulated.

Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)

Not listed.

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Montreal Protocol

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Basel Convention** 

Not applicable.

# 16. Other information

Issue date22-Oct-2016Revision date06-Sep-2018

Material name: C8551A SDS URUGUAY

#### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Revision information**

Fire-fighting measures: Specific hazards arising from the chemical Accidental release measures: Other issues relating to spills and releases

Accidental release measures: Methods and materials for containment and cleaning up

Toxicological information: Eye contact Toxicological information: Ingestion Toxicological information: Inhalation Toxicological information: Skin contact

Other information: Disclaimer

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C8551A SDS URUGUAY